

Tank Strapping Detail Report

Tank ID **012-034** Tank Type **F** Roof Weight **1,047** API **35.00** Gravity Correction **.02**
 Strapped By: **HMT** 7/10/2008 Floating Height **3-07-00**

| <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> |
|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| 0-00-00 | 6.32 | 3-06-00 | 853.77 | 7-00-00 | 1,733.66 F | 10-06-00 | 2,615.57 F |
| 0-01-00 | 13.06 | 3-07-00 | 874.80 F | 7-01-00 | 1,754.69 F | 10-07-00 | 2,636.56 F |
| 0-02-00 | 23.78 | 3-08-00 | 895.65 F | 7-02-00 | 1,775.73 F | 10-08-00 | 2,657.54 F |
| 0-03-00 | 36.75 | 3-09-00 | 916.19 F | 7-03-00 | 1,796.76 F | 10-09-00 | 2,678.53 F |
| 0-04-00 | 55.38 | 3-10-00 | 936.52 F | 7-04-00 | 1,817.80 F | 10-10-00 | 2,699.51 F |
| 0-05-00 | 75.85 | 3-11-00 | 956.74 F | 7-05-00 | 1,838.83 F | 10-11-00 | 2,720.50 F |
| 0-06-00 | 96.38 | 4-00-00 | 976.90 F | 7-06-00 | 1,859.86 F | 11-00-00 | 2,741.48 F |
| 0-07-00 | 117.34 | 4-01-00 | 997.49 F | 7-07-00 | 1,880.90 F | 11-01-00 | 2,762.47 F |
| 0-08-00 | 138.38 | 4-02-00 | 1,018.52 F | 7-08-00 | 1,901.93 F | 11-02-00 | 2,783.45 F |
| 0-09-00 | 159.41 | 4-03-00 | 1,039.55 F | 7-09-00 | 1,922.96 F | 11-03-00 | 2,804.44 F |
| 0-10-00 | 180.43 | 4-04-00 | 1,060.59 F | 7-10-00 | 1,944.00 F | 11-04-00 | 2,825.42 F |
| 0-11-00 | 201.45 | 4-05-00 | 1,081.62 F | 7-11-00 | 1,965.03 F | 11-05-00 | 2,846.40 F |
| 1-00-00 | 222.48 | 4-06-00 | 1,102.65 F | 8-00-00 | 1,986.03 F | 11-06-00 | 2,867.39 F |
| 1-01-00 | 243.51 | 4-07-00 | 1,123.69 F | 8-01-00 | 2,007.01 F | 11-07-00 | 2,888.37 F |
| 1-02-00 | 264.54 | 4-08-00 | 1,144.72 F | 8-02-00 | 2,028.00 F | 11-08-00 | 2,909.36 F |
| 1-03-00 | 285.56 | 4-09-00 | 1,165.75 F | 8-03-00 | 2,048.98 F | 11-09-00 | 2,930.34 F |
| 1-04-00 | 306.58 | 4-10-00 | 1,186.79 F | 8-04-00 | 2,069.97 F | 11-10-00 | 2,951.33 F |
| 1-05-00 | 327.60 | 4-11-00 | 1,207.82 F | 8-05-00 | 2,090.95 F | 11-11-00 | 2,972.31 F |
| 1-06-00 | 348.64 | 5-00-00 | 1,228.85 F | 8-06-00 | 2,111.94 F | 12-00-00 | 2,993.30 F |
| 1-07-00 | 369.68 | 5-01-00 | 1,249.89 F | 8-07-00 | 2,132.92 F | 12-01-00 | 3,014.28 F |
| 1-08-00 | 390.73 | 5-02-00 | 1,270.92 F | 8-08-00 | 2,153.91 F | 12-02-00 | 3,035.27 F |
| 1-09-00 | 411.78 | 5-03-00 | 1,291.96 F | 8-09-00 | 2,174.89 F | 12-03-00 | 3,056.25 F |
| 1-10-00 | 432.83 | 5-04-00 | 1,312.99 F | 8-10-00 | 2,195.88 F | 12-04-00 | 3,077.24 F |
| 1-11-00 | 453.87 | 5-05-00 | 1,334.02 F | 8-11-00 | 2,216.86 F | 12-05-00 | 3,098.22 F |
| 2-00-00 | 474.92 | 5-06-00 | 1,355.06 F | 9-00-00 | 2,237.85 F | 12-06-00 | 3,119.21 F |
| 2-01-00 | 495.97 | 5-07-00 | 1,376.09 F | 9-01-00 | 2,258.83 F | 12-07-00 | 3,140.19 F |
| 2-02-00 | 517.01 | 5-08-00 | 1,397.12 F | 9-02-00 | 2,279.82 F | 12-08-00 | 3,161.18 F |
| 2-03-00 | 538.06 | 5-09-00 | 1,418.16 F | 9-03-00 | 2,300.80 F | 12-09-00 | 3,182.16 F |
| 2-04-00 | 559.11 | 5-10-00 | 1,439.19 F | 9-04-00 | 2,321.78 F | 12-10-00 | 3,203.15 F |
| 2-05-00 | 580.16 | 5-11-00 | 1,460.22 F | 9-05-00 | 2,342.77 F | 12-11-00 | 3,224.13 F |
| 2-06-00 | 601.20 | 6-00-00 | 1,481.26 F | 9-06-00 | 2,363.75 F | 13-00-00 | 3,245.12 F |
| 2-07-00 | 622.25 | 6-01-00 | 1,502.29 F | 9-07-00 | 2,384.74 F | 13-01-00 | 3,266.10 F |
| 2-08-00 | 643.30 | 6-02-00 | 1,523.33 F | 9-08-00 | 2,405.72 F | 13-02-00 | 3,287.09 F |
| 2-09-00 | 664.35 | 6-03-00 | 1,544.36 F | 9-09-00 | 2,426.71 F | 13-03-00 | 3,308.07 F |
| 2-10-00 | 685.39 | 6-04-00 | 1,565.39 F | 9-10-00 | 2,447.69 F | 13-04-00 | 3,329.06 F |
| 2-11-00 | 706.44 | 6-05-00 | 1,586.43 F | 9-11-00 | 2,468.68 F | 13-05-00 | 3,350.04 F |
| 3-00-00 | 727.49 | 6-06-00 | 1,607.46 F | 10-00-00 | 2,489.66 F | 13-06-00 | 3,371.02 F |
| 3-01-00 | 748.53 | 6-07-00 | 1,628.49 F | 10-01-00 | 2,510.65 F | 13-07-00 | 3,392.01 F |
| 3-02-00 | 769.58 | 6-08-00 | 1,649.53 F | 10-02-00 | 2,531.63 F | 13-08-00 | 3,412.99 F |
| 3-03-00 | 790.63 | 6-09-00 | 1,670.56 F | 10-03-00 | 2,552.62 F | 13-09-00 | 3,433.98 F |
| 3-04-00 | 811.68 | 6-10-00 | 1,691.59 F | 10-04-00 | 2,573.60 F | 13-10-00 | 3,454.96 F |
| 3-05-00 | 832.72 | 6-11-00 | 1,712.63 F | 10-05-00 | 2,594.59 F | 13-11-00 | 3,475.95 F |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **012-034** Tank Type **F** Roof Weight **1,047** API **35.00** Gravity Correction **.02**
 Strapped By: **HMT** 7/10/2008 Floating Height **3-07-00**

| <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> |
|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| 14-00-00 | 3,496.93 F | 17-06-00 | 4,377.64 F | 21-00-00 | 5,257.52 F | 24-06-00 | 6,137.78 F |
| 14-01-00 | 3,517.92 F | 17-07-00 | 4,398.58 F | 21-01-00 | 5,278.47 F | 24-07-00 | 6,158.79 F |
| 14-02-00 | 3,538.90 F | 17-08-00 | 4,419.53 F | 21-02-00 | 5,299.42 F | 24-08-00 | 6,179.80 F |
| 14-03-00 | 3,559.89 F | 17-09-00 | 4,440.48 F | 21-03-00 | 5,320.37 F | 24-09-00 | 6,200.81 F |
| 14-04-00 | 3,580.87 F | 17-10-00 | 4,461.43 F | 21-04-00 | 5,341.32 F | 24-10-00 | 6,221.81 F |
| 14-05-00 | 3,601.86 F | 17-11-00 | 4,482.38 F | 21-05-00 | 5,362.27 F | 24-11-00 | 6,242.82 F |
| 14-06-00 | 3,622.84 F | 18-00-00 | 4,503.33 F | 21-06-00 | 5,383.22 F | 25-00-00 | 6,263.83 F |
| 14-07-00 | 3,643.83 F | 18-01-00 | 4,524.28 F | 21-07-00 | 5,404.17 F | 25-01-00 | 6,284.84 F |
| 14-08-00 | 3,664.81 F | 18-02-00 | 4,545.23 F | 21-08-00 | 5,425.12 F | 25-02-00 | 6,305.85 F |
| 14-09-00 | 3,685.80 F | 18-03-00 | 4,566.18 F | 21-09-00 | 5,446.06 F | 25-03-00 | 6,326.85 F |
| 14-10-00 | 3,706.78 F | 18-04-00 | 4,587.13 F | 21-10-00 | 5,467.01 F | 25-04-00 | 6,347.86 F |
| 14-11-00 | 3,727.77 F | 18-05-00 | 4,608.08 F | 21-11-00 | 5,487.96 F | 25-05-00 | 6,368.87 F |
| 15-00-00 | 3,748.75 F | 18-06-00 | 4,629.03 F | 22-00-00 | 5,508.91 F | 25-06-00 | 6,389.88 F |
| 15-01-00 | 3,769.74 F | 18-07-00 | 4,649.98 F | 22-01-00 | 5,529.86 F | 25-07-00 | 6,410.89 F |
| 15-02-00 | 3,790.72 F | 18-08-00 | 4,670.93 F | 22-02-00 | 5,550.81 F | 25-08-00 | 6,431.89 F |
| 15-03-00 | 3,811.71 F | 18-09-00 | 4,691.88 F | 22-03-00 | 5,571.76 F | 25-09-00 | 6,452.90 F |
| 15-04-00 | 3,832.69 F | 18-10-00 | 4,712.83 F | 22-04-00 | 5,592.71 F | 25-10-00 | 6,473.91 F |
| 15-05-00 | 3,853.68 F | 18-11-00 | 4,733.78 F | 22-05-00 | 5,613.66 F | 25-11-00 | 6,494.92 F |
| 15-06-00 | 3,874.66 F | 19-00-00 | 4,754.73 F | 22-06-00 | 5,634.61 F | 26-00-00 | 6,515.93 F |
| 15-07-00 | 3,895.64 F | 19-01-00 | 4,775.68 F | 22-07-00 | 5,655.56 F | 26-01-00 | 6,536.93 F |
| 15-08-00 | 3,916.63 F | 19-02-00 | 4,796.63 F | 22-08-00 | 5,676.51 F | 26-02-00 | 6,557.94 F |
| 15-09-00 | 3,937.61 F | 19-03-00 | 4,817.58 F | 22-09-00 | 5,697.46 F | 26-03-00 | 6,578.95 F |
| 15-10-00 | 3,958.60 F | 19-04-00 | 4,838.53 F | 22-10-00 | 5,718.41 F | 26-04-00 | 6,599.96 F |
| 15-11-00 | 3,979.58 F | 19-05-00 | 4,859.48 F | 22-11-00 | 5,739.36 F | 26-05-00 | 6,620.97 F |
| 16-00-00 | 4,000.54 F | 19-06-00 | 4,880.43 F | 23-00-00 | 5,760.31 F | 26-06-00 | 6,641.97 F |
| 16-01-00 | 4,021.49 F | 19-07-00 | 4,901.38 F | 23-01-00 | 5,781.26 F | 26-07-00 | 6,662.98 F |
| 16-02-00 | 4,042.44 F | 19-08-00 | 4,922.32 F | 23-02-00 | 5,802.21 F | 26-08-00 | 6,683.99 F |
| 16-03-00 | 4,063.39 F | 19-09-00 | 4,943.27 F | 23-03-00 | 5,823.16 F | 26-09-00 | 6,705.00 F |
| 16-04-00 | 4,084.34 F | 19-10-00 | 4,964.22 F | 23-04-00 | 5,844.11 F | 26-10-00 | 6,726.01 F |
| 16-05-00 | 4,105.29 F | 19-11-00 | 4,985.17 F | 23-05-00 | 5,865.06 F | 26-11-00 | 6,747.01 F |
| 16-06-00 | 4,126.24 F | 20-00-00 | 5,006.12 F | 23-06-00 | 5,886.01 F | 27-00-00 | 6,768.02 F |
| 16-07-00 | 4,147.19 F | 20-01-00 | 5,027.07 F | 23-07-00 | 5,906.96 F | 27-01-00 | 6,789.03 F |
| 16-08-00 | 4,168.14 F | 20-02-00 | 5,048.02 F | 23-08-00 | 5,927.91 F | 27-02-00 | 6,810.04 F |
| 16-09-00 | 4,189.09 F | 20-03-00 | 5,068.97 F | 23-09-00 | 5,948.86 F | 27-03-00 | 6,831.05 F |
| 16-10-00 | 4,210.04 F | 20-04-00 | 5,089.92 F | 23-10-00 | 5,969.80 F | 27-04-00 | 6,852.05 F |
| 16-11-00 | 4,230.99 F | 20-05-00 | 5,110.87 F | 23-11-00 | 5,990.75 F | 27-05-00 | 6,873.06 F |
| 17-00-00 | 4,251.94 F | 20-06-00 | 5,131.82 F | 24-00-00 | 6,011.73 F | 27-06-00 | 6,894.07 F |
| 17-01-00 | 4,272.89 F | 20-07-00 | 5,152.77 F | 24-01-00 | 6,032.74 F | 27-07-00 | 6,915.08 F |
| 17-02-00 | 4,293.84 F | 20-08-00 | 5,173.72 F | 24-02-00 | 6,053.75 F | 27-08-00 | 6,936.09 F |
| 17-03-00 | 4,314.79 F | 20-09-00 | 5,194.67 F | 24-03-00 | 6,074.76 F | 27-09-00 | 6,957.09 F |
| 17-04-00 | 4,335.74 F | 20-10-00 | 5,215.62 F | 24-04-00 | 6,095.77 F | 27-10-00 | 6,978.10 F |
| 17-05-00 | 4,356.69 F | 20-11-00 | 5,236.57 F | 24-05-00 | 6,116.77 F | 27-11-00 | 6,999.11 F |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **012-034** Tank Type **F** Roof Weight **1,047** API **35.00** Gravity Correction **.02**
 Strapped By: **HMT** 7/10/2008 Floating Height **3-07-00**

| <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> |
|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| 28-00-00 | 7,020.12 F | 31-06-00 | 7,902.45 F | 35-00-00 | 8,787.37 F | 38-06-00 | 9,672.70 F |
| 28-01-00 | 7,041.13 F | 31-07-00 | 7,923.46 F | 35-01-00 | 8,808.45 F | 38-07-00 | 9,693.78 F |
| 28-02-00 | 7,062.13 F | 31-08-00 | 7,944.47 F | 35-02-00 | 8,829.53 F | 38-08-00 | 9,714.85 F |
| 28-03-00 | 7,083.14 F | 31-09-00 | 7,965.48 F | 35-03-00 | 8,850.61 F | 38-09-00 | 9,735.93 F |
| 28-04-00 | 7,104.15 F | 31-10-00 | 7,986.49 F | 35-04-00 | 8,871.69 F | 38-10-00 | 9,757.01 F |
| 28-05-00 | 7,125.16 F | 31-11-00 | 8,007.49 F | 35-05-00 | 8,892.77 F | 38-11-00 | 9,778.09 F |
| 28-06-00 | 7,146.17 F | 32-00-00 | 8,028.52 F | 35-06-00 | 8,913.85 F | 39-00-00 | 9,799.17 F |
| 28-07-00 | 7,167.17 F | 32-01-00 | 8,049.60 F | 35-07-00 | 8,934.92 F | 39-01-00 | 9,820.25 F |
| 28-08-00 | 7,188.18 F | 32-02-00 | 8,070.68 F | 35-08-00 | 8,956.00 F | 39-02-00 | 9,841.33 F |
| 28-09-00 | 7,209.19 F | 32-03-00 | 8,091.76 F | 35-09-00 | 8,977.08 F | 39-03-00 | 9,862.41 F |
| 28-10-00 | 7,230.20 F | 32-04-00 | 8,112.84 F | 35-10-00 | 8,998.16 F | 39-04-00 | 9,883.49 F |
| 28-11-00 | 7,251.21 F | 32-05-00 | 8,133.91 F | 35-11-00 | 9,019.24 F | 39-05-00 | 9,904.57 F |
| 29-00-00 | 7,272.21 F | 32-06-00 | 8,154.99 F | 36-00-00 | 9,040.32 F | 39-06-00 | 9,925.65 F |
| 29-01-00 | 7,293.22 F | 32-07-00 | 8,176.07 F | 36-01-00 | 9,061.40 F | 39-07-00 | 9,946.73 F |
| 29-02-00 | 7,314.23 F | 32-08-00 | 8,197.15 F | 36-02-00 | 9,082.48 F | 39-08-00 | 9,967.81 F |
| 29-03-00 | 7,335.24 F | 32-09-00 | 8,218.23 F | 36-03-00 | 9,103.56 F | 39-09-00 | 9,988.88 F |
| 29-04-00 | 7,356.25 F | 32-10-00 | 8,239.31 F | 36-04-00 | 9,124.64 F | 39-10-00 | 10,009.96 F |
| 29-05-00 | 7,377.25 F | 32-11-00 | 8,260.39 F | 36-05-00 | 9,145.72 F | 39-11-00 | 10,031.04 F |
| 29-06-00 | 7,398.26 F | 33-00-00 | 8,281.47 F | 36-06-00 | 9,166.80 F | 40-00-00 | 10,052.12 F |
| 29-07-00 | 7,419.27 F | 33-01-00 | 8,302.55 F | 36-07-00 | 9,187.87 F | 40-01-00 | 10,073.17 F |
| 29-08-00 | 7,440.28 F | 33-02-00 | 8,323.63 F | 36-08-00 | 9,208.95 F | 40-02-00 | 10,094.22 F |
| 29-09-00 | 7,461.29 F | 33-03-00 | 8,344.71 F | 36-09-00 | 9,230.03 F | 40-03-00 | 10,115.27 F |
| 29-10-00 | 7,482.29 F | 33-04-00 | 8,365.79 F | 36-10-00 | 9,251.11 F | 40-04-00 | 10,136.32 F |
| 29-11-00 | 7,503.30 F | 33-05-00 | 8,386.87 F | 36-11-00 | 9,272.19 F | 40-05-00 | 10,157.37 F |
| 30-00-00 | 7,524.31 F | 33-06-00 | 8,407.94 F | 37-00-00 | 9,293.27 F | 40-06-00 | 10,178.42 F |
| 30-01-00 | 7,545.32 F | 33-07-00 | 8,429.02 F | 37-01-00 | 9,314.35 F | 40-07-00 | 10,199.47 F |
| 30-02-00 | 7,566.33 F | 33-08-00 | 8,450.10 F | 37-02-00 | 9,335.43 F | 40-08-00 | 10,220.52 F |
| 30-03-00 | 7,587.33 F | 33-09-00 | 8,471.18 F | 37-03-00 | 9,356.51 F | 40-09-00 | 10,241.57 F |
| 30-04-00 | 7,608.34 F | 33-10-00 | 8,492.26 F | 37-04-00 | 9,377.59 F | 40-10-00 | 10,262.62 F |
| 30-05-00 | 7,629.35 F | 33-11-00 | 8,513.34 F | 37-05-00 | 9,398.67 F | 40-11-00 | 10,283.67 F |
| 30-06-00 | 7,650.36 F | 34-00-00 | 8,534.42 F | 37-06-00 | 9,419.75 F | 41-00-00 | 10,304.72 F |
| 30-07-00 | 7,671.37 F | 34-01-00 | 8,555.50 F | 37-07-00 | 9,440.83 F | 41-01-00 | 10,325.77 F |
| 30-08-00 | 7,692.37 F | 34-02-00 | 8,576.58 F | 37-08-00 | 9,461.90 F | 41-02-00 | 10,346.82 F |
| 30-09-00 | 7,713.38 F | 34-03-00 | 8,597.66 F | 37-09-00 | 9,482.98 F | 41-03-00 | 10,367.87 F |
| 30-10-00 | 7,734.39 F | 34-04-00 | 8,618.74 F | 37-10-00 | 9,504.06 F | 41-04-00 | 10,388.92 F |
| 30-11-00 | 7,755.40 F | 34-05-00 | 8,639.82 F | 37-11-00 | 9,525.14 F | 41-05-00 | 10,409.97 F |
| 31-00-00 | 7,776.41 F | 34-06-00 | 8,660.89 F | 38-00-00 | 9,546.22 F | 41-06-00 | 10,431.01 F |
| 31-01-00 | 7,797.41 F | 34-07-00 | 8,681.97 F | 38-01-00 | 9,567.30 F | 41-07-00 | 10,452.06 F |
| 31-02-00 | 7,818.42 F | 34-08-00 | 8,703.05 F | 38-02-00 | 9,588.38 F | 41-08-00 | 10,473.11 F |
| 31-03-00 | 7,839.43 F | 34-09-00 | 8,724.13 F | 38-03-00 | 9,609.46 F | 41-09-00 | 10,494.16 F |
| 31-04-00 | 7,860.44 F | 34-10-00 | 8,745.21 F | 38-04-00 | 9,630.54 F | 41-10-00 | 10,515.21 F |
| 31-05-00 | 7,881.45 F | 34-11-00 | 8,766.29 F | 38-05-00 | 9,651.62 F | 41-11-00 | 10,536.26 F |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank Strapping Detail Report

Tank ID **012-034** Tank Type **F** Roof Weight **1,047** API **35.00** Gravity Correction **.02**
 Strapped By: HMT 7/10/2008 Floating Height **3-07-00**

| <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> |
|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| 42-00-00 | 10,557.31 F | 45-06-00 | 11,441.40 F | | | | |
| 42-01-00 | 10,578.36 F | 45-07-00 | 11,462.45 F | | | | |
| 42-02-00 | 10,599.41 F | 45-08-00 | 11,483.49 F | | | | |
| 42-03-00 | 10,620.46 F | 45-09-00 | 11,504.54 F | | | | |
| 42-04-00 | 10,641.51 F | 45-10-00 | 11,525.59 F | | | | |
| 42-05-00 | 10,662.56 F | 45-11-00 | 11,546.64 F | | | | |
| 42-06-00 | 10,683.61 F | 46-00-00 | 11,567.69 F | | | | |
| 42-07-00 | 10,704.66 F | 46-01-00 | 11,588.74 F | | | | |
| 42-08-00 | 10,725.71 F | 46-02-00 | 11,609.79 F | | | | |
| 42-09-00 | 10,746.76 F | 46-03-00 | 11,630.84 F | | | | |
| 42-10-00 | 10,767.81 F | 46-04-00 | 11,651.89 F | | | | |
| 42-11-00 | 10,788.86 F | 46-05-00 | 11,672.94 F | | | | |
| 43-00-00 | 10,809.91 F | 46-06-00 | 11,693.99 F | | | | |
| 43-01-00 | 10,830.96 F | 46-07-00 | 11,715.04 F | | | | |
| 43-02-00 | 10,852.01 F | 46-08-00 | 11,736.09 F | | | | |
| 43-03-00 | 10,873.06 F | 46-09-00 | 11,757.14 F | | | | |
| 43-04-00 | 10,894.11 F | 46-10-00 | 11,778.19 F | | | | |
| 43-05-00 | 10,915.16 F | 46-11-00 | 11,799.24 F | | | | |
| 43-06-00 | 10,936.21 F | 47-00-00 | 11,820.29 F | | | | |
| 43-07-00 | 10,957.25 F | 47-01-00 | 11,841.34 F | | | | |
| 43-08-00 | 10,978.30 F | 47-02-00 | 11,862.39 F | | | | |
| 43-09-00 | 10,999.35 F | 47-03-00 | 11,883.44 F | | | | |
| 43-10-00 | 11,020.40 F | 47-04-00 | 11,904.49 F | | | | |
| 43-11-00 | 11,041.45 F | 47-05-00 | 11,925.54 F | | | | |
| 44-00-00 | 11,062.50 F | 47-06-00 | 11,946.59 F | | | | |
| 44-01-00 | 11,083.55 F | 47-07-00 | 11,967.64 F | | | | |
| 44-02-00 | 11,104.60 F | 47-08-00 | 11,988.69 F | | | | |
| 44-03-00 | 11,125.65 F | 47-09-00 | 12,009.73 F | | | | |
| 44-04-00 | 11,146.70 F | 47-10-00 | 12,030.78 F | | | | |
| 44-05-00 | 11,167.75 F | 47-11-00 | 12,051.83 F | | | | |
| 44-06-00 | 11,188.80 F | 48-00-00 | 12,072.88 F | | | | |
| 44-07-00 | 11,209.85 F | 48-01-00 | 12,093.93 F | | | | |
| 44-08-00 | 11,230.90 F | 48-02-00 | 12,114.98 F | | | | |
| 44-09-00 | 11,251.95 F | 48-03-00 | 12,136.03 F | | | | |
| 44-10-00 | 11,273.00 F | | | | | | |
| 44-11-00 | 11,294.05 F | | | | | | |
| 45-00-00 | 11,315.10 F | | | | | | |
| 45-01-00 | 11,336.15 F | | | | | | |
| 45-02-00 | 11,357.20 F | | | | | | |
| 45-03-00 | 11,378.25 F | | | | | | |
| 45-04-00 | 11,399.30 F | | | | | | |
| 45-05-00 | 11,420.35 F | | | | | | |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE