

Tank ID **080-033** Tank Type **F** Roof Weight **9,232** API **60.00** Gravity Correction **.19**

Strapped By: **HMT** 1/27/2004 Floating Height **3-06-00**

| FT-IN-8th | Barrels | FT-IN-8th | Barrels | FT-IN-8th | Barrels | FT-IN-8th | Barrels |
|----------------|----------|----------------|-------------|-----------|-------------|-----------|-------------|
| 0-00-00 | 303.21 | 3-06-00 | 6,075.13 F | 7-00-00 | 11,954.33 F | 10-06-00 | 17,868.94 F |
| 0-01-00 | 392.05 | 3-07-00 | 6,215.52 F | 7-01-00 | 12,095.16 F | 10-07-00 | 18,009.76 F |
| 0-02-00 | 480.89 | 3-08-00 | 6,352.32 F | 7-02-00 | 12,235.99 F | 10-08-00 | 18,150.58 F |
| 0-03-00 | 586.67 | 3-09-00 | 6,486.56 F | 7-03-00 | 12,376.81 F | 10-09-00 | 18,291.40 F |
| 0-04-00 | 725.10 | 3-10-00 | 6,619.45 F | 7-04-00 | 12,517.64 F | 10-10-00 | 18,432.22 F |
| 0-05-00 | 864.83 | 3-11-00 | 6,751.58 F | 7-05-00 | 12,658.47 F | 10-11-00 | 18,573.03 F |
| 0-06-00 | 1,005.66 | 4-00-00 | 6,884.52 F | 7-06-00 | 12,799.30 F | 11-00-00 | 18,713.85 F |
| 0-07-00 | 1,146.48 | 4-01-00 | 7,025.35 F | 7-07-00 | 12,940.13 F | 11-01-00 | 18,854.67 F |
| 0-08-00 | 1,287.31 | 4-02-00 | 7,166.18 F | 7-08-00 | 13,080.95 F | 11-02-00 | 18,995.49 F |
| 0-09-00 | 1,428.14 | 4-03-00 | 7,307.01 F | 7-09-00 | 13,221.78 F | 11-03-00 | 19,136.30 F |
| 0-10-00 | 1,568.97 | 4-04-00 | 7,447.83 F | 7-10-00 | 13,362.61 F | 11-04-00 | 19,277.12 F |
| 0-11-00 | 1,709.80 | 4-05-00 | 7,588.66 F | 7-11-00 | 13,503.44 F | 11-05-00 | 19,417.94 F |
| 1-00-00 | 1,850.56 | 4-06-00 | 7,729.49 F | 8-00-00 | 13,644.27 F | 11-06-00 | 19,558.76 F |
| 1-01-00 | 1,991.33 | 4-07-00 | 7,870.32 F | 8-01-00 | 13,785.09 F | 11-07-00 | 19,699.57 F |
| 1-02-00 | 2,132.10 | 4-08-00 | 8,011.15 F | 8-02-00 | 13,925.92 F | 11-08-00 | 19,840.39 F |
| 1-03-00 | 2,272.87 | 4-09-00 | 8,151.97 F | 8-03-00 | 14,066.75 F | 11-09-00 | 19,981.21 F |
| 1-04-00 | 2,413.65 | 4-10-00 | 8,292.80 F | 8-04-00 | 14,207.58 F | 11-10-00 | 20,122.03 F |
| 1-05-00 | 2,554.43 | 4-11-00 | 8,433.63 F | 8-05-00 | 14,348.41 F | 11-11-00 | 20,262.84 F |
| 1-06-00 | 2,695.21 | 5-00-00 | 8,574.46 F | 8-06-00 | 14,489.23 F | 12-00-00 | 20,403.66 F |
| 1-07-00 | 2,835.98 | 5-01-00 | 8,715.29 F | 8-07-00 | 14,630.06 F | 12-01-00 | 20,544.48 F |
| 1-08-00 | 2,976.76 | 5-02-00 | 8,856.11 F | 8-08-00 | 14,770.89 F | 12-02-00 | 20,685.30 F |
| 1-09-00 | 3,117.53 | 5-03-00 | 8,996.94 F | 8-09-00 | 14,911.72 F | 12-03-00 | 20,826.11 F |
| 1-10-00 | 3,258.31 | 5-04-00 | 9,137.77 F | 8-10-00 | 15,052.55 F | 12-04-00 | 20,966.93 F |
| 1-11-00 | 3,399.07 | 5-05-00 | 9,278.60 F | 8-11-00 | 15,193.37 F | 12-05-00 | 21,107.75 F |
| 2-00-00 | 3,539.89 | 5-06-00 | 9,419.43 F | 9-00-00 | 15,334.20 F | 12-06-00 | 21,248.57 F |
| 2-01-00 | 3,680.73 | 5-07-00 | 9,560.25 F | 9-01-00 | 15,475.03 F | 12-07-00 | 21,389.38 F |
| 2-02-00 | 3,821.57 | 5-08-00 | 9,701.08 F | 9-02-00 | 15,615.86 F | 12-08-00 | 21,530.20 F |
| 2-03-00 | 3,962.41 | 5-09-00 | 9,841.91 F | 9-03-00 | 15,756.68 F | 12-09-00 | 21,671.02 F |
| 2-04-00 | 4,103.25 | 5-10-00 | 9,982.74 F | 9-04-00 | 15,897.50 F | 12-10-00 | 21,811.84 F |
| 2-05-00 | 4,244.10 | 5-11-00 | 10,123.57 F | 9-05-00 | 16,038.32 F | 12-11-00 | 21,952.66 F |
| 2-06-00 | 4,384.94 | 6-00-00 | 10,264.39 F | 9-06-00 | 16,179.13 F | 13-00-00 | 22,093.47 F |
| 2-07-00 | 4,525.78 | 6-01-00 | 10,405.22 F | 9-07-00 | 16,319.95 F | 13-01-00 | 22,234.29 F |
| 2-08-00 | 4,666.62 | 6-02-00 | 10,546.05 F | 9-08-00 | 16,460.77 F | 13-02-00 | 22,375.11 F |
| 2-09-00 | 4,807.46 | 6-03-00 | 10,686.88 F | 9-09-00 | 16,601.59 F | 13-03-00 | 22,515.93 F |
| 2-10-00 | 4,948.30 | 6-04-00 | 10,827.71 F | 9-10-00 | 16,742.40 F | 13-04-00 | 22,656.74 F |
| 2-11-00 | 5,089.15 | 6-05-00 | 10,968.53 F | 9-11-00 | 16,883.22 F | 13-05-00 | 22,797.56 F |
| 3-00-00 | 5,230.00 | 6-06-00 | 11,109.36 F | 10-00-00 | 17,024.04 F | 13-06-00 | 22,938.38 F |
| 3-01-00 | 5,370.86 | 6-07-00 | 11,250.19 F | 10-01-00 | 17,164.86 F | 13-07-00 | 23,079.20 F |
| 3-02-00 | 5,511.71 | 6-08-00 | 11,391.02 F | 10-02-00 | 17,305.67 F | 13-08-00 | 23,220.01 F |
| 3-03-00 | 5,652.57 | 6-09-00 | 11,531.85 F | 10-03-00 | 17,446.49 F | 13-09-00 | 23,360.83 F |
| 3-04-00 | 5,793.42 | 6-10-00 | 11,672.67 F | 10-04-00 | 17,587.31 F | 13-10-00 | 23,501.65 F |
| 3-05-00 | 5,934.28 | 6-11-00 | 11,813.50 F | 10-05-00 | 17,728.13 F | 13-11-00 | 23,642.47 F |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank Strapping Detail Report

Tank ID **080-033** Tank Type **F** Roof Weight **9,232** API **60.00** Gravity Correction **.19**

Strapped By: HMT 1/27/2004 Floating Height **3-06-00**

| FT-IN-8th | Barrels | FT-IN-8th | Barrels | FT-IN-8th | Barrels | FT-IN-8th | Barrels |
|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|
| 14-00-00 | 23,783.28 F | 17-06-00 | 29,697.62 F | 21-00-00 | 35,613.82 F | 24-06-00 | 41,531.01 F |
| 14-01-00 | 23,924.10 F | 17-07-00 | 29,838.44 F | 21-01-00 | 35,754.70 F | 24-07-00 | 41,671.90 F |
| 14-02-00 | 24,064.92 F | 17-08-00 | 29,979.26 F | 21-02-00 | 35,895.59 F | 24-08-00 | 41,812.78 F |
| 14-03-00 | 24,205.74 F | 17-09-00 | 30,120.08 F | 21-03-00 | 36,036.47 F | 24-09-00 | 41,953.67 F |
| 14-04-00 | 24,346.55 F | 17-10-00 | 30,260.89 F | 21-04-00 | 36,177.36 F | 24-10-00 | 42,094.55 F |
| 14-05-00 | 24,487.37 F | 17-11-00 | 30,401.71 F | 21-05-00 | 36,318.24 F | 24-11-00 | 42,235.44 F |
| 14-06-00 | 24,628.19 F | 18-00-00 | 30,542.53 F | 21-06-00 | 36,459.13 F | 25-00-00 | 42,376.32 F |
| 14-07-00 | 24,769.01 F | 18-01-00 | 30,683.35 F | 21-07-00 | 36,600.01 F | 25-01-00 | 42,517.21 F |
| 14-08-00 | 24,909.82 F | 18-02-00 | 30,824.16 F | 21-08-00 | 36,740.90 F | 25-02-00 | 42,658.10 F |
| 14-09-00 | 25,050.64 F | 18-03-00 | 30,964.98 F | 21-09-00 | 36,881.79 F | 25-03-00 | 42,798.98 F |
| 14-10-00 | 25,191.46 F | 18-04-00 | 31,105.80 F | 21-10-00 | 37,022.67 F | 25-04-00 | 42,939.87 F |
| 14-11-00 | 25,332.28 F | 18-05-00 | 31,246.62 F | 21-11-00 | 37,163.56 F | 25-05-00 | 43,080.75 F |
| 15-00-00 | 25,473.10 F | 18-06-00 | 31,387.43 F | 22-00-00 | 37,304.44 F | 25-06-00 | 43,221.64 F |
| 15-01-00 | 25,613.91 F | 18-07-00 | 31,528.25 F | 22-01-00 | 37,445.33 F | 25-07-00 | 43,362.52 F |
| 15-02-00 | 25,754.73 F | 18-08-00 | 31,669.07 F | 22-02-00 | 37,586.21 F | 25-08-00 | 43,503.41 F |
| 15-03-00 | 25,895.55 F | 18-09-00 | 31,809.90 F | 22-03-00 | 37,727.10 F | 25-09-00 | 43,644.29 F |
| 15-04-00 | 26,036.37 F | 18-10-00 | 31,950.79 F | 22-04-00 | 37,867.99 F | 25-10-00 | 43,785.18 F |
| 15-05-00 | 26,177.18 F | 18-11-00 | 32,091.68 F | 22-05-00 | 38,008.87 F | 25-11-00 | 43,926.07 F |
| 15-06-00 | 26,318.00 F | 19-00-00 | 32,232.56 F | 22-06-00 | 38,149.76 F | 26-00-00 | 44,066.95 F |
| 15-07-00 | 26,458.82 F | 19-01-00 | 32,373.45 F | 22-07-00 | 38,290.64 F | 26-01-00 | 44,207.84 F |
| 15-08-00 | 26,599.64 F | 19-02-00 | 32,514.33 F | 22-08-00 | 38,431.53 F | 26-02-00 | 44,348.72 F |
| 15-09-00 | 26,740.45 F | 19-03-00 | 32,655.22 F | 22-09-00 | 38,572.41 F | 26-03-00 | 44,489.61 F |
| 15-10-00 | 26,881.27 F | 19-04-00 | 32,796.10 F | 22-10-00 | 38,713.30 F | 26-04-00 | 44,630.49 F |
| 15-11-00 | 27,022.09 F | 19-05-00 | 32,936.99 F | 22-11-00 | 38,854.18 F | 26-05-00 | 44,771.38 F |
| 16-00-00 | 27,162.91 F | 19-06-00 | 33,077.87 F | 23-00-00 | 38,995.07 F | 26-06-00 | 44,912.27 F |
| 16-01-00 | 27,303.72 F | 19-07-00 | 33,218.76 F | 23-01-00 | 39,135.96 F | 26-07-00 | 45,053.15 F |
| 16-02-00 | 27,444.54 F | 19-08-00 | 33,359.65 F | 23-02-00 | 39,276.84 F | 26-08-00 | 45,194.04 F |
| 16-03-00 | 27,585.36 F | 19-09-00 | 33,500.53 F | 23-03-00 | 39,417.73 F | 26-09-00 | 45,334.92 F |
| 16-04-00 | 27,726.18 F | 19-10-00 | 33,641.42 F | 23-04-00 | 39,558.61 F | 26-10-00 | 45,475.81 F |
| 16-05-00 | 27,866.99 F | 19-11-00 | 33,782.30 F | 23-05-00 | 39,699.50 F | 26-11-00 | 45,616.69 F |
| 16-06-00 | 28,007.81 F | 20-00-00 | 33,923.19 F | 23-06-00 | 39,840.38 F | 27-00-00 | 45,757.58 F |
| 16-07-00 | 28,148.63 F | 20-01-00 | 34,064.07 F | 23-07-00 | 39,981.27 F | 27-01-00 | 45,898.46 F |
| 16-08-00 | 28,289.45 F | 20-02-00 | 34,204.96 F | 23-08-00 | 40,122.15 F | 27-02-00 | 46,039.35 F |
| 16-09-00 | 28,430.26 F | 20-03-00 | 34,345.85 F | 23-09-00 | 40,263.04 F | 27-03-00 | 46,180.24 F |
| 16-10-00 | 28,571.08 F | 20-04-00 | 34,486.73 F | 23-10-00 | 40,403.93 F | 27-04-00 | 46,321.12 F |
| 16-11-00 | 28,711.90 F | 20-05-00 | 34,627.62 F | 23-11-00 | 40,544.81 F | 27-05-00 | 46,462.01 F |
| 17-00-00 | 28,852.72 F | 20-06-00 | 34,768.50 F | 24-00-00 | 40,685.70 F | 27-06-00 | 46,602.89 F |
| 17-01-00 | 28,993.54 F | 20-07-00 | 34,909.39 F | 24-01-00 | 40,826.58 F | 27-07-00 | 46,743.78 F |
| 17-02-00 | 29,134.35 F | 20-08-00 | 35,050.27 F | 24-02-00 | 40,967.47 F | 27-08-00 | 46,884.66 F |
| 17-03-00 | 29,275.17 F | 20-09-00 | 35,191.16 F | 24-03-00 | 41,108.35 F | 27-09-00 | 47,025.55 F |
| 17-04-00 | 29,415.99 F | 20-10-00 | 35,332.04 F | 24-04-00 | 41,249.24 F | 27-10-00 | 47,166.43 F |
| 17-05-00 | 29,556.81 F | 20-11-00 | 35,472.93 F | 24-05-00 | 41,390.13 F | 27-11-00 | 47,307.32 F |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank Strapping Detail Report

Tank ID **080-033** Tank Type **F** Roof Weight **9,232** API **60.00** Gravity Correction **.19**
 Strapped By: **HMT** 1/27/2004 Floating Height **3-06-00**

| FT-IN-8th | Barrels | FT-IN-8th | Barrels | FT-IN-8th | Barrels | FT-IN-8th | Barrels |
|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|
| 28-00-00 | 47,448.21 F | 31-06-00 | 53,369.89 F | 35-00-00 | 59,291.93 F | 38-06-00 | 65,214.76 F |
| 28-01-00 | 47,589.09 F | 31-07-00 | 53,510.89 F | 35-01-00 | 59,432.93 F | 38-07-00 | 65,355.85 F |
| 28-02-00 | 47,729.98 F | 31-08-00 | 53,651.90 F | 35-02-00 | 59,573.93 F | 38-08-00 | 65,496.94 F |
| 28-03-00 | 47,870.86 F | 31-09-00 | 53,792.90 F | 35-03-00 | 59,714.93 F | 38-09-00 | 65,638.04 F |
| 28-04-00 | 48,011.86 F | 31-10-00 | 53,933.90 F | 35-04-00 | 59,855.93 F | 38-10-00 | 65,779.13 F |
| 28-05-00 | 48,152.86 F | 31-11-00 | 54,074.90 F | 35-05-00 | 59,996.93 F | 38-11-00 | 65,920.22 F |
| 28-06-00 | 48,293.87 F | 32-00-00 | 54,215.90 F | 35-06-00 | 60,137.93 F | 39-00-00 | 66,061.31 F |
| 28-07-00 | 48,434.87 F | 32-01-00 | 54,356.90 F | 35-07-00 | 60,278.93 F | 39-01-00 | 66,202.40 F |
| 28-08-00 | 48,575.87 F | 32-02-00 | 54,497.90 F | 35-08-00 | 60,419.93 F | 39-02-00 | 66,343.50 F |
| 28-09-00 | 48,716.87 F | 32-03-00 | 54,638.90 F | 35-09-00 | 60,560.93 F | 39-03-00 | 66,484.59 F |
| 28-10-00 | 48,857.87 F | 32-04-00 | 54,779.90 F | 35-10-00 | 60,701.94 F | 39-04-00 | 66,625.68 F |
| 28-11-00 | 48,998.87 F | 32-05-00 | 54,920.90 F | 35-11-00 | 60,842.94 F | 39-05-00 | 66,766.77 F |
| 29-00-00 | 49,139.87 F | 32-06-00 | 55,061.90 F | 36-00-00 | 60,983.94 F | 39-06-00 | 66,907.86 F |
| 29-01-00 | 49,280.87 F | 32-07-00 | 55,202.90 F | 36-01-00 | 61,124.94 F | 39-07-00 | 67,048.96 F |
| 29-02-00 | 49,421.87 F | 32-08-00 | 55,343.91 F | 36-02-00 | 61,265.94 F | 39-08-00 | 67,190.05 F |
| 29-03-00 | 49,562.87 F | 32-09-00 | 55,484.91 F | 36-03-00 | 61,406.94 F | 39-09-00 | 67,331.14 F |
| 29-04-00 | 49,703.87 F | 32-10-00 | 55,625.91 F | 36-04-00 | 61,547.94 F | 39-10-00 | 67,472.23 F |
| 29-05-00 | 49,844.87 F | 32-11-00 | 55,766.91 F | 36-05-00 | 61,688.94 F | 39-11-00 | 67,613.32 F |
| 29-06-00 | 49,985.87 F | 33-00-00 | 55,907.91 F | 36-06-00 | 61,829.94 F | 40-00-00 | 67,754.42 F |
| 29-07-00 | 50,126.88 F | 33-01-00 | 56,048.91 F | 36-07-00 | 61,970.94 F | 40-01-00 | 67,895.51 F |
| 29-08-00 | 50,267.88 F | 33-02-00 | 56,189.91 F | 36-08-00 | 62,111.94 F | 40-02-00 | 68,036.60 F |
| 29-09-00 | 50,408.88 F | 33-03-00 | 56,330.91 F | 36-09-00 | 62,252.94 F | 40-03-00 | 68,177.69 F |
| 29-10-00 | 50,549.88 F | 33-04-00 | 56,471.91 F | 36-10-00 | 62,393.95 F | 40-04-00 | 68,318.78 F |
| 29-11-00 | 50,690.88 F | 33-05-00 | 56,612.91 F | 36-11-00 | 62,534.95 F | 40-05-00 | 68,459.88 F |
| 30-00-00 | 50,831.88 F | 33-06-00 | 56,753.91 F | 37-00-00 | 62,675.95 F | 40-06-00 | 68,600.97 F |
| 30-01-00 | 50,972.88 F | 33-07-00 | 56,894.91 F | 37-01-00 | 62,816.95 F | 40-07-00 | 68,742.06 F |
| 30-02-00 | 51,113.88 F | 33-08-00 | 57,035.91 F | 37-02-00 | 62,957.95 F | 40-08-00 | 68,883.15 F |
| 30-03-00 | 51,254.88 F | 33-09-00 | 57,176.92 F | 37-03-00 | 63,098.95 F | 40-09-00 | 69,024.24 F |
| 30-04-00 | 51,395.88 F | 33-10-00 | 57,317.92 F | 37-04-00 | 63,239.95 F | 40-10-00 | 69,165.34 F |
| 30-05-00 | 51,536.88 F | 33-11-00 | 57,458.92 F | 37-05-00 | 63,380.95 F | 40-11-00 | 69,306.43 F |
| 30-06-00 | 51,677.88 F | 34-00-00 | 57,599.92 F | 37-06-00 | 63,521.95 F | 41-00-00 | 69,447.52 F |
| 30-07-00 | 51,818.89 F | 34-01-00 | 57,740.92 F | 37-07-00 | 63,662.95 F | 41-01-00 | 69,588.61 F |
| 30-08-00 | 51,959.89 F | 34-02-00 | 57,881.92 F | 37-08-00 | 63,803.95 F | 41-02-00 | 69,729.70 F |
| 30-09-00 | 52,100.89 F | 34-03-00 | 58,022.92 F | 37-09-00 | 63,944.95 F | 41-03-00 | 69,870.80 F |
| 30-10-00 | 52,241.89 F | 34-04-00 | 58,163.92 F | 37-10-00 | 64,086.02 F | 41-04-00 | 70,011.89 F |
| 30-11-00 | 52,382.89 F | 34-05-00 | 58,304.92 F | 37-11-00 | 64,227.12 F | 41-05-00 | 70,152.98 F |
| 31-00-00 | 52,523.89 F | 34-06-00 | 58,445.92 F | 38-00-00 | 64,368.21 F | 41-06-00 | 70,294.07 F |
| 31-01-00 | 52,664.89 F | 34-07-00 | 58,586.92 F | 38-01-00 | 64,509.30 F | 41-07-00 | 70,435.16 F |
| 31-02-00 | 52,805.89 F | 34-08-00 | 58,727.92 F | 38-02-00 | 64,650.39 F | 41-08-00 | 70,576.26 F |
| 31-03-00 | 52,946.89 F | 34-09-00 | 58,868.93 F | 38-03-00 | 64,791.48 F | 41-09-00 | 70,717.35 F |
| 31-04-00 | 53,087.89 F | 34-10-00 | 59,009.93 F | 38-04-00 | 64,932.58 F | 41-10-00 | 70,858.44 F |
| 31-05-00 | 53,228.89 F | 34-11-00 | 59,150.93 F | 38-05-00 | 65,073.67 F | 41-11-00 | 70,999.53 F |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank Strapping Detail Report

Tank ID **080-033** Tank Type **F** Roof Weight **9,232** API **60.00** Gravity Correction **.19**
 Strapped By: HMT 1/27/2004 Floating Height **3-06-00**

| <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> |
|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| 42-00-00 | 71,140.62 F | 45-06-00 | 77,066.49 F | | | | |
| 42-01-00 | 71,281.72 F | 45-07-00 | 77,207.58 F | | | | |
| 42-02-00 | 71,422.81 F | 45-08-00 | 77,348.67 F | | | | |
| 42-03-00 | 71,563.90 F | 45-09-00 | 77,489.76 F | | | | |
| 42-04-00 | 71,704.99 F | 45-10-00 | 77,630.86 F | | | | |
| 42-05-00 | 71,846.08 F | 45-11-00 | 77,771.95 F | | | | |
| 42-06-00 | 71,987.18 F | 46-00-00 | 77,913.04 F | | | | |
| 42-07-00 | 72,128.27 F | 46-01-00 | 78,054.13 F | | | | |
| 42-08-00 | 72,269.36 F | 46-02-00 | 78,195.22 F | | | | |
| 42-09-00 | 72,410.45 F | 46-03-00 | 78,336.32 F | | | | |
| 42-10-00 | 72,551.54 F | 46-04-00 | 78,477.41 F | | | | |
| 42-11-00 | 72,692.64 F | 46-05-00 | 78,618.50 F | | | | |
| 43-00-00 | 72,833.73 F | 46-06-00 | 78,759.59 F | | | | |
| 43-01-00 | 72,974.82 F | 46-07-00 | 78,900.68 F | | | | |
| 43-02-00 | 73,115.91 F | 46-08-00 | 79,041.78 F | | | | |
| 43-03-00 | 73,257.00 F | 46-09-00 | 79,182.87 F | | | | |
| 43-04-00 | 73,398.10 F | 46-10-00 | 79,323.96 F | | | | |
| 43-05-00 | 73,539.19 F | 46-11-00 | 79,465.05 F | | | | |
| 43-06-00 | 73,680.28 F | 47-00-00 | 79,606.14 F | | | | |
| 43-07-00 | 73,821.37 F | 47-01-00 | 79,747.24 F | | | | |
| 43-08-00 | 73,962.46 F | 47-02-00 | 79,888.33 F | | | | |
| 43-09-00 | 74,103.56 F | 47-03-00 | 80,029.42 F | | | | |
| 43-10-00 | 74,244.65 F | 47-04-00 | 80,170.51 F | | | | |
| 43-11-00 | 74,385.74 F | 47-05-00 | 80,311.60 F | | | | |
| 44-00-00 | 74,526.83 F | 47-06-00 | 80,452.70 F | | | | |
| 44-01-00 | 74,667.92 F | 47-07-00 | 80,593.79 F | | | | |
| 44-02-00 | 74,809.02 F | | | | | | |
| 44-03-00 | 74,950.11 F | | | | | | |
| 44-04-00 | 75,091.20 F | | | | | | |
| 44-05-00 | 75,232.29 F | | | | | | |
| 44-06-00 | 75,373.38 F | | | | | | |
| 44-07-00 | 75,514.48 F | | | | | | |
| 44-08-00 | 75,655.57 F | | | | | | |
| 44-09-00 | 75,796.66 F | | | | | | |
| 44-10-00 | 75,937.75 F | | | | | | |
| 44-11-00 | 76,078.84 F | | | | | | |
| 45-00-00 | 76,219.94 F | | | | | | |
| 45-01-00 | 76,361.03 F | | | | | | |
| 45-02-00 | 76,502.12 F | | | | | | |
| 45-03-00 | 76,643.21 F | | | | | | |
| 45-04-00 | 76,784.30 F | | | | | | |
| 45-05-00 | 76,925.40 F | | | | | | |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE