

Tank ID **160-004** Tank Type **F** Roof Weight **16,880** API **47.50** Gravity Correction **.34**
 Strapped By: **HMT** 7/27/2009 Floating Height **4-01-00**

| <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> |
|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| 0-00-00 | 41.21 | 3-06-00 | 10,273.89 | 7-00-00 | 22,677.55 F | 10-06-00 | 35,147.22 F |
| 0-01-00 | 79.50 | 3-07-00 | 10,570.66 | 7-01-00 | 22,974.45 F | 10-07-00 | 35,444.12 F |
| 0-02-00 | 130.05 | 3-08-00 | 10,867.42 | 7-02-00 | 23,271.35 F | 10-08-00 | 35,741.01 F |
| 0-03-00 | 185.77 | 3-09-00 | 11,164.18 | 7-03-00 | 23,568.24 F | 10-09-00 | 36,037.91 F |
| 0-04-00 | 259.90 | 3-10-00 | 11,460.95 | 7-04-00 | 23,865.14 F | 10-10-00 | 36,334.81 F |
| 0-05-00 | 346.92 | 3-11-00 | 11,757.71 | 7-05-00 | 24,162.04 F | 10-11-00 | 36,631.70 F |
| 0-06-00 | 450.45 | 4-00-00 | 12,054.48 | 7-06-00 | 24,458.93 F | 11-00-00 | 36,928.60 F |
| 0-07-00 | 574.39 | 4-01-00 | 12,351.24 F | 7-07-00 | 24,755.83 F | 11-01-00 | 37,225.50 F |
| 0-08-00 | 714.58 | 4-02-00 | 12,643.76 F | 7-08-00 | 25,052.73 F | 11-02-00 | 37,522.39 F |
| 0-09-00 | 874.95 | 4-03-00 | 12,932.46 F | 7-09-00 | 25,349.62 F | 11-03-00 | 37,819.29 F |
| 0-10-00 | 1,053.12 | 4-04-00 | 13,218.97 F | 7-10-00 | 25,646.52 F | 11-04-00 | 38,116.19 F |
| 0-11-00 | 1,256.04 | 4-05-00 | 13,504.13 F | 7-11-00 | 25,943.42 F | 11-05-00 | 38,413.08 F |
| 1-00-00 | 1,480.30 | 4-06-00 | 13,788.46 F | 8-00-00 | 26,240.32 F | 11-06-00 | 38,709.98 F |
| 1-01-00 | 1,724.77 | 4-07-00 | 14,072.38 F | 8-01-00 | 26,537.21 F | 11-07-00 | 39,006.88 F |
| 1-02-00 | 1,991.13 | 4-08-00 | 14,367.53 F | 8-02-00 | 26,834.11 F | 11-08-00 | 39,303.77 F |
| 1-03-00 | 2,270.61 | 4-09-00 | 14,664.29 F | 8-03-00 | 27,131.01 F | 11-09-00 | 39,600.67 F |
| 1-04-00 | 2,558.86 | 4-10-00 | 14,961.06 F | 8-04-00 | 27,427.90 F | 11-10-00 | 39,897.57 F |
| 1-05-00 | 2,852.94 | 4-11-00 | 15,257.82 F | 8-05-00 | 27,724.80 F | 11-11-00 | 40,194.46 F |
| 1-06-00 | 3,149.56 | 5-00-00 | 15,554.59 F | 8-06-00 | 28,021.70 F | 12-00-00 | 40,491.36 F |
| 1-07-00 | 3,446.43 | 5-01-00 | 15,851.35 F | 8-07-00 | 28,318.59 F | 12-01-00 | 40,788.26 F |
| 1-08-00 | 3,743.31 | 5-02-00 | 16,148.12 F | 8-08-00 | 28,615.49 F | 12-02-00 | 41,085.16 F |
| 1-09-00 | 4,040.18 | 5-03-00 | 16,444.88 F | 8-09-00 | 28,912.39 F | 12-03-00 | 41,382.05 F |
| 1-10-00 | 4,337.05 | 5-04-00 | 16,741.65 F | 8-10-00 | 29,209.28 F | 12-04-00 | 41,678.95 F |
| 1-11-00 | 4,633.92 | 5-05-00 | 17,038.41 F | 8-11-00 | 29,506.18 F | 12-05-00 | 41,975.85 F |
| 2-00-00 | 4,930.80 | 5-06-00 | 17,335.18 F | 9-00-00 | 29,803.08 F | 12-06-00 | 42,272.74 F |
| 2-01-00 | 5,227.68 | 5-07-00 | 17,631.94 F | 9-01-00 | 30,099.97 F | 12-07-00 | 42,569.64 F |
| 2-02-00 | 5,524.56 | 5-08-00 | 17,928.71 F | 9-02-00 | 30,396.87 F | 12-08-00 | 42,866.54 F |
| 2-03-00 | 5,821.44 | 5-09-00 | 18,225.47 F | 9-03-00 | 30,693.77 F | 12-09-00 | 43,163.43 F |
| 2-04-00 | 6,118.33 | 5-10-00 | 18,522.24 F | 9-04-00 | 30,990.66 F | 12-10-00 | 43,460.33 F |
| 2-05-00 | 6,415.20 | 5-11-00 | 18,819.00 F | 9-05-00 | 31,287.56 F | 12-11-00 | 43,757.23 F |
| 2-06-00 | 6,712.07 | 6-00-00 | 19,115.77 F | 9-06-00 | 31,584.46 F | 13-00-00 | 44,054.12 F |
| 2-07-00 | 7,008.94 | 6-01-00 | 19,412.53 F | 9-07-00 | 31,881.35 F | 13-01-00 | 44,351.02 F |
| 2-08-00 | 7,305.81 | 6-02-00 | 19,709.30 F | 9-08-00 | 32,178.25 F | 13-02-00 | 44,647.92 F |
| 2-09-00 | 7,602.65 | 6-03-00 | 20,006.06 F | 9-09-00 | 32,475.15 F | 13-03-00 | 44,944.81 F |
| 2-10-00 | 7,899.49 | 6-04-00 | 20,302.82 F | 9-10-00 | 32,772.04 F | 13-04-00 | 45,241.71 F |
| 2-11-00 | 8,196.31 | 6-05-00 | 20,599.59 F | 9-11-00 | 33,068.94 F | 13-05-00 | 45,538.61 F |
| 3-00-00 | 8,493.13 | 6-06-00 | 20,896.35 F | 10-00-00 | 33,365.84 F | 13-06-00 | 45,835.50 F |
| 3-01-00 | 8,789.95 | 6-07-00 | 21,193.12 F | 10-01-00 | 33,662.74 F | 13-07-00 | 46,132.40 F |
| 3-02-00 | 9,086.77 | 6-08-00 | 21,489.97 F | 10-02-00 | 33,959.63 F | 13-08-00 | 46,429.30 F |
| 3-03-00 | 9,383.59 | 6-09-00 | 21,786.86 F | 10-03-00 | 34,256.53 F | 13-09-00 | 46,726.19 F |
| 3-04-00 | 9,680.36 | 6-10-00 | 22,083.76 F | 10-04-00 | 34,553.43 F | 13-10-00 | 47,023.09 F |
| 3-05-00 | 9,977.13 | 6-11-00 | 22,380.66 F | 10-05-00 | 34,850.32 F | 13-11-00 | 47,319.99 F |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **160-004** Tank Type **F** Roof Weight **16,880** API **47.50** Gravity Correction **.34**
 Strapped By: HMT 7/27/2009 Floating Height **4-01-00**

| <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> |
|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| 14-00-00 | 47,616.88 F | 17-06-00 | 60,093.61 F | 21-00-00 | 72,570.40 F | 24-06-00 | 85,050.94 F |
| 14-01-00 | 47,913.89 F | 17-07-00 | 60,390.68 F | 21-01-00 | 72,867.47 F | 24-07-00 | 85,348.14 F |
| 14-02-00 | 48,210.95 F | 17-08-00 | 60,687.74 F | 21-02-00 | 73,164.53 F | 24-08-00 | 85,645.35 F |
| 14-03-00 | 48,508.02 F | 17-09-00 | 60,984.81 F | 21-03-00 | 73,461.60 F | 24-09-00 | 85,942.56 F |
| 14-04-00 | 48,805.09 F | 17-10-00 | 61,281.88 F | 21-04-00 | 73,758.66 F | 24-10-00 | 86,239.77 F |
| 14-05-00 | 49,102.15 F | 17-11-00 | 61,578.94 F | 21-05-00 | 74,055.73 F | 24-11-00 | 86,536.97 F |
| 14-06-00 | 49,399.22 F | 18-00-00 | 61,876.01 F | 21-06-00 | 74,352.80 F | 25-00-00 | 86,834.18 F |
| 14-07-00 | 49,696.29 F | 18-01-00 | 62,173.07 F | 21-07-00 | 74,649.86 F | 25-01-00 | 87,131.39 F |
| 14-08-00 | 49,993.35 F | 18-02-00 | 62,470.14 F | 21-08-00 | 74,946.93 F | 25-02-00 | 87,428.59 F |
| 14-09-00 | 50,290.42 F | 18-03-00 | 62,767.21 F | 21-09-00 | 75,244.00 F | 25-03-00 | 87,725.80 F |
| 14-10-00 | 50,587.49 F | 18-04-00 | 63,064.27 F | 21-10-00 | 75,541.06 F | 25-04-00 | 88,023.01 F |
| 14-11-00 | 50,884.55 F | 18-05-00 | 63,361.34 F | 21-11-00 | 75,838.13 F | 25-05-00 | 88,320.22 F |
| 15-00-00 | 51,181.62 F | 18-06-00 | 63,658.41 F | 22-00-00 | 76,135.20 F | 25-06-00 | 88,617.42 F |
| 15-01-00 | 51,478.68 F | 18-07-00 | 63,955.47 F | 22-01-00 | 76,432.26 F | 25-07-00 | 88,914.63 F |
| 15-02-00 | 51,775.75 F | 18-08-00 | 64,252.54 F | 22-02-00 | 76,729.33 F | 25-08-00 | 89,211.84 F |
| 15-03-00 | 52,072.82 F | 18-09-00 | 64,549.61 F | 22-03-00 | 77,026.39 F | 25-09-00 | 89,509.04 F |
| 15-04-00 | 52,369.88 F | 18-10-00 | 64,846.67 F | 22-04-00 | 77,323.55 F | 25-10-00 | 89,806.25 F |
| 15-05-00 | 52,666.95 F | 18-11-00 | 65,143.74 F | 22-05-00 | 77,620.76 F | 25-11-00 | 90,103.46 F |
| 15-06-00 | 52,964.02 F | 19-00-00 | 65,440.81 F | 22-06-00 | 77,917.96 F | 26-00-00 | 90,400.67 F |
| 15-07-00 | 53,261.08 F | 19-01-00 | 65,737.87 F | 22-07-00 | 78,215.17 F | 26-01-00 | 90,697.87 F |
| 15-08-00 | 53,558.15 F | 19-02-00 | 66,034.94 F | 22-08-00 | 78,512.38 F | 26-02-00 | 90,995.08 F |
| 15-09-00 | 53,855.22 F | 19-03-00 | 66,332.00 F | 22-09-00 | 78,809.59 F | 26-03-00 | 91,292.29 F |
| 15-10-00 | 54,152.28 F | 19-04-00 | 66,629.07 F | 22-10-00 | 79,106.79 F | 26-04-00 | 91,589.49 F |
| 15-11-00 | 54,449.35 F | 19-05-00 | 66,926.14 F | 22-11-00 | 79,404.00 F | 26-05-00 | 91,886.70 F |
| 16-00-00 | 54,746.41 F | 19-06-00 | 67,223.20 F | 23-00-00 | 79,701.21 F | 26-06-00 | 92,183.91 F |
| 16-01-00 | 55,043.48 F | 19-07-00 | 67,520.27 F | 23-01-00 | 79,998.41 F | 26-07-00 | 92,481.12 F |
| 16-02-00 | 55,340.55 F | 19-08-00 | 67,817.34 F | 23-02-00 | 80,295.62 F | 26-08-00 | 92,778.32 F |
| 16-03-00 | 55,637.61 F | 19-09-00 | 68,114.40 F | 23-03-00 | 80,592.83 F | 26-09-00 | 93,075.53 F |
| 16-04-00 | 55,934.68 F | 19-10-00 | 68,411.47 F | 23-04-00 | 80,890.04 F | 26-10-00 | 93,372.74 F |
| 16-05-00 | 56,231.75 F | 19-11-00 | 68,708.54 F | 23-05-00 | 81,187.24 F | 26-11-00 | 93,669.95 F |
| 16-06-00 | 56,528.81 F | 20-00-00 | 69,005.60 F | 23-06-00 | 81,484.45 F | 27-00-00 | 93,967.15 F |
| 16-07-00 | 56,825.88 F | 20-01-00 | 69,302.67 F | 23-07-00 | 81,781.66 F | 27-01-00 | 94,264.36 F |
| 16-08-00 | 57,122.95 F | 20-02-00 | 69,599.73 F | 23-08-00 | 82,078.86 F | 27-02-00 | 94,561.57 F |
| 16-09-00 | 57,420.01 F | 20-03-00 | 69,896.80 F | 23-09-00 | 82,376.07 F | 27-03-00 | 94,858.77 F |
| 16-10-00 | 57,717.08 F | 20-04-00 | 70,193.87 F | 23-10-00 | 82,673.28 F | 27-04-00 | 95,155.98 F |
| 16-11-00 | 58,014.15 F | 20-05-00 | 70,490.93 F | 23-11-00 | 82,970.49 F | 27-05-00 | 95,453.19 F |
| 17-00-00 | 58,311.21 F | 20-06-00 | 70,788.00 F | 24-00-00 | 83,267.69 F | 27-06-00 | 95,750.40 F |
| 17-01-00 | 58,608.28 F | 20-07-00 | 71,085.07 F | 24-01-00 | 83,564.90 F | 27-07-00 | 96,047.60 F |
| 17-02-00 | 58,905.34 F | 20-08-00 | 71,382.13 F | 24-02-00 | 83,862.11 F | 27-08-00 | 96,344.81 F |
| 17-03-00 | 59,202.41 F | 20-09-00 | 71,679.20 F | 24-03-00 | 84,159.31 F | 27-09-00 | 96,642.02 F |
| 17-04-00 | 59,499.48 F | 20-10-00 | 71,976.27 F | 24-04-00 | 84,456.52 F | 27-10-00 | 96,939.22 F |
| 17-05-00 | 59,796.54 F | 20-11-00 | 72,273.33 F | 24-05-00 | 84,753.73 F | 27-11-00 | 97,236.43 F |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **160-004** Tank Type **F** Roof Weight **16,880** API **47.50** Gravity Correction **.34**
 Strapped By: **HMT** 7/27/2009 Floating Height **4-01-00**

| <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> |
|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| 28-00-00 | 97,533.64 F | 31-06-00 | 110,019.53 F | 35-00-00 | 122,512.85 F | 38-06-00 | 135,006.17 F |
| 28-01-00 | 97,830.85 F | 31-07-00 | 110,316.99 F | 35-01-00 | 122,810.31 F | 38-07-00 | 135,303.63 F |
| 28-02-00 | 98,128.05 F | 31-08-00 | 110,614.45 F | 35-02-00 | 123,107.77 F | 38-08-00 | 135,601.28 F |
| 28-03-00 | 98,425.26 F | 31-09-00 | 110,911.91 F | 35-03-00 | 123,405.23 F | 38-09-00 | 135,899.04 F |
| 28-04-00 | 98,722.47 F | 31-10-00 | 111,209.37 F | 35-04-00 | 123,702.69 F | 38-10-00 | 136,196.79 F |
| 28-05-00 | 99,019.67 F | 31-11-00 | 111,506.83 F | 35-05-00 | 124,000.15 F | 38-11-00 | 136,494.55 F |
| 28-06-00 | 99,316.88 F | 32-00-00 | 111,804.29 F | 35-06-00 | 124,297.61 F | 39-00-00 | 136,792.31 F |
| 28-07-00 | 99,614.09 F | 32-01-00 | 112,101.75 F | 35-07-00 | 124,595.07 F | 39-01-00 | 137,090.07 F |
| 28-08-00 | 99,911.30 F | 32-02-00 | 112,399.21 F | 35-08-00 | 124,892.53 F | 39-02-00 | 137,387.82 F |
| 28-09-00 | 100,208.50 F | 32-03-00 | 112,696.67 F | 35-09-00 | 125,189.99 F | 39-03-00 | 137,685.58 F |
| 28-10-00 | 100,505.71 F | 32-04-00 | 112,994.13 F | 35-10-00 | 125,487.45 F | 39-04-00 | 137,983.34 F |
| 28-11-00 | 100,802.92 F | 32-05-00 | 113,291.59 F | 35-11-00 | 125,784.91 F | 39-05-00 | 138,281.10 F |
| 29-00-00 | 101,100.13 F | 32-06-00 | 113,589.05 F | 36-00-00 | 126,082.37 F | 39-06-00 | 138,578.85 F |
| 29-01-00 | 101,397.33 F | 32-07-00 | 113,886.51 F | 36-01-00 | 126,379.83 F | 39-07-00 | 138,876.61 F |
| 29-02-00 | 101,694.54 F | 32-08-00 | 114,183.97 F | 36-02-00 | 126,677.29 F | 39-08-00 | 139,174.37 F |
| 29-03-00 | 101,991.75 F | 32-09-00 | 114,481.43 F | 36-03-00 | 126,974.75 F | 39-09-00 | 139,472.13 F |
| 29-04-00 | 102,288.95 F | 32-10-00 | 114,778.89 F | 36-04-00 | 127,272.21 F | 39-10-00 | 139,769.89 F |
| 29-05-00 | 102,586.16 F | 32-11-00 | 115,076.35 F | 36-05-00 | 127,569.67 F | 39-11-00 | 140,067.64 F |
| 29-06-00 | 102,883.37 F | 33-00-00 | 115,373.81 F | 36-06-00 | 127,867.13 F | 40-00-00 | 140,365.40 F |
| 29-07-00 | 103,180.58 F | 33-01-00 | 115,671.27 F | 36-07-00 | 128,164.59 F | 40-01-00 | 140,663.16 F |
| 29-08-00 | 103,477.78 F | 33-02-00 | 115,968.73 F | 36-08-00 | 128,462.05 F | 40-02-00 | 140,960.92 F |
| 29-09-00 | 103,774.99 F | 33-03-00 | 116,266.19 F | 36-09-00 | 128,759.51 F | 40-03-00 | 141,258.67 F |
| 29-10-00 | 104,072.20 F | 33-04-00 | 116,563.65 F | 36-10-00 | 129,056.97 F | 40-04-00 | 141,556.43 F |
| 29-11-00 | 104,369.40 F | 33-05-00 | 116,861.11 F | 36-11-00 | 129,354.43 F | 40-05-00 | 141,854.19 F |
| 30-00-00 | 104,666.61 F | 33-06-00 | 117,158.57 F | 37-00-00 | 129,651.89 F | 40-06-00 | 142,151.95 F |
| 30-01-00 | 104,963.82 F | 33-07-00 | 117,456.03 F | 37-01-00 | 129,949.35 F | 40-07-00 | 142,449.70 F |
| 30-02-00 | 105,261.03 F | 33-08-00 | 117,753.49 F | 37-02-00 | 130,246.81 F | 40-08-00 | 142,747.46 F |
| 30-03-00 | 105,558.23 F | 33-09-00 | 118,050.95 F | 37-03-00 | 130,544.27 F | 40-09-00 | 143,045.22 F |
| 30-04-00 | 105,855.44 F | 33-10-00 | 118,348.41 F | 37-04-00 | 130,841.73 F | 40-10-00 | 143,342.98 F |
| 30-05-00 | 106,152.65 F | 33-11-00 | 118,645.87 F | 37-05-00 | 131,139.19 F | 40-11-00 | 143,640.73 F |
| 30-06-00 | 106,450.01 F | 34-00-00 | 118,943.33 F | 37-06-00 | 131,436.65 F | 41-00-00 | 143,938.49 F |
| 30-07-00 | 106,747.47 F | 34-01-00 | 119,240.79 F | 37-07-00 | 131,734.11 F | 41-01-00 | 144,236.25 F |
| 30-08-00 | 107,044.93 F | 34-02-00 | 119,538.25 F | 37-08-00 | 132,031.57 F | 41-02-00 | 144,534.01 F |
| 30-09-00 | 107,342.39 F | 34-03-00 | 119,835.71 F | 37-09-00 | 132,329.03 F | 41-03-00 | 144,831.76 F |
| 30-10-00 | 107,639.85 F | 34-04-00 | 120,133.17 F | 37-10-00 | 132,626.49 F | 41-04-00 | 145,129.52 F |
| 30-11-00 | 107,937.31 F | 34-05-00 | 120,430.63 F | 37-11-00 | 132,923.95 F | 41-05-00 | 145,427.28 F |
| 31-00-00 | 108,234.77 F | 34-06-00 | 120,728.09 F | 38-00-00 | 133,221.41 F | 41-06-00 | 145,725.04 F |
| 31-01-00 | 108,532.23 F | 34-07-00 | 121,025.55 F | 38-01-00 | 133,518.87 F | 41-07-00 | 146,022.79 F |
| 31-02-00 | 108,829.69 F | 34-08-00 | 121,323.01 F | 38-02-00 | 133,816.33 F | 41-08-00 | 146,320.55 F |
| 31-03-00 | 109,127.15 F | 34-09-00 | 121,620.47 F | 38-03-00 | 134,113.79 F | 41-09-00 | 146,618.31 F |
| 31-04-00 | 109,424.61 F | 34-10-00 | 121,917.93 F | 38-04-00 | 134,411.25 F | 41-10-00 | 146,916.07 F |
| 31-05-00 | 109,722.07 F | 34-11-00 | 122,215.39 F | 38-05-00 | 134,708.71 F | 41-11-00 | 147,213.83 F |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **160-004** Tank Type **F** Roof Weight **16,880** API **47.50** Gravity Correction **.34**
 Strapped By: HMT 7/27/2009 Floating Height **4-01-00**

| <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> | <u>FT-IN-8th</u> | <u>Barrels</u> |
|------------------|----------------|------------------|----------------|------------------|----------------|------------------|----------------|
| 42-00-00 | 147,511.58 F | 45-06-00 | 160,017.40 F | | | | |
| 42-01-00 | 147,809.34 F | 45-07-00 | 160,315.16 F | | | | |
| 42-02-00 | 148,107.10 F | 45-08-00 | 160,612.92 F | | | | |
| 42-03-00 | 148,404.86 F | 45-09-00 | 160,910.67 F | | | | |
| 42-04-00 | 148,702.61 F | 45-10-00 | 161,208.43 F | | | | |
| 42-05-00 | 149,000.37 F | 45-11-00 | 161,506.19 F | | | | |
| 42-06-00 | 149,298.13 F | 46-00-00 | 161,803.95 F | | | | |
| 42-07-00 | 149,595.89 F | 46-01-00 | 162,101.71 F | | | | |
| 42-08-00 | 149,893.64 F | 46-02-00 | 162,399.46 F | | | | |
| 42-09-00 | 150,191.40 F | 46-03-00 | 162,697.22 F | | | | |
| 42-10-00 | 150,489.16 F | 46-04-00 | 162,994.98 F | | | | |
| 42-11-00 | 150,786.92 F | 46-05-00 | 163,292.74 F | | | | |
| 43-00-00 | 151,084.67 F | 46-06-00 | 163,590.49 F | | | | |
| 43-01-00 | 151,382.43 F | 46-07-00 | 163,888.25 F | | | | |
| 43-02-00 | 151,680.19 F | 46-08-00 | 164,186.01 F | | | | |
| 43-03-00 | 151,977.95 F | 46-09-00 | 164,483.77 F | | | | |
| 43-04-00 | 152,275.70 F | 46-10-00 | 164,781.52 F | | | | |
| 43-05-00 | 152,573.46 F | 46-11-00 | 165,079.28 F | | | | |
| 43-06-00 | 152,871.22 F | 47-00-00 | 165,377.04 F | | | | |
| 43-07-00 | 153,168.98 F | 47-01-00 | 165,674.80 F | | | | |
| 43-08-00 | 153,466.73 F | | | | | | |
| 43-09-00 | 153,764.49 F | | | | | | |
| 43-10-00 | 154,062.25 F | | | | | | |
| 43-11-00 | 154,360.01 F | | | | | | |
| 44-00-00 | 154,657.77 F | | | | | | |
| 44-01-00 | 154,955.52 F | | | | | | |
| 44-02-00 | 155,253.28 F | | | | | | |
| 44-03-00 | 155,551.04 F | | | | | | |
| 44-04-00 | 155,848.80 F | | | | | | |
| 44-05-00 | 156,146.55 F | | | | | | |
| 44-06-00 | 156,444.31 F | | | | | | |
| 44-07-00 | 156,742.07 F | | | | | | |
| 44-08-00 | 157,039.83 F | | | | | | |
| 44-09-00 | 157,337.58 F | | | | | | |
| 44-10-00 | 157,635.34 F | | | | | | |
| 44-11-00 | 157,933.10 F | | | | | | |
| 45-00-00 | 158,230.86 F | | | | | | |
| 45-01-00 | 158,528.61 F | | | | | | |
| 45-02-00 | 158,826.37 F | | | | | | |
| 45-03-00 | 159,124.13 F | | | | | | |
| 45-04-00 | 159,421.89 F | | | | | | |
| 45-05-00 | 159,719.64 F | | | | | | |

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE