

Tank ID **P100-008** Tank Type **F** Roof Weight **115,200** API **55.00** Gravity Correction **2.33**
 Strapped By: **HMT** 2/17/2015 Floating Height **4-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
0-00-00	3.82	3-06-00	4,772.02	7-00-00	10,152.37 F	10-06-00	15,967.38 F
0-01-00	11.38	3-07-00	4,910.50	7-01-00	10,290.80 F	10-07-00	16,105.89 F
0-02-00	23.85	3-08-00	5,048.99	7-02-00	10,429.24 F	10-08-00	16,244.41 F
0-03-00	43.77	3-09-00	5,187.47	7-03-00	10,567.68 F	10-09-00	16,382.93 F
0-04-00	69.23	3-10-00	5,325.96	7-04-00	10,706.12 F	10-10-00	16,521.45 F
0-05-00	100.87	3-11-00	5,464.44	7-05-00	10,844.56 F	10-11-00	16,659.96 F
0-06-00	142.65	4-00-00	5,602.88	7-06-00	10,982.99 F	11-00-00	16,798.48 F
0-07-00	196.97	4-01-00	5,741.32	7-07-00	11,121.43 F	11-01-00	16,937.00 F
0-08-00	260.87	4-02-00	5,879.76	7-08-00	11,259.87 F	11-02-00	17,075.52 F
0-09-00	336.79	4-03-00	6,018.20	7-09-00	11,398.31 F	11-03-00	17,214.03 F
0-10-00	423.01	4-04-00	6,156.63	7-10-00	11,536.74 F	11-04-00	17,352.55 F
0-11-00	522.29	4-05-00	6,295.07	7-11-00	11,675.18 F	11-05-00	17,491.07 F
1-00-00	638.80	4-06-00	6,433.51	8-00-00	11,813.62 F	11-06-00	17,629.59 F
1-01-00	763.58	4-07-00	6,571.95	8-01-00	11,952.06 F	11-07-00	17,768.11 F
1-02-00	896.42	4-08-00	6,710.38	8-02-00	12,090.49 F	11-08-00	17,906.62 F
1-03-00	1,033.49	4-09-00	6,848.82	8-03-00	12,228.93 F	11-09-00	18,045.14 F
1-04-00	1,171.71	4-10-00	6,987.26	8-04-00	12,367.37 F	11-10-00	18,183.66 F
1-05-00	1,310.11	4-11-00	7,125.70 F	8-05-00	12,505.81 F	11-11-00	18,322.18 F
1-06-00	1,448.53	5-00-00	7,145.76 F	8-06-00	12,644.24 F	12-00-00	18,460.69 F
1-07-00	1,586.94	5-01-00	7,148.92 F	8-07-00	12,782.68 F	12-01-00	18,599.21 F
1-08-00	1,725.36	5-02-00	7,152.08 F	8-08-00	12,921.12 F	12-02-00	18,737.73 F
1-09-00	1,863.78	5-03-00	7,245.18 F	8-09-00	13,059.56 F	12-03-00	18,876.25 F
1-10-00	2,002.27	5-04-00	7,383.62 F	8-10-00	13,197.99 F	12-04-00	19,014.76 F
1-11-00	2,140.77	5-05-00	7,522.05 F	8-11-00	13,336.43 F	12-05-00	19,153.28 F
2-00-00	2,279.27	5-06-00	7,660.49 F	9-00-00	13,474.87 F	12-06-00	19,291.80 F
2-01-00	2,417.76	5-07-00	7,798.93 F	9-01-00	13,613.31 F	12-07-00	19,430.32 F
2-02-00	2,556.26	5-08-00	7,937.37 F	9-02-00	13,751.74 F	12-08-00	19,568.83 F
2-03-00	2,694.75	5-09-00	8,075.80 F	9-03-00	13,890.18 F	12-09-00	19,707.35 F
2-04-00	2,833.24	5-10-00	8,214.24 F	9-04-00	14,028.62 F	12-10-00	19,845.87 F
2-05-00	2,971.73	5-11-00	8,352.68 F	9-05-00	14,167.06 F	12-11-00	19,984.39 F
2-06-00	3,110.21	6-00-00	8,491.12 F	9-06-00	14,305.50 F	13-00-00	20,122.90 F
2-07-00	3,248.70	6-01-00	8,629.55 F	9-07-00	14,443.93 F	13-01-00	20,261.42 F
2-08-00	3,387.18	6-02-00	8,767.99 F	9-08-00	14,582.37 F	13-02-00	20,399.94 F
2-09-00	3,525.66	6-03-00	8,906.43 F	9-09-00	14,720.81 F	13-03-00	20,538.46 F
2-10-00	3,664.15	6-04-00	9,044.87 F	9-10-00	14,859.25 F	13-04-00	20,676.97 F
2-11-00	3,802.63	6-05-00	9,183.30 F	9-11-00	14,997.75 F	13-05-00	20,815.49 F
3-00-00	3,941.12	6-06-00	9,321.74 F	10-00-00	15,136.27 F	13-06-00	20,954.01 F
3-01-00	4,079.60	6-07-00	9,460.18 F	10-01-00	15,274.79 F	13-07-00	21,092.53 F
3-02-00	4,218.08	6-08-00	9,598.62 F	10-02-00	15,413.31 F	13-08-00	21,231.05 F
3-03-00	4,356.57	6-09-00	9,737.05 F	10-03-00	15,551.82 F	13-09-00	21,369.56 F
3-04-00	4,495.05	6-10-00	9,875.49 F	10-04-00	15,690.34 F	13-10-00	21,508.08 F
3-05-00	4,633.54	6-11-00	10,013.93 F	10-05-00	15,828.86 F	13-11-00	21,646.60 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P100-008** Tank Type **F** Roof Weight **115,200** API **55.00** Gravity Correction **2.33**
 Strapped By: **HMT** 2/17/2015 Floating Height **4-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
14-00-00	21,785.12 F	17-06-00	27,602.85 F	21-00-00	33,419.64 F	24-06-00	39,234.69 F
14-01-00	21,923.63 F	17-07-00	27,741.37 F	21-01-00	33,558.10 F	24-07-00	39,373.15 F
14-02-00	22,062.15 F	17-08-00	27,879.89 F	21-02-00	33,696.55 F	24-08-00	39,511.60 F
14-03-00	22,200.67 F	17-09-00	28,018.41 F	21-03-00	33,835.00 F	24-09-00	39,650.05 F
14-04-00	22,339.19 F	17-10-00	28,156.93 F	21-04-00	33,973.46 F	24-10-00	39,788.51 F
14-05-00	22,477.70 F	17-11-00	28,295.44 F	21-05-00	34,111.91 F	24-11-00	39,926.96 F
14-06-00	22,616.22 F	18-00-00	28,433.96 F	21-06-00	34,250.36 F	25-00-00	40,065.41 F
14-07-00	22,754.74 F	18-01-00	28,572.48 F	21-07-00	34,388.82 F	25-01-00	40,203.87 F
14-08-00	22,893.26 F	18-02-00	28,711.00 F	21-08-00	34,527.27 F	25-02-00	40,342.32 F
14-09-00	23,031.77 F	18-03-00	28,849.51 F	21-09-00	34,665.72 F	25-03-00	40,480.78 F
14-10-00	23,170.29 F	18-04-00	28,988.03 F	21-10-00	34,804.18 F	25-04-00	40,619.23 F
14-11-00	23,308.81 F	18-05-00	29,126.55 F	21-11-00	34,942.63 F	25-05-00	40,757.68 F
15-00-00	23,447.33 F	18-06-00	29,265.07 F	22-00-00	35,081.09 F	25-06-00	40,896.14 F
15-01-00	23,585.84 F	18-07-00	29,403.58 F	22-01-00	35,219.54 F	25-07-00	41,034.59 F
15-02-00	23,724.36 F	18-08-00	29,542.10 F	22-02-00	35,357.99 F	25-08-00	41,173.04 F
15-03-00	23,862.88 F	18-09-00	29,680.62 F	22-03-00	35,496.45 F	25-09-00	41,311.50 F
15-04-00	24,001.40 F	18-10-00	29,819.14 F	22-04-00	35,634.90 F	25-10-00	41,449.95 F
15-05-00	24,139.91 F	18-11-00	29,957.65 F	22-05-00	35,773.35 F	25-11-00	41,588.40 F
15-06-00	24,278.43 F	19-00-00	30,096.17 F	22-06-00	35,911.81 F	26-00-00	41,726.86 F
15-07-00	24,416.95 F	19-01-00	30,234.69 F	22-07-00	36,050.26 F	26-01-00	41,865.31 F
15-08-00	24,555.47 F	19-02-00	30,373.21 F	22-08-00	36,188.71 F	26-02-00	42,003.77 F
15-09-00	24,693.99 F	19-03-00	30,511.72 F	22-09-00	36,327.17 F	26-03-00	42,142.22 F
15-10-00	24,832.50 F	19-04-00	30,650.24 F	22-10-00	36,465.62 F	26-04-00	42,280.67 F
15-11-00	24,971.02 F	19-05-00	30,788.76 F	22-11-00	36,604.07 F	26-05-00	42,419.13 F
16-00-00	25,109.54 F	19-06-00	30,927.28 F	23-00-00	36,742.53 F	26-06-00	42,557.58 F
16-01-00	25,248.06 F	19-07-00	31,065.79 F	23-01-00	36,880.98 F	26-07-00	42,696.03 F
16-02-00	25,386.57 F	19-08-00	31,204.31 F	23-02-00	37,019.44 F	26-08-00	42,834.49 F
16-03-00	25,525.09 F	19-09-00	31,342.83 F	23-03-00	37,157.89 F	26-09-00	42,972.94 F
16-04-00	25,663.61 F	19-10-00	31,481.29 F	23-04-00	37,296.34 F	26-10-00	43,111.39 F
16-05-00	25,802.13 F	19-11-00	31,619.75 F	23-05-00	37,434.80 F	26-11-00	43,249.85 F
16-06-00	25,940.64 F	20-00-00	31,758.20 F	23-06-00	37,573.25 F	27-00-00	43,388.30 F
16-07-00	26,079.16 F	20-01-00	31,896.65 F	23-07-00	37,711.70 F	27-01-00	43,526.75 F
16-08-00	26,217.68 F	20-02-00	32,035.11 F	23-08-00	37,850.16 F	27-02-00	43,665.21 F
16-09-00	26,356.20 F	20-03-00	32,173.56 F	23-09-00	37,988.61 F	27-03-00	43,803.66 F
16-10-00	26,494.71 F	20-04-00	32,312.01 F	23-10-00	38,127.06 F	27-04-00	43,942.12 F
16-11-00	26,633.23 F	20-05-00	32,450.47 F	23-11-00	38,265.52 F	27-05-00	44,080.57 F
17-00-00	26,771.75 F	20-06-00	32,588.92 F	24-00-00	38,403.97 F	27-06-00	44,219.02 F
17-01-00	26,910.27 F	20-07-00	32,727.37 F	24-01-00	38,542.43 F	27-07-00	44,357.48 F
17-02-00	27,048.78 F	20-08-00	32,865.83 F	24-02-00	38,680.88 F	27-08-00	44,495.93 F
17-03-00	27,187.30 F	20-09-00	33,004.28 F	24-03-00	38,819.33 F	27-09-00	44,634.38 F
17-04-00	27,325.82 F	20-10-00	33,142.73 F	24-04-00	38,957.79 F	27-10-00	44,772.84 F
17-05-00	27,464.34 F	20-11-00	33,281.19 F	24-05-00	39,096.24 F	27-11-00	44,911.29 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P100-008** Tank Type **F** Roof Weight **115,200** API **55.00** Gravity Correction **2.33**
 Strapped By: **HMT** 2/17/2015 Floating Height **4-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
28-00-00	45,049.74 F	31-06-00	50,865.08 F	35-00-00	56,680.66 F	38-06-00	62,496.25 F
28-01-00	45,188.20 F	31-07-00	51,003.54 F	35-01-00	56,819.13 F	38-07-00	62,634.72 F
28-02-00	45,326.65 F	31-08-00	51,142.01 F	35-02-00	56,957.60 F	38-08-00	62,773.19 F
28-03-00	45,465.11 F	31-09-00	51,280.47 F	35-03-00	57,096.06 F	38-09-00	62,911.65 F
28-04-00	45,603.56 F	31-10-00	51,418.94 F	35-04-00	57,234.53 F	38-10-00	63,050.12 F
28-05-00	45,742.01 F	31-11-00	51,557.41 F	35-05-00	57,373.00 F	38-11-00	63,188.59 F
28-06-00	45,880.47 F	32-00-00	51,695.87 F	35-06-00	57,511.46 F	39-00-00	63,327.05 F
28-07-00	46,018.92 F	32-01-00	51,834.34 F	35-07-00	57,649.93 F	39-01-00	63,465.52 F
28-08-00	46,157.37 F	32-02-00	51,972.81 F	35-08-00	57,788.40 F	39-02-00	63,603.98 F
28-09-00	46,295.83 F	32-03-00	52,111.27 F	35-09-00	57,926.86 F	39-03-00	63,742.45 F
28-10-00	46,434.28 F	32-04-00	52,249.74 F	35-10-00	58,065.33 F	39-04-00	63,880.92 F
28-11-00	46,572.73 F	32-05-00	52,388.21 F	35-11-00	58,203.79 F	39-05-00	64,019.38 F
29-00-00	46,711.19 F	32-06-00	52,526.67 F	36-00-00	58,342.26 F	39-06-00	64,157.85 F
29-01-00	46,849.64 F	32-07-00	52,665.14 F	36-01-00	58,480.73 F	39-07-00	64,296.32 F
29-02-00	46,988.09 F	32-08-00	52,803.61 F	36-02-00	58,619.19 F	39-08-00	64,434.85 F
29-03-00	47,126.55 F	32-09-00	52,942.07 F	36-03-00	58,757.66 F	39-09-00	64,573.39 F
29-04-00	47,265.00 F	32-10-00	53,080.54 F	36-04-00	58,896.13 F	39-10-00	64,711.94 F
29-05-00	47,403.46 F	32-11-00	53,219.00 F	36-05-00	59,034.59 F	39-11-00	64,850.48 F
29-06-00	47,541.91 F	33-00-00	53,357.47 F	36-06-00	59,173.06 F	40-00-00	64,989.02 F
29-07-00	47,680.36 F	33-01-00	53,495.94 F	36-07-00	59,311.53 F	40-01-00	65,127.57 F
29-08-00	47,818.82 F	33-02-00	53,634.40 F	36-08-00	59,449.99 F	40-02-00	65,266.11 F
29-09-00	47,957.28 F	33-03-00	53,772.87 F	36-09-00	59,588.46 F	40-03-00	65,404.65 F
29-10-00	48,095.75 F	33-04-00	53,911.34 F	36-10-00	59,726.93 F	40-04-00	65,543.20 F
29-11-00	48,234.21 F	33-05-00	54,049.80 F	36-11-00	59,865.39 F	40-05-00	65,681.74 F
30-00-00	48,372.68 F	33-06-00	54,188.27 F	37-00-00	60,003.86 F	40-06-00	65,820.28 F
30-01-00	48,511.15 F	33-07-00	54,326.74 F	37-01-00	60,142.32 F	40-07-00	65,958.83 F
30-02-00	48,649.61 F	33-08-00	54,465.20 F	37-02-00	60,280.79 F	40-08-00	66,097.37 F
30-03-00	48,788.08 F	33-09-00	54,603.67 F	37-03-00	60,419.26 F	40-09-00	66,235.91 F
30-04-00	48,926.55 F	33-10-00	54,742.13 F	37-04-00	60,557.72 F	40-10-00	66,374.45 F
30-05-00	49,065.01 F	33-11-00	54,880.60 F	37-05-00	60,696.19 F	40-11-00	66,513.00 F
30-06-00	49,203.48 F	34-00-00	55,019.07 F	37-06-00	60,834.66 F	41-00-00	66,651.54 F
30-07-00	49,341.95 F	34-01-00	55,157.53 F	37-07-00	60,973.12 F	41-01-00	66,790.08 F
30-08-00	49,480.41 F	34-02-00	55,296.00 F	37-08-00	61,111.59 F	41-02-00	66,928.63 F
30-09-00	49,618.88 F	34-03-00	55,434.47 F	37-09-00	61,250.06 F	41-03-00	67,067.17 F
30-10-00	49,757.34 F	34-04-00	55,572.93 F	37-10-00	61,388.52 F	41-04-00	67,205.71 F
30-11-00	49,895.81 F	34-05-00	55,711.40 F	37-11-00	61,526.99 F	41-05-00	67,344.26 F
31-00-00	50,034.28 F	34-06-00	55,849.87 F	38-00-00	61,665.45 F	41-06-00	67,482.80 F
31-01-00	50,172.74 F	34-07-00	55,988.33 F	38-01-00	61,803.92 F	41-07-00	67,621.34 F
31-02-00	50,311.21 F	34-08-00	56,126.80 F	38-02-00	61,942.39 F	41-08-00	67,759.89 F
31-03-00	50,449.68 F	34-09-00	56,265.27 F	38-03-00	62,080.85 F	41-09-00	67,898.43 F
31-04-00	50,588.14 F	34-10-00	56,403.73 F	38-04-00	62,219.32 F	41-10-00	68,036.97 F
31-05-00	50,726.61 F	34-11-00	56,542.20 F	38-05-00	62,357.79 F	41-11-00	68,175.52 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P100-008** Tank Type **F** Roof Weight **115,200** API **55.00** Gravity Correction **2.33**
 Strapped By: **HMT** 2/17/2015 Floating Height **4-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
42-00-00	68,314.06 F	45-06-00	74,132.87 F	49-00-00	79,951.69 F	52-06-00	85,768.02 F
42-01-00	68,452.60 F	45-07-00	74,271.42 F	49-01-00	80,090.23 F	52-07-00	85,906.50 F
42-02-00	68,591.15 F	45-08-00	74,409.96 F	49-02-00	80,228.72 F	52-08-00	86,044.98 F
42-03-00	68,729.69 F	45-09-00	74,548.50 F	49-03-00	80,367.20 F	52-09-00	86,183.46 F
42-04-00	68,868.23 F	45-10-00	74,687.05 F	49-04-00	80,505.69 F	52-10-00	86,321.95 F
42-05-00	69,006.78 F	45-11-00	74,825.59 F	49-05-00	80,644.17 F	52-11-00	86,460.43 F
42-06-00	69,145.32 F	46-00-00	74,964.13 F	49-06-00	80,782.65 F	53-00-00	86,598.91 F
42-07-00	69,283.86 F	46-01-00	75,102.68 F	49-07-00	80,921.13 F	53-01-00	86,737.39 F
42-08-00	69,422.41 F	46-02-00	75,241.22 F	49-08-00	81,059.62 F	53-02-00	86,875.88 F
42-09-00	69,560.95 F	46-03-00	75,379.76 F	49-09-00	81,198.10 F	53-03-00	87,014.36 F
42-10-00	69,699.49 F	46-04-00	75,518.31 F	49-10-00	81,336.58 F	53-04-00	87,152.84 F
42-11-00	69,838.03 F	46-05-00	75,656.85 F	49-11-00	81,475.06 F	53-05-00	87,291.32 F
43-00-00	69,976.58 F	46-06-00	75,795.39 F	50-00-00	81,613.55 F	53-06-00	87,429.81 F
43-01-00	70,115.12 F	46-07-00	75,933.94 F	50-01-00	81,752.03 F	53-07-00	87,568.29 F
43-02-00	70,253.66 F	46-08-00	76,072.48 F	50-02-00	81,890.51 F	53-08-00	87,706.77 F
43-03-00	70,392.21 F	46-09-00	76,211.02 F	50-03-00	82,028.99 F	53-09-00	87,845.25 F
43-04-00	70,530.75 F	46-10-00	76,349.57 F	50-04-00	82,167.48 F	53-10-00	87,983.74 F
43-05-00	70,669.29 F	46-11-00	76,488.11 F	50-05-00	82,305.96 F	53-11-00	88,122.22 F
43-06-00	70,807.84 F	47-00-00	76,626.65 F	50-06-00	82,444.44 F	54-00-00	88,260.70 F
43-07-00	70,946.38 F	47-01-00	76,765.19 F	50-07-00	82,582.92 F	54-01-00	88,399.18 F
43-08-00	71,084.92 F	47-02-00	76,903.74 F	50-08-00	82,721.40 F	54-02-00	88,537.67 F
43-09-00	71,223.47 F	47-03-00	77,042.28 F	50-09-00	82,859.89 F	54-03-00	88,676.15 F
43-10-00	71,362.01 F	47-04-00	77,180.82 F	50-10-00	82,998.37 F	54-04-00	88,814.63 F
43-11-00	71,500.55 F	47-05-00	77,319.37 F	50-11-00	83,136.85 F	54-05-00	88,953.11 F
44-00-00	71,639.10 F	47-06-00	77,457.91 F	51-00-00	83,275.33 F	54-06-00	89,091.60 F
44-01-00	71,777.64 F	47-07-00	77,596.45 F	51-01-00	83,413.82 F	54-07-00	89,230.08 F
44-02-00	71,916.18 F	47-08-00	77,735.00 F	51-02-00	83,552.30 F	54-08-00	89,368.56 F
44-03-00	72,054.73 F	47-09-00	77,873.54 F	51-03-00	83,690.78 F	54-09-00	89,507.04 F
44-04-00	72,193.27 F	47-10-00	78,012.08 F	51-04-00	83,829.26 F	54-10-00	89,645.52 F
44-05-00	72,331.81 F	47-11-00	78,150.63 F	51-05-00	83,967.75 F	54-11-00	89,784.01 F
44-06-00	72,470.36 F	48-00-00	78,289.17 F	51-06-00	84,106.23 F	55-00-00	89,922.49 F
44-07-00	72,608.90 F	48-01-00	78,427.71 F	51-07-00	84,244.71 F	55-01-00	90,060.97 F
44-08-00	72,747.44 F	48-02-00	78,566.26 F	51-08-00	84,383.19 F	55-02-00	90,199.45 F
44-09-00	72,885.99 F	48-03-00	78,704.80 F	51-09-00	84,521.68 F	55-03-00	90,337.94 F
44-10-00	73,024.53 F	48-04-00	78,843.34 F	51-10-00	84,660.16 F	55-04-00	90,476.42 F
44-11-00	73,163.07 F	48-05-00	78,981.89 F	51-11-00	84,798.64 F	55-05-00	90,614.90 F
45-00-00	73,301.61 F	48-06-00	79,120.43 F	52-00-00	84,937.12 F	55-06-00	90,753.38 F
45-01-00	73,440.16 F	48-07-00	79,258.97 F	52-01-00	85,075.61 F	55-07-00	90,891.87 F
45-02-00	73,578.70 F	48-08-00	79,397.52 F	52-02-00	85,214.09 F	55-08-00	91,030.35 F
45-03-00	73,717.24 F	48-09-00	79,536.06 F	52-03-00	85,352.57 F	55-09-00	91,168.83 F
45-04-00	73,855.79 F	48-10-00	79,674.60 F	52-04-00	85,491.05 F	55-10-00	91,307.31 F
45-05-00	73,994.33 F	48-11-00	79,813.15 F	52-05-00	85,629.54 F	55-11-00	91,445.80 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P100-008** Tank Type **F** Roof Weight **115,200** API **55.00** Gravity Correction **2.33**
 Strapped By: **HMT** 2/17/2015 Floating Height **4-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
56-00-00	91,584.28 F	59-06-00	97,404.63 F	63-00-00	103,226.63 F		
56-01-00	91,722.76 F	59-07-00	97,543.25 F	63-01-00	103,365.25 F		
56-02-00	91,861.24 F	59-08-00	97,681.86 F	63-02-00	103,503.87 F		
56-03-00	91,999.73 F	59-09-00	97,820.48 F	63-03-00	103,642.49 F		
56-04-00	92,138.21 F	59-10-00	97,959.10 F	63-04-00	103,781.11 F		
56-05-00	92,276.69 F	59-11-00	98,097.72 F	63-05-00	103,919.73 F		
56-06-00	92,415.17 F	60-00-00	98,236.34 F	63-06-00	104,058.35 F		
56-07-00	92,553.66 F	60-01-00	98,374.96 F	63-07-00	104,196.97 F		
56-08-00	92,692.14 F	60-02-00	98,513.58 F	63-08-00	104,335.59 F		
56-09-00	92,830.62 F	60-03-00	98,652.20 F	63-09-00	104,474.21 F		
56-10-00	92,969.10 F	60-04-00	98,790.82 F	63-10-00	104,612.82 F		
56-11-00	93,107.58 F	60-05-00	98,929.44 F	63-11-00	104,751.44 F		
57-00-00	93,246.07 F	60-06-00	99,068.06 F	64-00-00	104,890.06 F		
57-01-00	93,384.67 F	60-07-00	99,206.68 F	64-01-00	105,028.68 F		
57-02-00	93,523.29 F	60-08-00	99,345.29 F	64-02-00	105,167.30 F		
57-03-00	93,661.91 F	60-09-00	99,483.91 F	64-03-00	105,305.92 F		
57-04-00	93,800.53 F	60-10-00	99,622.53 F	64-04-00	105,444.54 F		
57-05-00	93,939.15 F	60-11-00	99,761.15 F	64-05-00	105,583.16 F		
57-06-00	94,077.77 F	61-00-00	99,899.77 F	64-06-00	105,721.78 F		
57-07-00	94,216.38 F	61-01-00	100,038.39 F	64-07-00	105,860.40 F		
57-08-00	94,355.00 F	61-02-00	100,177.01 F	64-08-00	105,999.02 F		
57-09-00	94,493.62 F	61-03-00	100,315.63 F	64-09-00	106,137.64 F		
57-10-00	94,632.24 F	61-04-00	100,454.25 F	64-10-00	106,276.25 F		
57-11-00	94,770.86 F	61-05-00	100,592.87 F	64-11-00	106,414.87 F		
58-00-00	94,909.48 F	61-06-00	100,731.49 F				
58-01-00	95,048.10 F	61-07-00	100,870.11 F				
58-02-00	95,186.72 F	61-08-00	101,008.73 F				
58-03-00	95,325.34 F	61-09-00	101,147.34 F				
58-04-00	95,463.96 F	61-10-00	101,285.96 F				
58-05-00	95,602.58 F	61-11-00	101,424.58 F				
58-06-00	95,741.20 F	62-00-00	101,563.20 F				
58-07-00	95,879.81 F	62-01-00	101,701.82 F				
58-08-00	96,018.43 F	62-02-00	101,840.44 F				
58-09-00	96,157.05 F	62-03-00	101,979.06 F				
58-10-00	96,295.67 F	62-04-00	102,117.68 F				
58-11-00	96,434.29 F	62-05-00	102,256.30 F				
59-00-00	96,572.91 F	62-06-00	102,394.92 F				
59-01-00	96,711.53 F	62-07-00	102,533.54 F				
59-02-00	96,850.15 F	62-08-00	102,672.16 F				
59-03-00	96,988.77 F	62-09-00	102,810.77 F				
59-04-00	97,127.39 F	62-10-00	102,949.39 F				
59-05-00	97,266.01 F	62-11-00	103,088.01 F				

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE