

Tank ID **P110-004** Tank Type **F** Roof Weight **118,600** API **45.00** Gravity Correction **2.40**  
 Strapped By: **HMT** 4/19/2016 Floating Height **5-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
0-00-00	141.92	3-06-00	5,718.50	7-00-00	11,770.44 F	10-06-00	18,244.39 F
0-01-00	153.17	3-07-00	5,872.71	7-01-00	11,924.58 F	10-07-00	18,398.53 F
0-02-00	174.95	3-08-00	6,026.92	7-02-00	12,078.72 F	10-08-00	18,552.67 F
0-03-00	205.15	3-09-00	6,181.12	7-03-00	12,232.87 F	10-09-00	18,706.81 F
0-04-00	251.62	3-10-00	6,335.33	7-04-00	12,387.01 F	10-10-00	18,861.03 F
0-05-00	311.94	3-11-00	6,489.53	7-05-00	12,541.15 F	10-11-00	19,015.26 F
0-06-00	391.44	4-00-00	6,643.74	7-06-00	12,695.29 F	11-00-00	19,169.50 F
0-07-00	477.24	4-01-00	6,797.94	7-07-00	12,849.43 F	11-01-00	19,323.74 F
0-08-00	568.06	4-02-00	6,952.15	7-08-00	13,003.57 F	11-02-00	19,477.98 F
0-09-00	676.91	4-03-00	7,106.35	7-09-00	13,157.72 F	11-03-00	19,632.21 F
0-10-00	796.17	4-04-00	7,260.56	7-10-00	13,311.86 F	11-04-00	19,786.45 F
0-11-00	938.44	4-05-00	7,414.77	7-11-00	13,466.00 F	11-05-00	19,940.69 F
1-00-00	1,092.58	4-06-00	7,568.97	8-00-00	13,620.14 F	11-06-00	20,094.93 F
1-01-00	1,246.72	4-07-00	7,723.18	8-01-00	13,774.28 F	11-07-00	20,249.17 F
1-02-00	1,400.86	4-08-00	7,877.38	8-02-00	13,928.42 F	11-08-00	20,403.40 F
1-03-00	1,555.00	4-09-00	8,031.59	8-03-00	14,082.57 F	11-09-00	20,557.64 F
1-04-00	1,709.15	4-10-00	8,185.79	8-04-00	14,236.71 F	11-10-00	20,711.88 F
1-05-00	1,863.29	4-11-00	8,339.94	8-05-00	14,390.85 F	11-11-00	20,866.12 F
1-06-00	2,017.43	5-00-00	8,494.09	8-06-00	14,544.99 F	12-00-00	21,020.35 F
1-07-00	2,171.57	5-01-00	8,648.23	8-07-00	14,699.13 F	12-01-00	21,174.59 F
1-08-00	2,325.78	5-02-00	8,802.37	8-08-00	14,853.27 F	12-02-00	21,328.83 F
1-09-00	2,479.99	5-03-00	8,956.51	8-09-00	15,007.41 F	12-03-00	21,483.07 F
1-10-00	2,634.21	5-04-00	9,110.65	8-10-00	15,161.56 F	12-04-00	21,637.30 F
1-11-00	2,788.42	5-05-00	9,264.79	8-11-00	15,315.70 F	12-05-00	21,791.54 F
2-00-00	2,942.62	5-06-00	9,418.93	9-00-00	15,469.84 F	12-06-00	21,945.78 F
2-01-00	3,096.83	5-07-00	9,573.08	9-01-00	15,623.98 F	12-07-00	22,100.02 F
2-02-00	3,251.03	5-08-00	9,727.22	9-02-00	15,778.12 F	12-08-00	22,254.25 F
2-03-00	3,405.24	5-09-00	9,881.36	9-03-00	15,932.26 F	12-09-00	22,408.49 F
2-04-00	3,559.45	5-10-00	10,035.50	9-04-00	16,086.41 F	12-10-00	22,562.73 F
2-05-00	3,713.66	<b>5-11-00</b>	10,189.64 F	9-05-00	16,240.55 F	12-11-00	22,716.97 F
2-06-00	3,867.88	<b>6-00-00</b>	10,193.20 F	9-06-00	16,394.69 F	13-00-00	22,871.20 F
2-07-00	4,022.10	<b>6-01-00</b>	10,196.75 F	9-07-00	16,548.83 F	13-01-00	23,025.44 F
2-08-00	4,176.32	<b>6-02-00</b>	10,229.03 F	9-08-00	16,702.97 F	13-02-00	23,179.68 F
2-09-00	4,330.54	6-03-00	10,383.17 F	9-09-00	16,857.11 F	13-03-00	23,333.92 F
2-10-00	4,484.77	6-04-00	10,537.31 F	9-10-00	17,011.26 F	13-04-00	23,488.15 F
2-11-00	4,638.99	6-05-00	10,691.45 F	9-11-00	17,165.40 F	13-05-00	23,642.39 F
3-00-00	4,793.21	6-06-00	10,845.59 F	10-00-00	17,319.54 F	13-06-00	23,796.63 F
3-01-00	4,947.43	6-07-00	10,999.73 F	10-01-00	17,473.68 F	13-07-00	23,950.87 F
3-02-00	5,101.65	6-08-00	11,153.87 F	10-02-00	17,627.82 F	13-08-00	24,105.11 F
3-03-00	5,255.87	6-09-00	11,308.02 F	10-03-00	17,781.96 F	13-09-00	24,259.34 F
3-04-00	5,410.09	6-10-00	11,462.16 F	10-04-00	17,936.11 F	13-10-00	24,413.58 F
3-05-00	5,564.30	6-11-00	11,616.30 F	10-05-00	18,090.25 F	13-11-00	24,567.82 F

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **P110-004** Tank Type **F** Roof Weight **118,600** API **45.00** Gravity Correction **2.40**  
 Strapped By: HMT 4/19/2016 Floating Height **5-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
14-00-00	24,722.06 F	17-06-00	31,200.03 F	21-00-00	37,678.48 F	24-06-00	44,161.70 F
14-01-00	24,876.29 F	17-07-00	31,354.27 F	21-01-00	37,832.84 F	24-07-00	44,316.07 F
14-02-00	25,030.53 F	17-08-00	31,508.51 F	21-02-00	37,987.21 F	24-08-00	44,470.43 F
14-03-00	25,184.77 F	17-09-00	31,662.75 F	21-03-00	38,141.57 F	24-09-00	44,624.79 F
14-04-00	25,339.01 F	17-10-00	31,816.99 F	21-04-00	38,295.93 F	24-10-00	44,779.15 F
14-05-00	25,493.24 F	17-11-00	31,971.22 F	21-05-00	38,450.29 F	24-11-00	44,933.51 F
14-06-00	25,647.48 F	18-00-00	32,125.46 F	21-06-00	38,604.66 F	25-00-00	45,087.88 F
14-07-00	25,801.72 F	18-01-00	32,279.70 F	21-07-00	38,759.02 F	25-01-00	45,242.24 F
14-08-00	25,955.96 F	18-02-00	32,433.94 F	21-08-00	38,913.38 F	25-02-00	45,396.60 F
14-09-00	26,110.19 F	18-03-00	32,588.17 F	21-09-00	39,067.74 F	25-03-00	45,550.96 F
14-10-00	26,264.43 F	18-04-00	32,742.41 F	21-10-00	39,222.11 F	25-04-00	45,705.33 F
14-11-00	26,418.67 F	18-05-00	32,896.65 F	21-11-00	39,376.47 F	25-05-00	45,859.69 F
15-00-00	26,572.91 F	18-06-00	33,050.89 F	22-00-00	39,530.83 F	25-06-00	46,014.05 F
15-01-00	26,727.14 F	18-07-00	33,205.12 F	22-01-00	39,685.19 F	25-07-00	46,168.41 F
15-02-00	26,881.38 F	18-08-00	33,359.36 F	22-02-00	39,839.56 F	25-08-00	46,322.78 F
15-03-00	27,035.62 F	18-09-00	33,513.60 F	22-03-00	39,993.92 F	25-09-00	46,477.14 F
15-04-00	27,189.86 F	18-10-00	33,667.84 F	22-04-00	40,148.28 F	25-10-00	46,631.50 F
15-05-00	27,344.09 F	18-11-00	33,822.07 F	22-05-00	40,302.64 F	25-11-00	46,785.86 F
15-06-00	27,498.33 F	19-00-00	33,976.31 F	22-06-00	40,457.01 F	26-00-00	46,940.23 F
15-07-00	27,652.57 F	19-01-00	34,130.55 F	22-07-00	40,611.37 F	26-01-00	47,094.59 F
15-08-00	27,806.81 F	19-02-00	34,284.79 F	22-08-00	40,765.73 F	26-02-00	47,248.95 F
15-09-00	27,961.05 F	19-03-00	34,439.02 F	22-09-00	40,920.09 F	26-03-00	47,403.31 F
15-10-00	28,115.28 F	19-04-00	34,593.26 F	22-10-00	41,074.45 F	26-04-00	47,557.68 F
15-11-00	28,269.52 F	19-05-00	34,747.50 F	22-11-00	41,228.82 F	26-05-00	47,712.04 F
16-00-00	28,423.76 F	19-06-00	34,901.74 F	23-00-00	41,383.18 F	26-06-00	47,866.40 F
16-01-00	28,578.00 F	19-07-00	35,055.97 F	23-01-00	41,537.54 F	26-07-00	48,020.76 F
16-02-00	28,732.23 F	19-08-00	35,210.21 F	23-02-00	41,691.90 F	26-08-00	48,175.13 F
16-03-00	28,886.47 F	19-09-00	35,364.45 F	23-03-00	41,846.27 F	26-09-00	48,329.49 F
16-04-00	29,040.71 F	19-10-00	35,518.69 F	23-04-00	42,000.63 F	26-10-00	48,483.85 F
16-05-00	29,194.95 F	19-11-00	35,672.93 F	23-05-00	42,154.99 F	26-11-00	48,638.21 F
16-06-00	29,349.18 F	20-00-00	35,827.16 F	23-06-00	42,309.35 F	27-00-00	48,792.57 F
16-07-00	29,503.42 F	20-01-00	35,981.40 F	23-07-00	42,463.72 F	27-01-00	48,946.94 F
16-08-00	29,657.66 F	20-02-00	36,135.64 F	23-08-00	42,618.08 F	27-02-00	49,101.30 F
16-09-00	29,811.90 F	20-03-00	36,289.88 F	23-09-00	42,772.44 F	27-03-00	49,255.66 F
16-10-00	29,966.13 F	20-04-00	36,444.11 F	23-10-00	42,926.80 F	27-04-00	49,410.02 F
16-11-00	30,120.37 F	20-05-00	36,598.35 F	23-11-00	43,081.17 F	27-05-00	49,564.39 F
17-00-00	30,274.61 F	20-06-00	36,752.59 F	24-00-00	43,235.53 F	27-06-00	49,718.75 F
17-01-00	30,428.85 F	20-07-00	36,906.83 F	24-01-00	43,389.89 F	27-07-00	49,873.11 F
17-02-00	30,583.08 F	20-08-00	37,061.06 F	24-02-00	43,544.25 F	27-08-00	50,027.47 F
17-03-00	30,737.32 F	20-09-00	37,215.30 F	24-03-00	43,698.62 F	27-09-00	50,181.84 F
17-04-00	30,891.56 F	20-10-00	37,369.54 F	24-04-00	43,852.98 F	27-10-00	50,336.20 F
17-05-00	31,045.80 F	20-11-00	37,524.12 F	24-05-00	44,007.34 F	27-11-00	50,490.56 F

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **P110-004** Tank Type **F** Roof Weight **118,600** API **45.00** Gravity Correction **2.40**  
 Strapped By: **HMT** 4/19/2016 Floating Height **5-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
28-00-00	50,644.92 F	31-06-00	57,129.64 F	35-00-00	63,618.71 F	38-06-00	70,107.78 F
28-01-00	50,799.29 F	31-07-00	57,284.14 F	35-01-00	63,773.21 F	38-07-00	70,262.28 F
28-02-00	50,953.65 F	31-08-00	57,438.64 F	35-02-00	63,927.71 F	38-08-00	70,416.78 F
28-03-00	51,108.01 F	31-09-00	57,593.15 F	35-03-00	64,082.21 F	38-09-00	70,571.28 F
28-04-00	51,262.37 F	31-10-00	57,747.65 F	35-04-00	64,236.71 F	38-10-00	70,725.78 F
28-05-00	51,416.74 F	31-11-00	57,902.15 F	35-05-00	64,391.22 F	38-11-00	70,880.28 F
28-06-00	51,571.10 F	32-00-00	58,056.65 F	35-06-00	64,545.72 F	39-00-00	71,034.78 F
28-07-00	51,725.46 F	32-01-00	58,211.15 F	35-07-00	64,700.22 F	39-01-00	71,189.29 F
28-08-00	51,879.82 F	32-02-00	58,365.65 F	35-08-00	64,854.72 F	39-02-00	71,343.79 F
28-09-00	52,034.19 F	32-03-00	58,520.16 F	35-09-00	65,009.22 F	39-03-00	71,498.29 F
28-10-00	52,188.55 F	32-04-00	58,674.66 F	35-10-00	65,163.72 F	39-04-00	71,652.79 F
28-11-00	52,342.91 F	32-05-00	58,829.16 F	35-11-00	65,318.23 F	39-05-00	71,807.29 F
29-00-00	52,497.27 F	32-06-00	58,983.66 F	36-00-00	65,472.73 F	39-06-00	71,961.79 F
29-01-00	52,651.63 F	32-07-00	59,138.16 F	36-01-00	65,627.23 F	39-07-00	72,116.30 F
29-02-00	52,806.00 F	32-08-00	59,292.66 F	36-02-00	65,781.73 F	39-08-00	72,270.80 F
29-03-00	52,960.36 F	32-09-00	59,447.16 F	36-03-00	65,936.23 F	39-09-00	72,425.30 F
29-04-00	53,114.72 F	32-10-00	59,601.67 F	36-04-00	66,090.73 F	39-10-00	72,579.80 F
29-05-00	53,269.08 F	32-11-00	59,756.17 F	36-05-00	66,245.24 F	39-11-00	72,734.30 F
29-06-00	53,423.45 F	33-00-00	59,910.67 F	36-06-00	66,399.74 F	40-00-00	72,888.80 F
29-07-00	53,577.81 F	33-01-00	60,065.17 F	36-07-00	66,554.24 F	40-01-00	73,043.31 F
29-08-00	53,732.17 F	33-02-00	60,219.67 F	36-08-00	66,708.74 F	40-02-00	73,197.81 F
29-09-00	53,886.53 F	33-03-00	60,374.17 F	36-09-00	66,863.24 F	40-03-00	73,352.31 F
29-10-00	54,040.90 F	33-04-00	60,528.68 F	36-10-00	67,017.74 F	40-04-00	73,506.81 F
29-11-00	54,195.26 F	33-05-00	60,683.18 F	36-11-00	67,172.24 F	40-05-00	73,661.31 F
30-00-00	54,349.62 F	33-06-00	60,837.68 F	37-00-00	67,326.75 F	40-06-00	73,815.81 F
30-01-00	54,503.98 F	33-07-00	60,992.18 F	37-01-00	67,481.25 F	40-07-00	73,970.33 F
30-02-00	54,658.35 F	33-08-00	61,146.68 F	37-02-00	67,635.75 F	40-08-00	74,124.85 F
30-03-00	54,812.71 F	33-09-00	61,301.18 F	37-03-00	67,790.25 F	40-09-00	74,279.38 F
30-04-00	54,967.07 F	33-10-00	61,455.69 F	37-04-00	67,944.75 F	40-10-00	74,433.90 F
30-05-00	55,121.43 F	33-11-00	61,610.19 F	37-05-00	68,099.25 F	40-11-00	74,588.42 F
30-06-00	55,275.80 F	34-00-00	61,764.69 F	37-06-00	68,253.76 F	41-00-00	74,742.94 F
30-07-00	55,430.16 F	34-01-00	61,919.19 F	37-07-00	68,408.26 F	41-01-00	74,897.47 F
30-08-00	55,584.62 F	34-02-00	62,073.69 F	37-08-00	68,562.76 F	41-02-00	75,051.99 F
30-09-00	55,739.13 F	34-03-00	62,228.19 F	37-09-00	68,717.26 F	41-03-00	75,206.51 F
30-10-00	55,893.63 F	34-04-00	62,382.70 F	37-10-00	68,871.76 F	41-04-00	75,361.03 F
30-11-00	56,048.13 F	34-05-00	62,537.20 F	37-11-00	69,026.26 F	41-05-00	75,515.55 F
31-00-00	56,202.63 F	34-06-00	62,691.70 F	38-00-00	69,180.77 F	41-06-00	75,670.08 F
31-01-00	56,357.13 F	34-07-00	62,846.20 F	38-01-00	69,335.27 F	41-07-00	75,824.60 F
31-02-00	56,511.63 F	34-08-00	63,000.70 F	38-02-00	69,489.77 F	41-08-00	75,979.12 F
31-03-00	56,666.14 F	34-09-00	63,155.20 F	38-03-00	69,644.27 F	41-09-00	76,133.64 F
31-04-00	56,820.64 F	34-10-00	63,309.70 F	38-04-00	69,798.77 F	41-10-00	76,288.17 F
31-05-00	56,975.14 F	34-11-00	63,464.21 F	38-05-00	69,953.27 F	41-11-00	76,442.69 F

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **P110-004** Tank Type **F** Roof Weight **118,600** API **45.00** Gravity Correction **2.40**  
 Strapped By: HMT 4/19/2016 Floating Height **5-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
42-00-00	76,597.21 F	45-06-00	83,087.15 F	49-00-00	89,577.09 F	52-06-00	96,067.32 F
42-01-00	76,751.73 F	45-07-00	83,241.67 F	49-01-00	89,731.62 F	52-07-00	96,221.85 F
42-02-00	76,906.26 F	45-08-00	83,396.20 F	49-02-00	89,886.14 F	52-08-00	96,376.38 F
42-03-00	77,060.78 F	45-09-00	83,550.72 F	49-03-00	90,040.66 F	52-09-00	96,530.92 F
42-04-00	77,215.30 F	45-10-00	83,705.24 F	49-04-00	90,195.18 F	52-10-00	96,685.45 F
42-05-00	77,369.82 F	45-11-00	83,859.76 F	49-05-00	90,349.71 F	52-11-00	96,839.98 F
42-06-00	77,524.35 F	46-00-00	84,014.29 F	49-06-00	90,504.23 F	53-00-00	96,994.51 F
42-07-00	77,678.87 F	46-01-00	84,168.81 F	49-07-00	90,658.75 F	53-01-00	97,149.04 F
42-08-00	77,833.39 F	46-02-00	84,323.33 F	49-08-00	90,813.27 F	53-02-00	97,303.58 F
42-09-00	77,987.91 F	46-03-00	84,477.85 F	49-09-00	90,967.79 F	53-03-00	97,458.11 F
42-10-00	78,142.44 F	46-04-00	84,632.38 F	49-10-00	91,122.32 F	53-04-00	97,612.64 F
42-11-00	78,296.96 F	46-05-00	84,786.90 F	49-11-00	91,276.84 F	53-05-00	97,767.17 F
43-00-00	78,451.48 F	46-06-00	84,941.42 F	50-00-00	91,431.36 F	53-06-00	97,921.70 F
43-01-00	78,606.00 F	46-07-00	85,095.94 F	50-01-00	91,585.89 F	53-07-00	98,076.24 F
43-02-00	78,760.53 F	46-08-00	85,250.47 F	50-02-00	91,740.42 F	53-08-00	98,230.77 F
43-03-00	78,915.05 F	46-09-00	85,404.99 F	50-03-00	91,894.96 F	53-09-00	98,385.30 F
43-04-00	79,069.57 F	46-10-00	85,559.51 F	50-04-00	92,049.49 F	53-10-00	98,539.83 F
43-05-00	79,224.09 F	46-11-00	85,714.03 F	50-05-00	92,204.02 F	53-11-00	98,694.36 F
43-06-00	79,378.61 F	47-00-00	85,868.56 F	50-06-00	92,358.55 F	54-00-00	98,848.90 F
43-07-00	79,533.14 F	47-01-00	86,023.08 F	50-07-00	92,513.08 F	54-01-00	99,003.43 F
43-08-00	79,687.66 F	47-02-00	86,177.60 F	50-08-00	92,667.62 F	54-02-00	99,157.96 F
43-09-00	79,842.18 F	47-03-00	86,332.12 F	50-09-00	92,822.15 F	54-03-00	99,312.49 F
43-10-00	79,996.70 F	47-04-00	86,486.65 F	50-10-00	92,976.68 F	54-04-00	99,467.02 F
43-11-00	80,151.23 F	47-05-00	86,641.17 F	50-11-00	93,131.21 F	54-05-00	99,621.56 F
44-00-00	80,305.75 F	47-06-00	86,795.69 F	51-00-00	93,285.74 F	54-06-00	99,776.09 F
44-01-00	80,460.27 F	47-07-00	86,950.21 F	51-01-00	93,440.28 F	54-07-00	99,930.62 F
44-02-00	80,614.79 F	47-08-00	87,104.73 F	51-02-00	93,594.81 F	54-08-00	100,085.15 F
44-03-00	80,769.32 F	47-09-00	87,259.26 F	51-03-00	93,749.34 F	54-09-00	100,239.68 F
44-04-00	80,923.84 F	47-10-00	87,413.78 F	51-04-00	93,903.87 F	54-10-00	100,394.22 F
44-05-00	81,078.36 F	47-11-00	87,568.30 F	51-05-00	94,058.40 F	54-11-00	100,548.75 F
44-06-00	81,232.88 F	48-00-00	87,722.82 F	51-06-00	94,212.94 F	55-00-00	100,703.28 F
44-07-00	81,387.41 F	48-01-00	87,877.35 F	51-07-00	94,367.47 F	55-01-00	100,857.81 F
44-08-00	81,541.93 F	48-02-00	88,031.87 F	51-08-00	94,522.00 F	55-02-00	101,012.34 F
44-09-00	81,696.45 F	48-03-00	88,186.39 F	51-09-00	94,676.53 F	55-03-00	101,166.88 F
44-10-00	81,850.97 F	48-04-00	88,340.91 F	51-10-00	94,831.06 F	55-04-00	101,321.41 F
44-11-00	82,005.50 F	48-05-00	88,495.44 F	51-11-00	94,985.60 F	55-05-00	101,475.94 F
45-00-00	82,160.02 F	48-06-00	88,649.96 F	52-00-00	95,140.13 F	55-06-00	101,630.47 F
45-01-00	82,314.54 F	48-07-00	88,804.48 F	52-01-00	95,294.66 F	55-07-00	101,785.00 F
45-02-00	82,469.06 F	48-08-00	88,959.00 F	52-02-00	95,449.19 F	55-08-00	101,939.54 F
45-03-00	82,623.59 F	48-09-00	89,113.53 F	52-03-00	95,603.72 F	55-09-00	102,094.07 F
45-04-00	82,778.11 F	48-10-00	89,268.05 F	52-04-00	95,758.26 F	55-10-00	102,248.60 F
45-05-00	82,932.63 F	48-11-00	89,422.57 F	52-05-00	95,912.79 F	55-11-00	102,403.13 F

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **P110-004** Tank Type **F** Roof Weight **118,600** API **45.00** Gravity Correction **2.40**  
 Strapped By: HMT 4/19/2016 Floating Height **5-11-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
56-00-00	102,557.66 F	59-06-00	109,051.97 F	63-00-00	115,551.18 F		
56-01-00	102,712.20 F	59-07-00	109,206.71 F	63-01-00	115,705.93 F		
56-02-00	102,866.73 F	59-08-00	109,361.45 F	63-02-00	115,860.67 F		
56-03-00	103,021.26 F	59-09-00	109,516.20 F	63-03-00	116,015.41 F		
56-04-00	103,175.79 F	59-10-00	109,670.94 F	63-04-00	116,170.15 F		
56-05-00	103,330.32 F	59-11-00	109,825.68 F	63-05-00	116,324.90 F		
56-06-00	103,484.86 F	60-00-00	109,980.43 F	63-06-00	116,479.64 F		
56-07-00	103,639.39 F	60-01-00	110,135.17 F	63-07-00	116,634.38 F		
56-08-00	103,793.92 F	60-02-00	110,289.91 F	63-08-00	116,789.13 F		
56-09-00	103,948.45 F	60-03-00	110,444.66 F	63-09-00	116,943.87 F		
56-10-00	104,102.98 F	60-04-00	110,599.40 F	63-10-00	117,098.61 F		
56-11-00	104,257.52 F	60-05-00	110,754.14 F	63-11-00	117,253.36 F		
57-00-00	104,412.05 F	60-06-00	110,908.89 F	64-00-00	117,408.10 F		
57-01-00	104,566.58 F	60-07-00	111,063.63 F	64-01-00	117,562.84 F		
57-02-00	104,721.11 F	60-08-00	111,218.37 F	64-02-00	117,717.59 F		
57-03-00	104,875.64 F	60-09-00	111,373.12 F	64-03-00	117,872.33 F		
57-04-00	105,030.18 F	60-10-00	111,527.86 F	64-04-00	118,027.07 F		
57-05-00	105,184.71 F	60-11-00	111,682.60 F	64-05-00	118,181.82 F		
57-06-00	105,339.24 F	61-00-00	111,837.35 F	64-06-00	118,336.56 F		
57-07-00	105,493.77 F	61-01-00	111,992.09 F	64-07-00	118,491.30 F		
57-08-00	105,648.30 F	61-02-00	112,146.83 F	64-08-00	118,646.05 F		
57-09-00	105,802.84 F	61-03-00	112,301.57 F	64-09-00	118,800.79 F		
57-10-00	105,957.37 F	61-04-00	112,456.32 F	64-10-00	118,955.53 F		
57-11-00	106,111.90 F	61-05-00	112,611.06 F	64-11-00	119,110.28 F		
58-00-00	106,266.59 F	61-06-00	112,765.80 F	65-00-00	119,265.02 F		
58-01-00	106,421.33 F	61-07-00	112,920.55 F	65-01-00	119,419.76 F		
58-02-00	106,576.08 F	61-08-00	113,075.29 F	65-02-00	119,574.51 F		
58-03-00	106,730.82 F	61-09-00	113,230.03 F	65-03-00	119,729.25 F		
58-04-00	106,885.56 F	61-10-00	113,384.78 F	65-04-00	119,883.99 F		
58-05-00	107,040.31 F	61-11-00	113,539.52 F	65-05-00	120,038.73 F		
58-06-00	107,195.05 F	62-00-00	113,694.26 F	65-06-00	120,193.48 F		
58-07-00	107,349.79 F	62-01-00	113,849.01 F	65-07-00	120,348.22 F		
58-08-00	107,504.54 F	62-02-00	114,003.75 F	65-08-00	120,502.96 F		
58-09-00	107,659.28 F	62-03-00	114,158.49 F	65-09-00	120,657.71 F		
58-10-00	107,814.02 F	62-04-00	114,313.24 F	65-10-00	120,812.45 F		
58-11-00	107,968.77 F	62-05-00	114,467.98 F				
59-00-00	108,123.51 F	62-06-00	114,622.72 F				
59-01-00	108,278.25 F	62-07-00	114,777.47 F				
59-02-00	108,432.99 F	62-08-00	114,932.21 F				
59-03-00	108,587.74 F	62-09-00	115,086.95 F				
59-04-00	108,742.48 F	62-10-00	115,241.70 F				
59-05-00	108,897.22 F	62-11-00	115,396.44 F				

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**