Tank ID **100-049** Tank Type **F** Roof Weight **121,530** API **30.00** Gravity Correction **2.46**

Strapped By: HMT 1/4/2022 Posted Height 66-05-08 Top Off Height 61-04-14 Low Gauge 5-11-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 0-00-00 | .37 | 3-06-00 | 4,743.32 | 7-00-00 | 10,148.29 F | 10-06-00 | 15,950.36 F |
| 0-01-00 | 3.92 | 3-07-00 | 4,881.49 | 7-01-00 | 10,286.41 F | 10-07-00 | 16,088.65 F |
| 0-02-00 | 10.03 | 3-08-00 | 5,019.65 | 7-02-00 | 10,424.53 F | 10-08-00 | 16,226.95 F |
| 0-03-00 | 23.21 | 3-09-00 | 5,157.82 | 7-03-00 | 10,562.65 F | 10-09-00 | 16,365.24 F |
| 0-04-00 | 43.48 | 3-10-00 | 5,295.98 | 7-04-00 | 10,700.77 F | 10-10-00 | 16,503.54 F |
| 0-05-00 | 77.07 | 3-11-00 | 5,434.15 | 7-05-00 | 10,838.89 F | 10-11-00 | 16,641.84 F |
| 0-06-00 | 118.20 | 4-00-00 | 5,572.31 | 7-06-00 | 10,977.01 F | 11-00-00 | 16,780.13 F |
| 0-07-00 | 165.03 | 4-01-00 | 5,710.48 | 7-07-00 | 11,115.12 F | 11-01-00 | 16,918.43 F |
| 0-08-00 | 224.35 | 4-02-00 | 5,848.64 | 7-08-00 | 11,253.24 F | 11-02-00 | 17,056.72 F |
| 0-09-00 | 300.20 | 4-03-00 | 5,986.80 | 7-09-00 | 11,391.36 F | 11-03-00 | 17,195.02 F |
| 0-10-00 | 392.23 | 4-04-00 | 6,124.97 | 7-10-00 | 11,529.48 F | 11-04-00 | 17,333.32 F |
| 0-11-00 | 497.69 | 4-05-00 | 6,263.13 | 7-11-00 | 11,667.60 F | 11-05-00 | 17,471.61 F |
| 1-00-00 | 616.75 | 4-06-00 | 6,401.30 | 8-00-00 | 11,805.72 F | 11-06-00 | 17,609.91 F |
| 1-01-00 | 743.85 | 4-07-00 | 6,539.46 | 8-01-00 | 11,943.83 F | 11-07-00 | 17,748.20 F |
| 1-02-00 | 876.47 | 4-08-00 | 6,677.58 | 8-02-00 | 12,081.95 F | 11-08-00 | 17,886.50 F |
| 1-03-00 | 1,013.76 | 4-09-00 | 6,815.69 | 8-03-00 | 12,220.07 F | 11-09-00 | 18,024.80 F |
| 1-04-00 | 1,151.86 | 4-10-00 | 6,953.81 | 8-04-00 | 12,358.19 F | 11-10-00 | 18,163.09 F |
| 1-05-00 | 1,289.96 | **4-11-00** | 7,091.93 F | 8-05-00 | 12,496.31 F | 11-11-00 | 18,301.39 F |
| 1-06-00 | 1,428.06 | **5-00-00** | 7,179.50 F | 8-06-00 | 12,634.43 F | 12-00-00 | 18,439.68 F |
| 1-07-00 | 1,566.16 | **5-01-00** | 7,182.81 F | 8-07-00 | 12,772.54 F | 12-01-00 | 18,577.98 F |
| 1-08-00 | 1,704.25 | **5-02-00** | 7,186.12 F | 8-08-00 | 12,910.66 F | 12-02-00 | 18,716.28 F |
| 1-09-00 | 1,842.35 | **5-03-00** | 7,247.81 F | 8-09-00 | 13,048.78 F | 12-03-00 | 18,854.57 F |
| 1-10-00 | 1,980.46 | 5-04-00 | 7,385.93 F | 8-10-00 | 13,186.90 F | 12-04-00 | 18,992.87 F |
| 1-11-00 | 2,118.58 | 5-05-00 | 7,524.05 F | 8-11-00 | 13,325.02 F | 12-05-00 | 19,131.16 F |
| 2-00-00 | 2,256.70 | 5-06-00 | 7,662.16 F | 9-00-00 | 13,463.14 F | 12-06-00 | 19,269.46 F |
| 2-01-00 | 2,394.80 | 5-07-00 | 7,800.28 F | 9-01-00 | 13,601.25 F | 12-07-00 | 19,407.76 F |
| 2-02-00 | 2,532.91 | 5-08-00 | 7,938.40 F | 9-02-00 | 13,739.37 F | 12-08-00 | 19,546.05 F |
| 2-03-00 | 2,671.03 | 5-09-00 | 8,076.52 F | 9-03-00 | 13,877.49 F | 12-09-00 | 19,684.35 F |
| 2-04-00 | 2,809.15 | 5-10-00 | 8,214.64 F | 9-04-00 | 14,015.61 F | 12-10-00 | 19,822.64 F |
| 2-05-00 | 2,947.27 | 5-11-00 | 8,352.76 F | 9-05-00 | 14,153.73 F | 12-11-00 | 19,960.94 F |
| 2-06-00 | 3,085.39 | 6-00-00 | 8,490.87 F | 9-06-00 | 14,291.85 F | 13-00-00 | 20,099.24 F |
| 2-07-00 | 3,223.51 | 6-01-00 | 8,628.99 F | 9-07-00 | 14,429.97 F | 13-01-00 | 20,237.53 F |
| 2-08-00 | 3,361.67 | 6-02-00 | 8,767.11 F | 9-08-00 | 14,568.08 F | 13-02-00 | 20,375.83 F |
| 2-09-00 | 3,499.84 | 6-03-00 | 8,905.23 F | 9-09-00 | 14,706.20 F | 13-03-00 | 20,514.12 F |
| 2-10-00 | 3,638.00 | 6-04-00 | 9,043.35 F | 9-10-00 | 14,844.32 F | 13-04-00 | 20,652.42 F |
| 2-11-00 | 3,776.17 | 6-05-00 | 9,181.47 F | 9-11-00 | 14,982.44 F | 13-05-00 | 20,790.72 F |
| 3-00-00 | 3,914.33 | 6-06-00 | 9,319.58 F | 10-00-00 | 15,120.58 F | 13-06-00 | 20,929.01 F |
| 3-01-00 | 4,052.50 | 6-07-00 | 9,457.70 F | 10-01-00 | 15,258.88 F | 13-07-00 | 21,067.31 F |
| 3-02-00 | 4,190.66 | 6-08-00 | 9,595.82 F | 10-02-00 | 15,397.17 F | 13-08-00 | 21,205.60 F |
| 3-03-00 | 4,328.83 | 6-09-00 | 9,733.94 F | 10-03-00 | 15,535.47 F | 13-09-00 | 21,343.90 F |
| 3-04-00 | 4,466.99 | 6-10-00 | 9,872.06 F | 10-04-00 | 15,673.76 F | 13-10-00 | 21,482.20 F |
| 3-05-00 | 4,605.16 | 6-11-00 | 10,010.18 F | 10-05-00 | 15,812.06 F | 13-11-00 | 21,620.49 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **100-049** Tank Type **F** Roof Weight **121,530** API **30.00** Gravity Correction **2.46**

Strapped By: HMT 1/4/2022 Posted Height 66-05-08 Top Off Height 61-04-14 Low Gauge 5-11-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 14-00-00 | 21,758.79 F | 17-06-00 | 27,567.22 F | 21-00-00 | 33,377.32 F | 24-06-00 | 39,191.10 F |
| 14-01-00 | 21,897.08 F | 17-07-00 | 27,705.52 F | 21-01-00 | 33,515.74 F | 24-07-00 | 39,329.52 F |
| 14-02-00 | 22,035.38 F | 17-08-00 | 27,843.81 F | 21-02-00 | 33,654.17 F | 24-08-00 | 39,467.94 F |
| 14-03-00 | 22,173.68 F | 17-09-00 | 27,982.11 F | 21-03-00 | 33,792.59 F | 24-09-00 | 39,606.36 F |
| 14-04-00 | 22,311.97 F | 17-10-00 | 28,120.40 F | 21-04-00 | 33,931.01 F | 24-10-00 | 39,744.79 F |
| 14-05-00 | 22,450.27 F | 17-11-00 | 28,258.70 F | 21-05-00 | 34,069.44 F | 24-11-00 | 39,883.21 F |
| 14-06-00 | 22,588.56 F | 18-00-00 | 28,397.00 F | 21-06-00 | 34,207.86 F | 25-00-00 | 40,021.63 F |
| 14-07-00 | 22,726.86 F | 18-01-00 | 28,535.29 F | 21-07-00 | 34,346.28 F | 25-01-00 | 40,160.06 F |
| 14-08-00 | 22,865.16 F | 18-02-00 | 28,673.59 F | 21-08-00 | 34,484.71 F | 25-02-00 | 40,298.48 F |
| 14-09-00 | 23,003.45 F | 18-03-00 | 28,811.88 F | 21-09-00 | 34,623.13 F | 25-03-00 | 40,436.90 F |
| 14-10-00 | 23,141.75 F | 18-04-00 | 28,950.18 F | 21-10-00 | 34,761.55 F | 25-04-00 | 40,575.33 F |
| 14-11-00 | 23,280.04 F | 18-05-00 | 29,088.48 F | 21-11-00 | 34,899.98 F | 25-05-00 | 40,713.75 F |
| 15-00-00 | 23,418.34 F | 18-06-00 | 29,226.77 F | 22-00-00 | 35,038.40 F | 25-06-00 | 40,852.17 F |
| 15-01-00 | 23,556.64 F | 18-07-00 | 29,365.07 F | 22-01-00 | 35,176.82 F | 25-07-00 | 40,990.60 F |
| 15-02-00 | 23,694.93 F | 18-08-00 | 29,503.36 F | 22-02-00 | 35,315.25 F | 25-08-00 | 41,129.02 F |
| 15-03-00 | 23,833.23 F | 18-09-00 | 29,641.66 F | 22-03-00 | 35,453.67 F | 25-09-00 | 41,267.44 F |
| 15-04-00 | 23,971.52 F | 18-10-00 | 29,779.96 F | 22-04-00 | 35,592.09 F | 25-10-00 | 41,405.87 F |
| 15-05-00 | 24,109.82 F | 18-11-00 | 29,918.25 F | 22-05-00 | 35,730.52 F | 25-11-00 | 41,544.29 F |
| 15-06-00 | 24,248.12 F | 19-00-00 | 30,056.55 F | 22-06-00 | 35,868.94 F | 26-00-00 | 41,682.71 F |
| 15-07-00 | 24,386.41 F | 19-01-00 | 30,194.84 F | 22-07-00 | 36,007.36 F | 26-01-00 | 41,821.14 F |
| 15-08-00 | 24,524.71 F | 19-02-00 | 30,333.14 F | 22-08-00 | 36,145.78 F | 26-02-00 | 41,959.56 F |
| 15-09-00 | 24,663.00 F | 19-03-00 | 30,471.44 F | 22-09-00 | 36,284.21 F | 26-03-00 | 42,097.98 F |
| 15-10-00 | 24,801.30 F | 19-04-00 | 30,609.73 F | 22-10-00 | 36,422.63 F | 26-04-00 | 42,236.41 F |
| 15-11-00 | 24,939.60 F | 19-05-00 | 30,748.03 F | 22-11-00 | 36,561.05 F | 26-05-00 | 42,374.83 F |
| 16-00-00 | 25,077.89 F | 19-06-00 | 30,886.32 F | 23-00-00 | 36,699.48 F | 26-06-00 | 42,513.25 F |
| 16-01-00 | 25,216.19 F | 19-07-00 | 31,024.62 F | 23-01-00 | 36,837.90 F | 26-07-00 | 42,651.68 F |
| 16-02-00 | 25,354.48 F | 19-08-00 | 31,162.92 F | 23-02-00 | 36,976.32 F | 26-08-00 | 42,790.10 F |
| 16-03-00 | 25,492.78 F | 19-09-00 | 31,301.21 F | 23-03-00 | 37,114.75 F | 26-09-00 | 42,928.52 F |
| 16-04-00 | 25,631.08 F | 19-10-00 | 31,439.51 F | 23-04-00 | 37,253.17 F | 26-10-00 | 43,066.94 F |
| 16-05-00 | 25,769.37 F | 19-11-00 | 31,577.82 F | 23-05-00 | 37,391.59 F | 26-11-00 | 43,205.37 F |
| 16-06-00 | 25,907.67 F | 20-00-00 | 31,716.24 F | 23-06-00 | 37,530.02 F | 27-00-00 | 43,343.79 F |
| 16-07-00 | 26,045.96 F | 20-01-00 | 31,854.67 F | 23-07-00 | 37,668.44 F | 27-01-00 | 43,482.21 F |
| 16-08-00 | 26,184.26 F | 20-02-00 | 31,993.09 F | 23-08-00 | 37,806.86 F | 27-02-00 | 43,620.64 F |
| 16-09-00 | 26,322.56 F | 20-03-00 | 32,131.51 F | 23-09-00 | 37,945.29 F | 27-03-00 | 43,759.06 F |
| 16-10-00 | 26,460.85 F | 20-04-00 | 32,269.94 F | 23-10-00 | 38,083.71 F | 27-04-00 | 43,897.48 F |
| 16-11-00 | 26,599.15 F | 20-05-00 | 32,408.36 F | 23-11-00 | 38,222.13 F | 27-05-00 | 44,035.91 F |
| 17-00-00 | 26,737.44 F | 20-06-00 | 32,546.78 F | 24-00-00 | 38,360.56 F | 27-06-00 | 44,174.33 F |
| 17-01-00 | 26,875.74 F | 20-07-00 | 32,685.20 F | 24-01-00 | 38,498.98 F | 27-07-00 | 44,312.75 F |
| 17-02-00 | 27,014.04 F | 20-08-00 | 32,823.63 F | 24-02-00 | 38,637.40 F | 27-08-00 | 44,451.18 F |
| 17-03-00 | 27,152.33 F | 20-09-00 | 32,962.05 F | 24-03-00 | 38,775.83 F | 27-09-00 | 44,589.60 F |
| 17-04-00 | 27,290.63 F | 20-10-00 | 33,100.47 F | 24-04-00 | 38,914.25 F | 27-10-00 | 44,728.02 F |
| 17-05-00 | 27,428.92 F | 20-11-00 | 33,238.90 F | 24-05-00 | 39,052.67 F | 27-11-00 | 44,866.45 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **100-049** Tank Type **F** Roof Weight **121,530** API **30.00** Gravity Correction **2.46**

Strapped By: HMT 1/4/2022 Posted Height 66-05-08 Top Off Height 61-04-14 Low Gauge 5-11-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 28-00-00 | 45,004.87 F | 31-06-00 | 50,818.64 F | 35-00-00 | 56,632.42 F | 38-06-00 | 62,446.19 F |
| 28-01-00 | 45,143.29 F | 31-07-00 | 50,957.07 F | 35-01-00 | 56,770.84 F | 38-07-00 | 62,584.62 F |
| 28-02-00 | 45,281.72 F | 31-08-00 | 51,095.49 F | 35-02-00 | 56,909.26 F | 38-08-00 | 62,723.04 F |
| 28-03-00 | 45,420.14 F | 31-09-00 | 51,233.91 F | 35-03-00 | 57,047.69 F | 38-09-00 | 62,861.46 F |
| 28-04-00 | 45,558.56 F | 31-10-00 | 51,372.34 F | 35-04-00 | 57,186.11 F | 38-10-00 | 62,999.89 F |
| 28-05-00 | 45,696.99 F | 31-11-00 | 51,510.76 F | 35-05-00 | 57,324.53 F | 38-11-00 | 63,138.31 F |
| 28-06-00 | 45,835.41 F | 32-00-00 | 51,649.18 F | 35-06-00 | 57,462.96 F | 39-00-00 | 63,276.73 F |
| 28-07-00 | 45,973.83 F | 32-01-00 | 51,787.61 F | 35-07-00 | 57,601.38 F | 39-01-00 | 63,415.16 F |
| 28-08-00 | 46,112.26 F | 32-02-00 | 51,926.03 F | 35-08-00 | 57,739.80 F | 39-02-00 | 63,553.58 F |
| 28-09-00 | 46,250.68 F | 32-03-00 | 52,064.45 F | 35-09-00 | 57,878.23 F | 39-03-00 | 63,692.00 F |
| 28-10-00 | 46,389.10 F | 32-04-00 | 52,202.88 F | 35-10-00 | 58,016.65 F | 39-04-00 | 63,830.42 F |
| 28-11-00 | 46,527.52 F | 32-05-00 | 52,341.30 F | 35-11-00 | 58,155.07 F | 39-05-00 | 63,968.85 F |
| 29-00-00 | 46,665.95 F | 32-06-00 | 52,479.72 F | 36-00-00 | 58,293.50 F | 39-06-00 | 64,107.27 F |
| 29-01-00 | 46,804.37 F | 32-07-00 | 52,618.15 F | 36-01-00 | 58,431.92 F | 39-07-00 | 64,245.69 F |
| 29-02-00 | 46,942.79 F | 32-08-00 | 52,756.57 F | 36-02-00 | 58,570.34 F | 39-08-00 | 64,384.12 F |
| 29-03-00 | 47,081.22 F | 32-09-00 | 52,894.99 F | 36-03-00 | 58,708.77 F | 39-09-00 | 64,522.55 F |
| 29-04-00 | 47,219.64 F | 32-10-00 | 53,033.42 F | 36-04-00 | 58,847.19 F | 39-10-00 | 64,661.08 F |
| 29-05-00 | 47,358.06 F | 32-11-00 | 53,171.84 F | 36-05-00 | 58,985.61 F | 39-11-00 | 64,799.61 F |
| 29-06-00 | 47,496.49 F | 33-00-00 | 53,310.26 F | 36-06-00 | 59,124.04 F | 40-00-00 | 64,938.14 F |
| 29-07-00 | 47,634.91 F | 33-01-00 | 53,448.68 F | 36-07-00 | 59,262.46 F | 40-01-00 | 65,076.66 F |
| 29-08-00 | 47,773.33 F | 33-02-00 | 53,587.11 F | 36-08-00 | 59,400.88 F | 40-02-00 | 65,215.19 F |
| 29-09-00 | 47,911.76 F | 33-03-00 | 53,725.53 F | 36-09-00 | 59,539.31 F | 40-03-00 | 65,353.72 F |
| 29-10-00 | 48,050.18 F | 33-04-00 | 53,863.95 F | 36-10-00 | 59,677.73 F | 40-04-00 | 65,492.24 F |
| 29-11-00 | 48,188.60 F | 33-05-00 | 54,002.38 F | 36-11-00 | 59,816.15 F | 40-05-00 | 65,630.77 F |
| 30-00-00 | 48,327.03 F | 33-06-00 | 54,140.80 F | 37-00-00 | 59,954.58 F | 40-06-00 | 65,769.30 F |
| 30-01-00 | 48,465.45 F | 33-07-00 | 54,279.22 F | 37-01-00 | 60,093.00 F | 40-07-00 | 65,907.83 F |
| 30-02-00 | 48,603.87 F | 33-08-00 | 54,417.65 F | 37-02-00 | 60,231.42 F | 40-08-00 | 66,046.35 F |
| 30-03-00 | 48,742.30 F | 33-09-00 | 54,556.07 F | 37-03-00 | 60,369.84 F | 40-09-00 | 66,184.88 F |
| 30-04-00 | 48,880.72 F | 33-10-00 | 54,694.49 F | 37-04-00 | 60,508.27 F | 40-10-00 | 66,323.41 F |
| 30-05-00 | 49,019.14 F | 33-11-00 | 54,832.92 F | 37-05-00 | 60,646.69 F | 40-11-00 | 66,461.93 F |
| 30-06-00 | 49,157.57 F | 34-00-00 | 54,971.34 F | 37-06-00 | 60,785.11 F | 41-00-00 | 66,600.46 F |
| 30-07-00 | 49,295.99 F | 34-01-00 | 55,109.76 F | 37-07-00 | 60,923.54 F | 41-01-00 | 66,738.99 F |
| 30-08-00 | 49,434.41 F | 34-02-00 | 55,248.19 F | 37-08-00 | 61,061.96 F | 41-02-00 | 66,877.52 F |
| 30-09-00 | 49,572.84 F | 34-03-00 | 55,386.61 F | 37-09-00 | 61,200.38 F | 41-03-00 | 67,016.04 F |
| 30-10-00 | 49,711.26 F | 34-04-00 | 55,525.03 F | 37-10-00 | 61,338.81 F | 41-04-00 | 67,154.57 F |
| 30-11-00 | 49,849.68 F | 34-05-00 | 55,663.46 F | 37-11-00 | 61,477.23 F | 41-05-00 | 67,293.10 F |
| 31-00-00 | 49,988.10 F | 34-06-00 | 55,801.88 F | 38-00-00 | 61,615.65 F | 41-06-00 | 67,431.62 F |
| 31-01-00 | 50,126.53 F | 34-07-00 | 55,940.30 F | 38-01-00 | 61,754.08 F | 41-07-00 | 67,570.15 F |
| 31-02-00 | 50,264.95 F | 34-08-00 | 56,078.73 F | 38-02-00 | 61,892.50 F | 41-08-00 | 67,708.68 F |
| 31-03-00 | 50,403.37 F | 34-09-00 | 56,217.15 F | 38-03-00 | 62,030.92 F | 41-09-00 | 67,847.21 F |
| 31-04-00 | 50,541.80 F | 34-10-00 | 56,355.57 F | 38-04-00 | 62,169.35 F | 41-10-00 | 67,985.73 F |
| 31-05-00 | 50,680.22 F | 34-11-00 | 56,494.00 F | 38-05-00 | 62,307.77 F | 41-11-00 | 68,124.26 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **100-049** Tank Type **F** Roof Weight **121,530** API **30.00** Gravity Correction **2.46**

Strapped By: HMT 1/4/2022 Posted Height 66-05-08 Top Off Height 61-04-14 Low Gauge 5-11-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 42-00-00 | 68,262.79 F | 45-06-00 | 74,080.93 F | 49-00-00 | 79,899.07 F | 52-06-00 | 85,722.89 F |
| 42-01-00 | 68,401.32 F | 45-07-00 | 74,219.46 F | 49-01-00 | 80,037.60 F | 52-07-00 | 85,861.58 F |
| 42-02-00 | 68,539.84 F | 45-08-00 | 74,357.98 F | 49-02-00 | 80,176.13 F | 52-08-00 | 86,000.28 F |
| 42-03-00 | 68,678.37 F | 45-09-00 | 74,496.51 F | 49-03-00 | 80,314.65 F | 52-09-00 | 86,138.98 F |
| 42-04-00 | 68,816.90 F | 45-10-00 | 74,635.04 F | 49-04-00 | 80,453.18 F | 52-10-00 | 86,277.68 F |
| 42-05-00 | 68,955.42 F | 45-11-00 | 74,773.57 F | 49-05-00 | 80,591.71 F | 52-11-00 | 86,416.38 F |
| 42-06-00 | 69,093.95 F | 46-00-00 | 74,912.09 F | 49-06-00 | 80,730.24 F | 53-00-00 | 86,555.08 F |
| 42-07-00 | 69,232.48 F | 46-01-00 | 75,050.62 F | 49-07-00 | 80,868.76 F | 53-01-00 | 86,693.78 F |
| 42-08-00 | 69,371.01 F | 46-02-00 | 75,189.15 F | 49-08-00 | 81,007.29 F | 53-02-00 | 86,832.47 F |
| 42-09-00 | 69,509.53 F | 46-03-00 | 75,327.68 F | 49-09-00 | 81,145.84 F | 53-03-00 | 86,971.17 F |
| 42-10-00 | 69,648.06 F | 46-04-00 | 75,466.20 F | 49-10-00 | 81,284.54 F | 53-04-00 | 87,109.87 F |
| 42-11-00 | 69,786.59 F | 46-05-00 | 75,604.73 F | 49-11-00 | 81,423.24 F | 53-05-00 | 87,248.57 F |
| 43-00-00 | 69,925.11 F | 46-06-00 | 75,743.26 F | 50-00-00 | 81,561.93 F | 53-06-00 | 87,387.27 F |
| 43-01-00 | 70,063.64 F | 46-07-00 | 75,881.78 F | 50-01-00 | 81,700.63 F | 53-07-00 | 87,525.97 F |
| 43-02-00 | 70,202.17 F | 46-08-00 | 76,020.31 F | 50-02-00 | 81,839.33 F | 53-08-00 | 87,664.66 F |
| 43-03-00 | 70,340.70 F | 46-09-00 | 76,158.84 F | 50-03-00 | 81,978.03 F | 53-09-00 | 87,803.36 F |
| 43-04-00 | 70,479.22 F | 46-10-00 | 76,297.37 F | 50-04-00 | 82,116.73 F | 53-10-00 | 87,942.06 F |
| 43-05-00 | 70,617.75 F | 46-11-00 | 76,435.89 F | 50-05-00 | 82,255.43 F | 53-11-00 | 88,080.76 F |
| 43-06-00 | 70,756.28 F | 47-00-00 | 76,574.42 F | 50-06-00 | 82,394.12 F | 54-00-00 | 88,219.46 F |
| 43-07-00 | 70,894.80 F | 47-01-00 | 76,712.95 F | 50-07-00 | 82,532.82 F | 54-01-00 | 88,358.16 F |
| 43-08-00 | 71,033.33 F | 47-02-00 | 76,851.47 F | 50-08-00 | 82,671.52 F | 54-02-00 | 88,496.85 F |
| 43-09-00 | 71,171.86 F | 47-03-00 | 76,990.00 F | 50-09-00 | 82,810.22 F | 54-03-00 | 88,635.55 F |
| 43-10-00 | 71,310.39 F | 47-04-00 | 77,128.53 F | 50-10-00 | 82,948.92 F | 54-04-00 | 88,774.25 F |
| 43-11-00 | 71,448.91 F | 47-05-00 | 77,267.06 F | 50-11-00 | 83,087.62 F | 54-05-00 | 88,912.95 F |
| 44-00-00 | 71,587.44 F | 47-06-00 | 77,405.58 F | 51-00-00 | 83,226.32 F | 54-06-00 | 89,051.65 F |
| 44-01-00 | 71,725.97 F | 47-07-00 | 77,544.11 F | 51-01-00 | 83,365.01 F | 54-07-00 | 89,190.35 F |
| 44-02-00 | 71,864.50 F | 47-08-00 | 77,682.64 F | 51-02-00 | 83,503.71 F | 54-08-00 | 89,329.04 F |
| 44-03-00 | 72,003.02 F | 47-09-00 | 77,821.16 F | 51-03-00 | 83,642.41 F | 54-09-00 | 89,467.74 F |
| 44-04-00 | 72,141.55 F | 47-10-00 | 77,959.69 F | 51-04-00 | 83,781.11 F | 54-10-00 | 89,606.44 F |
| 44-05-00 | 72,280.08 F | 47-11-00 | 78,098.22 F | 51-05-00 | 83,919.81 F | 54-11-00 | 89,745.14 F |
| 44-06-00 | 72,418.60 F | 48-00-00 | 78,236.75 F | 51-06-00 | 84,058.51 F | 55-00-00 | 89,883.84 F |
| 44-07-00 | 72,557.13 F | 48-01-00 | 78,375.27 F | 51-07-00 | 84,197.20 F | 55-01-00 | 90,022.54 F |
| 44-08-00 | 72,695.66 F | 48-02-00 | 78,513.80 F | 51-08-00 | 84,335.90 F | 55-02-00 | 90,161.24 F |
| 44-09-00 | 72,834.19 F | 48-03-00 | 78,652.33 F | 51-09-00 | 84,474.60 F | 55-03-00 | 90,299.93 F |
| 44-10-00 | 72,972.71 F | 48-04-00 | 78,790.86 F | 51-10-00 | 84,613.30 F | 55-04-00 | 90,438.63 F |
| 44-11-00 | 73,111.24 F | 48-05-00 | 78,929.38 F | 51-11-00 | 84,752.00 F | 55-05-00 | 90,577.33 F |
| 45-00-00 | 73,249.77 F | 48-06-00 | 79,067.91 F | 52-00-00 | 84,890.70 F | 55-06-00 | 90,716.03 F |
| 45-01-00 | 73,388.29 F | 48-07-00 | 79,206.44 F | 52-01-00 | 85,029.39 F | 55-07-00 | 90,854.73 F |
| 45-02-00 | 73,526.82 F | 48-08-00 | 79,344.96 F | 52-02-00 | 85,168.09 F | 55-08-00 | 90,993.43 F |
| 45-03-00 | 73,665.35 F | 48-09-00 | 79,483.49 F | 52-03-00 | 85,306.79 F | 55-09-00 | 91,132.12 F |
| 45-04-00 | 73,803.88 F | 48-10-00 | 79,622.02 F | 52-04-00 | 85,445.49 F | 55-10-00 | 91,270.82 F |
| 45-05-00 | 73,942.40 F | 48-11-00 | 79,760.55 F | 52-05-00 | 85,584.19 F | 55-11-00 | 91,409.52 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **100-049** Tank Type **F** Roof Weight **121,530** API **30.00** Gravity Correction **2.46**

Strapped By: HMT 1/4/2022 Posted Height 66-05-08 Top Off Height 61-04-14 Low Gauge 5-11-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 56-00-00 | 91,548.22 F | 59-06-00 | 97,376.91 F | 63-00-00 | 103,207.89 F | | |
| 56-01-00 | 91,686.92 F | 59-07-00 | 97,515.74 F | 63-01-00 | 103,346.72 F | | |
| 56-02-00 | 91,825.62 F | 59-08-00 | 97,654.58 F | 63-02-00 | 103,485.56 F | | |
| 56-03-00 | 91,964.31 F | 59-09-00 | 97,793.41 F | 63-03-00 | 103,624.39 F | | |
| 56-04-00 | 92,103.01 F | 59-10-00 | 97,932.24 F | 63-04-00 | 103,763.22 F | | |
| 56-05-00 | 92,241.71 F | 59-11-00 | 98,071.08 F | 63-05-00 | 103,902.05 F | | |
| 56-06-00 | 92,380.41 F | 60-00-00 | 98,209.91 F | 63-06-00 | 104,040.89 F | | |
| 56-07-00 | 92,519.11 F | 60-01-00 | 98,348.74 F | 63-07-00 | 104,179.72 F | | |
| 56-08-00 | 92,657.81 F | 60-02-00 | 98,487.57 F | 63-08-00 | 104,318.55 F | | |
| 56-09-00 | 92,796.50 F | 60-03-00 | 98,626.41 F | 63-09-00 | 104,457.38 F | | |
| 56-10-00 | 92,935.20 F | 60-04-00 | 98,765.24 F | 63-10-00 | 104,596.22 F | | |
| 56-11-00 | 93,073.90 F | 60-05-00 | 98,904.07 F | 63-11-00 | 104,735.05 F | | |
| 57-00-00 | 93,212.60 F | 60-06-00 | 99,042.91 F | 64-00-00 | 104,873.88 F | | |
| 57-01-00 | 93,351.30 F | 60-07-00 | 99,181.74 F | 64-01-00 | 105,012.72 F | | |
| 57-02-00 | 93,490.00 F | 60-08-00 | 99,320.57 F | 64-02-00 | 105,151.55 F | | |
| 57-03-00 | 93,628.70 F | 60-09-00 | 99,459.40 F | 64-03-00 | 105,290.38 F | | |
| 57-04-00 | 93,767.39 F | 60-10-00 | 99,598.24 F | 64-04-00 | 105,429.21 F | | |
| 57-05-00 | 93,906.09 F | 60-11-00 | 99,737.07 F | 64-05-00 | 105,568.05 F | | |
| 57-06-00 | 94,044.92 F | 61-00-00 | 99,875.90 F | 64-06-00 | 105,706.88 F | | |
| 57-07-00 | 94,183.76 F | 61-01-00 | 100,014.74 F | 64-07-00 | 105,845.71 F | | |
| 57-08-00 | 94,322.59 F | 61-02-00 | 100,153.57 F | 64-08-00 | 105,984.55 F | | |
| 57-09-00 | 94,461.42 F | 61-03-00 | 100,292.40 F | 64-09-00 | 106,123.38 F | | |
| 57-10-00 | 94,600.26 F | 61-04-00 | 100,431.23 F | 64-10-00 | 106,262.21 F | | |
| 57-11-00 | 94,739.09 F | 61-05-00 | 100,570.07 F | 64-11-00 | 106,401.04 F | | |
| 58-00-00 | 94,877.92 F | 61-06-00 | 100,708.90 F | 65-00-00 | 106,539.88 F | | |
| 58-01-00 | 95,016.75 F | 61-07-00 | 100,847.73 F | 65-01-00 | 106,678.71 F | | |
| 58-02-00 | 95,155.59 F | 61-08-00 | 100,986.56 F | | | | |
| 58-03-00 | 95,294.42 F | 61-09-00 | 101,125.40 F | | | | |
| 58-04-00 | 95,433.25 F | 61-10-00 | 101,264.23 F | | | | |
| 58-05-00 | 95,572.09 F | 61-11-00 | 101,403.06 F | | | | |
| 58-06-00 | 95,710.92 F | 62-00-00 | 101,541.90 F | | | | |
| 58-07-00 | 95,849.75 F | 62-01-00 | 101,680.73 F | | | | |
| 58-08-00 | 95,988.58 F | 62-02-00 | 101,819.56 F | | | | |
| 58-09-00 | 96,127.42 F | 62-03-00 | 101,958.39 F | | | | |
| 58-10-00 | 96,266.25 F | 62-04-00 | 102,097.23 F | | | | |
| 58-11-00 | 96,405.08 F | 62-05-00 | 102,236.06 F | | | | |
| 59-00-00 | 96,543.92 F | 62-06-00 | 102,374.89 F | | | | |
| 59-01-00 | 96,682.75 F | 62-07-00 | 102,513.73 F | | | | |
| 59-02-00 | 96,821.58 F | 62-08-00 | 102,652.56 F | | | | |
| 59-03-00 | 96,960.41 F | 62-09-00 | 102,791.39 F | | | | |
| 59-04-00 | 97,099.25 F | 62-10-00 | 102,930.22 F | | | | |
| 59-05-00 | 97,238.08 F | 62-11-00 | 103,069.06 F | | | | |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**