Tank ID **100-058** Tank Type **F** Roof Weight **115,200** API **28.50** Gravity Correction **2.33**

Strapped By: HMT 9/14/2022 Posted Height 66-07-14 Top Off Height 59-11-02 Low Gauge 6-0-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 0-00-00 | .86 | 3-06-00 | 4,582.99 | 7-00-00 | 10,027.39 F | 10-06-00 | 15,843.46 F |
| 0-01-00 | 4.57 | 3-07-00 | 4,721.51 | 7-01-00 | 10,165.87 F | 10-07-00 | 15,981.91 F |
| 0-02-00 | 11.15 | 3-08-00 | 4,860.04 | 7-02-00 | 10,304.36 F | 10-08-00 | 16,120.36 F |
| 0-03-00 | 24.85 | 3-09-00 | 4,998.57 | 7-03-00 | 10,442.84 F | 10-09-00 | 16,258.80 F |
| 0-04-00 | 44.62 | 3-10-00 | 5,137.10 | 7-04-00 | 10,581.32 F | 10-10-00 | 16,397.25 F |
| 0-05-00 | 69.49 | 3-11-00 | 5,275.62 | 7-05-00 | 10,719.81 F | 10-11-00 | 16,535.69 F |
| 0-06-00 | 103.53 | 4-00-00 | 5,414.15 | 7-06-00 | 10,858.29 F | 11-00-00 | 16,674.14 F |
| 0-07-00 | 143.13 | 4-01-00 | 5,552.68 | 7-07-00 | 10,996.77 F | 11-01-00 | 16,812.58 F |
| 0-08-00 | 191.74 | 4-02-00 | 5,691.20 | 7-08-00 | 11,135.26 F | 11-02-00 | 16,951.03 F |
| 0-09-00 | 249.98 | 4-03-00 | 5,829.73 | 7-09-00 | 11,273.74 F | 11-03-00 | 17,089.47 F |
| 0-10-00 | 319.62 | 4-04-00 | 5,968.26 | 7-10-00 | 11,412.22 F | 11-04-00 | 17,227.92 F |
| 0-11-00 | 400.30 | 4-05-00 | 6,106.79 | 7-11-00 | 11,550.71 F | 11-05-00 | 17,366.37 F |
| 1-00-00 | 491.41 | 4-06-00 | 6,245.31 | 8-00-00 | 11,689.19 F | 11-06-00 | 17,504.81 F |
| 1-01-00 | 599.38 | 4-07-00 | 6,383.84 | 8-01-00 | 11,827.67 F | 11-07-00 | 17,643.26 F |
| 1-02-00 | 724.04 | 4-08-00 | 6,522.33 | 8-02-00 | 11,966.16 F | 11-08-00 | 17,781.70 F |
| 1-03-00 | 853.51 | 4-09-00 | 6,660.81 | 8-03-00 | 12,104.64 F | 11-09-00 | 17,920.15 F |
| 1-04-00 | 987.19 | 4-10-00 | 6,799.30 | 8-04-00 | 12,243.12 F | 11-10-00 | 18,058.59 F |
| 1-05-00 | 1,122.43 | 4-11-00 | 6,937.78 | 8-05-00 | 12,381.60 F | 11-11-00 | 18,197.04 F |
| 1-06-00 | 1,259.27 | **5-00-00** | 7,076.26 F | 8-06-00 | 12,520.09 F | 12-00-00 | 18,335.48 F |
| 1-07-00 | 1,397.73 | **5-01-00** | 7,106.11 F | 8-07-00 | 12,658.57 F | 12-01-00 | 18,473.93 F |
| 1-08-00 | 1,536.21 | **5-02-00** | 7,120.44 F | 8-08-00 | 12,797.05 F | 12-02-00 | 18,612.38 F |
| 1-09-00 | 1,674.66 | **5-03-00** | 7,134.76 F | 8-09-00 | 12,935.54 F | 12-03-00 | 18,750.82 F |
| 1-10-00 | 1,813.11 | **5-04-00** | 7,257.73 F | 8-10-00 | 13,074.02 F | 12-04-00 | 18,889.27 F |
| 1-11-00 | 1,951.55 | 5-05-00 | 7,396.21 F | 8-11-00 | 13,212.50 F | 12-05-00 | 19,027.71 F |
| 2-00-00 | 2,089.98 | 5-06-00 | 7,534.69 F | 9-00-00 | 13,350.99 F | 12-06-00 | 19,166.16 F |
| 2-01-00 | 2,228.43 | 5-07-00 | 7,673.18 F | 9-01-00 | 13,489.47 F | 12-07-00 | 19,304.60 F |
| 2-02-00 | 2,366.89 | 5-08-00 | 7,811.66 F | 9-02-00 | 13,627.95 F | 12-08-00 | 19,443.05 F |
| 2-03-00 | 2,505.35 | 5-09-00 | 7,950.14 F | 9-03-00 | 13,766.44 F | 12-09-00 | 19,581.50 F |
| 2-04-00 | 2,643.81 | 5-10-00 | 8,088.63 F | 9-04-00 | 13,904.92 F | 12-10-00 | 19,719.94 F |
| 2-05-00 | 2,782.26 | 5-11-00 | 8,227.11 F | 9-05-00 | 14,043.40 F | 12-11-00 | 19,858.39 F |
| 2-06-00 | 2,920.70 | 6-00-00 | 8,365.59 F | 9-06-00 | 14,181.89 F | 13-00-00 | 19,996.83 F |
| 2-07-00 | 3,059.19 | 6-01-00 | 8,504.08 F | 9-07-00 | 14,320.37 F | 13-01-00 | 20,135.28 F |
| 2-08-00 | 3,197.71 | 6-02-00 | 8,642.56 F | 9-08-00 | 14,458.85 F | 13-02-00 | 20,273.72 F |
| 2-09-00 | 3,336.24 | 6-03-00 | 8,781.04 F | 9-09-00 | 14,597.34 F | 13-03-00 | 20,412.17 F |
| 2-10-00 | 3,474.77 | 6-04-00 | 8,919.52 F | 9-10-00 | 14,735.82 F | 13-04-00 | 20,550.61 F |
| 2-11-00 | 3,613.30 | 6-05-00 | 9,058.01 F | 9-11-00 | 14,874.30 F | 13-05-00 | 20,689.06 F |
| 3-00-00 | 3,751.82 | 6-06-00 | 9,196.49 F | 10-00-00 | 15,012.79 F | 13-06-00 | 20,827.51 F |
| 3-01-00 | 3,890.35 | 6-07-00 | 9,334.97 F | 10-01-00 | 15,151.24 F | 13-07-00 | 20,965.95 F |
| 3-02-00 | 4,028.88 | 6-08-00 | 9,473.46 F | 10-02-00 | 15,289.68 F | 13-08-00 | 21,104.40 F |
| 3-03-00 | 4,167.40 | 6-09-00 | 9,611.94 F | 10-03-00 | 15,428.13 F | 13-09-00 | 21,242.84 F |
| 3-04-00 | 4,305.93 | 6-10-00 | 9,750.42 F | 10-04-00 | 15,566.57 F | 13-10-00 | 21,381.29 F |
| 3-05-00 | 4,444.46 | 6-11-00 | 9,888.91 F | 10-05-00 | 15,705.02 F | 13-11-00 | 21,519.73 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **100-058** Tank Type **F** Roof Weight **115,200** API **28.50** Gravity Correction **2.33**

Strapped By: HMT 9/14/2022 Posted Height 66-07-14 Top Off Height 59-11-02 Low Gauge 6-0-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 14-00-00 | 21,658.18 F | 17-06-00 | 27,472.89 F | 21-00-00 | 33,286.78 F | 24-06-00 | 39,098.77 F |
| 14-01-00 | 21,796.62 F | 17-07-00 | 27,611.34 F | 21-01-00 | 33,425.16 F | 24-07-00 | 39,237.15 F |
| 14-02-00 | 21,935.07 F | 17-08-00 | 27,749.79 F | 21-02-00 | 33,563.54 F | 24-08-00 | 39,375.53 F |
| 14-03-00 | 22,073.52 F | 17-09-00 | 27,888.23 F | 21-03-00 | 33,701.92 F | 24-09-00 | 39,513.91 F |
| 14-04-00 | 22,211.96 F | 17-10-00 | 28,026.68 F | 21-04-00 | 33,840.30 F | 24-10-00 | 39,652.29 F |
| 14-05-00 | 22,350.41 F | 17-11-00 | 28,165.12 F | 21-05-00 | 33,978.68 F | 24-11-00 | 39,790.67 F |
| 14-06-00 | 22,488.85 F | 18-00-00 | 28,303.57 F | 21-06-00 | 34,117.06 F | 25-00-00 | 39,929.05 F |
| 14-07-00 | 22,627.30 F | 18-01-00 | 28,442.01 F | 21-07-00 | 34,255.44 F | 25-01-00 | 40,067.43 F |
| 14-08-00 | 22,765.74 F | 18-02-00 | 28,580.46 F | 21-08-00 | 34,393.82 F | 25-02-00 | 40,205.82 F |
| 14-09-00 | 22,904.19 F | 18-03-00 | 28,718.90 F | 21-09-00 | 34,532.20 F | 25-03-00 | 40,344.20 F |
| 14-10-00 | 23,042.64 F | 18-04-00 | 28,857.35 F | 21-10-00 | 34,670.58 F | 25-04-00 | 40,482.58 F |
| 14-11-00 | 23,181.08 F | 18-05-00 | 28,995.80 F | 21-11-00 | 34,808.96 F | 25-05-00 | 40,620.96 F |
| 15-00-00 | 23,319.53 F | 18-06-00 | 29,134.24 F | 22-00-00 | 34,947.34 F | 25-06-00 | 40,759.34 F |
| 15-01-00 | 23,457.97 F | 18-07-00 | 29,272.69 F | 22-01-00 | 35,085.73 F | 25-07-00 | 40,897.72 F |
| 15-02-00 | 23,596.42 F | 18-08-00 | 29,411.13 F | 22-02-00 | 35,224.11 F | 25-08-00 | 41,036.10 F |
| 15-03-00 | 23,734.86 F | 18-09-00 | 29,549.58 F | 22-03-00 | 35,362.49 F | 25-09-00 | 41,174.48 F |
| 15-04-00 | 23,873.31 F | 18-10-00 | 29,688.02 F | 22-04-00 | 35,500.87 F | 25-10-00 | 41,312.86 F |
| 15-05-00 | 24,011.75 F | 18-11-00 | 29,826.47 F | 22-05-00 | 35,639.25 F | 25-11-00 | 41,451.24 F |
| 15-06-00 | 24,150.20 F | 19-00-00 | 29,964.92 F | 22-06-00 | 35,777.63 F | 26-00-00 | 41,589.62 F |
| 15-07-00 | 24,288.65 F | 19-01-00 | 30,103.36 F | 22-07-00 | 35,916.01 F | 26-01-00 | 41,728.00 F |
| 15-08-00 | 24,427.09 F | 19-02-00 | 30,241.81 F | 22-08-00 | 36,054.39 F | 26-02-00 | 41,866.38 F |
| 15-09-00 | 24,565.54 F | 19-03-00 | 30,380.25 F | 22-09-00 | 36,192.77 F | 26-03-00 | 42,004.77 F |
| 15-10-00 | 24,703.98 F | 19-04-00 | 30,518.70 F | 22-10-00 | 36,331.15 F | 26-04-00 | 42,143.15 F |
| 15-11-00 | 24,842.43 F | 19-05-00 | 30,657.14 F | 22-11-00 | 36,469.53 F | 26-05-00 | 42,281.53 F |
| 16-00-00 | 24,980.87 F | 19-06-00 | 30,795.59 F | 23-00-00 | 36,607.91 F | 26-06-00 | 42,419.91 F |
| 16-01-00 | 25,119.32 F | 19-07-00 | 30,934.03 F | 23-01-00 | 36,746.30 F | 26-07-00 | 42,558.29 F |
| 16-02-00 | 25,257.76 F | 19-08-00 | 31,072.48 F | 23-02-00 | 36,884.68 F | 26-08-00 | 42,696.67 F |
| 16-03-00 | 25,396.21 F | 19-09-00 | 31,210.93 F | 23-03-00 | 37,023.06 F | 26-09-00 | 42,835.05 F |
| 16-04-00 | 25,534.66 F | 19-10-00 | 31,349.37 F | 23-04-00 | 37,161.44 F | 26-10-00 | 42,973.43 F |
| 16-05-00 | 25,673.10 F | 19-11-00 | 31,487.82 F | 23-05-00 | 37,299.82 F | 26-11-00 | 43,111.81 F |
| 16-06-00 | 25,811.55 F | 20-00-00 | 31,626.21 F | 23-06-00 | 37,438.20 F | 27-00-00 | 43,250.19 F |
| 16-07-00 | 25,949.99 F | 20-01-00 | 31,764.59 F | 23-07-00 | 37,576.58 F | 27-01-00 | 43,388.57 F |
| 16-08-00 | 26,088.44 F | 20-02-00 | 31,902.97 F | 23-08-00 | 37,714.96 F | 27-02-00 | 43,526.95 F |
| 16-09-00 | 26,226.88 F | 20-03-00 | 32,041.35 F | 23-09-00 | 37,853.34 F | 27-03-00 | 43,665.34 F |
| 16-10-00 | 26,365.33 F | 20-04-00 | 32,179.73 F | 23-10-00 | 37,991.72 F | 27-04-00 | 43,803.72 F |
| 16-11-00 | 26,503.78 F | 20-05-00 | 32,318.11 F | 23-11-00 | 38,130.10 F | 27-05-00 | 43,942.10 F |
| 17-00-00 | 26,642.22 F | 20-06-00 | 32,456.49 F | 24-00-00 | 38,268.48 F | 27-06-00 | 44,080.48 F |
| 17-01-00 | 26,780.67 F | 20-07-00 | 32,594.87 F | 24-01-00 | 38,406.86 F | 27-07-00 | 44,218.86 F |
| 17-02-00 | 26,919.11 F | 20-08-00 | 32,733.25 F | 24-02-00 | 38,545.25 F | 27-08-00 | 44,357.24 F |
| 17-03-00 | 27,057.56 F | 20-09-00 | 32,871.63 F | 24-03-00 | 38,683.63 F | 27-09-00 | 44,495.62 F |
| 17-04-00 | 27,196.00 F | 20-10-00 | 33,010.01 F | 24-04-00 | 38,822.01 F | 27-10-00 | 44,634.00 F |
| 17-05-00 | 27,334.45 F | 20-11-00 | 33,148.39 F | 24-05-00 | 38,960.39 F | 27-11-00 | 44,772.38 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **100-058** Tank Type **F** Roof Weight **115,200** API **28.50** Gravity Correction **2.33**

Strapped By: HMT 9/14/2022 Posted Height 66-07-14 Top Off Height 59-11-02 Low Gauge 6-0-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 28-00-00 | 44,910.76 F | 31-06-00 | 50,726.84 F | 35-00-00 | 56,547.47 F | 38-06-00 | 62,368.10 F |
| 28-01-00 | 45,049.14 F | 31-07-00 | 50,865.43 F | 35-01-00 | 56,686.06 F | 38-07-00 | 62,506.69 F |
| 28-02-00 | 45,187.52 F | 31-08-00 | 51,004.02 F | 35-02-00 | 56,824.64 F | 38-08-00 | 62,645.27 F |
| 28-03-00 | 45,325.90 F | 31-09-00 | 51,142.60 F | 35-03-00 | 56,963.23 F | 38-09-00 | 62,783.86 F |
| 28-04-00 | 45,464.29 F | 31-10-00 | 51,281.19 F | 35-04-00 | 57,101.82 F | 38-10-00 | 62,922.45 F |
| 28-05-00 | 45,602.67 F | 31-11-00 | 51,419.77 F | 35-05-00 | 57,240.40 F | 38-11-00 | 63,061.03 F |
| 28-06-00 | 45,741.05 F | 32-00-00 | 51,558.36 F | 35-06-00 | 57,378.99 F | 39-00-00 | 63,199.62 F |
| 28-07-00 | 45,879.43 F | 32-01-00 | 51,696.95 F | 35-07-00 | 57,517.58 F | 39-01-00 | 63,338.20 F |
| 28-08-00 | 46,017.81 F | 32-02-00 | 51,835.53 F | 35-08-00 | 57,656.16 F | 39-02-00 | 63,476.79 F |
| 28-09-00 | 46,156.19 F | 32-03-00 | 51,974.12 F | 35-09-00 | 57,794.75 F | 39-03-00 | 63,615.38 F |
| 28-10-00 | 46,294.57 F | 32-04-00 | 52,112.71 F | 35-10-00 | 57,933.34 F | 39-04-00 | 63,753.96 F |
| 28-11-00 | 46,432.95 F | 32-05-00 | 52,251.29 F | 35-11-00 | 58,071.92 F | 39-05-00 | 63,892.55 F |
| 29-00-00 | 46,571.33 F | 32-06-00 | 52,389.88 F | 36-00-00 | 58,210.51 F | 39-06-00 | 64,031.14 F |
| 29-01-00 | 46,709.71 F | 32-07-00 | 52,528.47 F | 36-01-00 | 58,349.09 F | 39-07-00 | 64,169.72 F |
| 29-02-00 | 46,848.09 F | 32-08-00 | 52,667.05 F | 36-02-00 | 58,487.68 F | 39-08-00 | 64,308.31 F |
| 29-03-00 | 46,986.47 F | 32-09-00 | 52,805.64 F | 36-03-00 | 58,626.27 F | 39-09-00 | 64,446.90 F |
| 29-04-00 | 47,124.86 F | 32-10-00 | 52,944.22 F | 36-04-00 | 58,764.85 F | 39-10-00 | 64,585.59 F |
| 29-05-00 | 47,263.24 F | 32-11-00 | 53,082.81 F | 36-05-00 | 58,903.44 F | 39-11-00 | 64,724.31 F |
| 29-06-00 | 47,401.62 F | 33-00-00 | 53,221.40 F | 36-06-00 | 59,042.03 F | 40-00-00 | 64,863.02 F |
| 29-07-00 | 47,540.00 F | 33-01-00 | 53,359.98 F | 36-07-00 | 59,180.61 F | 40-01-00 | 65,001.74 F |
| 29-08-00 | 47,678.38 F | 33-02-00 | 53,498.57 F | 36-08-00 | 59,319.20 F | 40-02-00 | 65,140.45 F |
| 29-09-00 | 47,816.76 F | 33-03-00 | 53,637.16 F | 36-09-00 | 59,457.79 F | 40-03-00 | 65,279.17 F |
| 29-10-00 | 47,955.14 F | 33-04-00 | 53,775.74 F | 36-10-00 | 59,596.37 F | 40-04-00 | 65,417.88 F |
| 29-11-00 | 48,093.70 F | 33-05-00 | 53,914.33 F | 36-11-00 | 59,734.96 F | 40-05-00 | 65,556.60 F |
| 30-00-00 | 48,232.29 F | 33-06-00 | 54,052.92 F | 37-00-00 | 59,873.54 F | 40-06-00 | 65,695.31 F |
| 30-01-00 | 48,370.87 F | 33-07-00 | 54,191.50 F | 37-01-00 | 60,012.13 F | 40-07-00 | 65,834.02 F |
| 30-02-00 | 48,509.46 F | 33-08-00 | 54,330.09 F | 37-02-00 | 60,150.72 F | 40-08-00 | 65,972.74 F |
| 30-03-00 | 48,648.05 F | 33-09-00 | 54,468.68 F | 37-03-00 | 60,289.30 F | 40-09-00 | 66,111.45 F |
| 30-04-00 | 48,786.63 F | 33-10-00 | 54,607.26 F | 37-04-00 | 60,427.89 F | 40-10-00 | 66,250.17 F |
| 30-05-00 | 48,925.22 F | 33-11-00 | 54,745.85 F | 37-05-00 | 60,566.48 F | 40-11-00 | 66,388.88 F |
| 30-06-00 | 49,063.81 F | 34-00-00 | 54,884.43 F | 37-06-00 | 60,705.06 F | 41-00-00 | 66,527.60 F |
| 30-07-00 | 49,202.39 F | 34-01-00 | 55,023.02 F | 37-07-00 | 60,843.65 F | 41-01-00 | 66,666.31 F |
| 30-08-00 | 49,340.98 F | 34-02-00 | 55,161.61 F | 37-08-00 | 60,982.24 F | 41-02-00 | 66,805.02 F |
| 30-09-00 | 49,479.56 F | 34-03-00 | 55,300.19 F | 37-09-00 | 61,120.82 F | 41-03-00 | 66,943.74 F |
| 30-10-00 | 49,618.15 F | 34-04-00 | 55,438.78 F | 37-10-00 | 61,259.41 F | 41-04-00 | 67,082.45 F |
| 30-11-00 | 49,756.74 F | 34-05-00 | 55,577.37 F | 37-11-00 | 61,398.00 F | 41-05-00 | 67,221.17 F |
| 31-00-00 | 49,895.32 F | 34-06-00 | 55,715.95 F | 38-00-00 | 61,536.58 F | 41-06-00 | 67,359.88 F |
| 31-01-00 | 50,033.91 F | 34-07-00 | 55,854.54 F | 38-01-00 | 61,675.17 F | 41-07-00 | 67,498.60 F |
| 31-02-00 | 50,172.50 F | 34-08-00 | 55,993.13 F | 38-02-00 | 61,813.75 F | 41-08-00 | 67,637.31 F |
| 31-03-00 | 50,311.08 F | 34-09-00 | 56,131.71 F | 38-03-00 | 61,952.34 F | 41-09-00 | 67,776.03 F |
| 31-04-00 | 50,449.67 F | 34-10-00 | 56,270.30 F | 38-04-00 | 62,090.93 F | 41-10-00 | 67,914.74 F |
| 31-05-00 | 50,588.26 F | 34-11-00 | 56,408.88 F | 38-05-00 | 62,229.51 F | 41-11-00 | 68,053.45 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **100-058** Tank Type **F** Roof Weight **115,200** API **28.50** Gravity Correction **2.33**

Strapped By: HMT 9/14/2022 Posted Height 66-07-14 Top Off Height 59-11-02 Low Gauge 6-0-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 42-00-00 | 68,192.17 F | 45-06-00 | 74,018.17 F | 49-00-00 | 79,844.18 F | 52-06-00 | 85,666.58 F |
| 42-01-00 | 68,330.88 F | 45-07-00 | 74,156.89 F | 49-01-00 | 79,982.89 F | 52-07-00 | 85,805.20 F |
| 42-02-00 | 68,469.60 F | 45-08-00 | 74,295.60 F | 49-02-00 | 80,121.61 F | 52-08-00 | 85,943.82 F |
| 42-03-00 | 68,608.31 F | 45-09-00 | 74,434.32 F | 49-03-00 | 80,260.32 F | 52-09-00 | 86,082.44 F |
| 42-04-00 | 68,747.03 F | 45-10-00 | 74,573.03 F | 49-04-00 | 80,398.95 F | 52-10-00 | 86,221.06 F |
| 42-05-00 | 68,885.74 F | 45-11-00 | 74,711.75 F | 49-05-00 | 80,537.58 F | 52-11-00 | 86,359.68 F |
| 42-06-00 | 69,024.46 F | 46-00-00 | 74,850.46 F | 49-06-00 | 80,676.20 F | 53-00-00 | 86,498.31 F |
| 42-07-00 | 69,163.17 F | 46-01-00 | 74,989.17 F | 49-07-00 | 80,814.82 F | 53-01-00 | 86,636.93 F |
| 42-08-00 | 69,301.88 F | 46-02-00 | 75,127.89 F | 49-08-00 | 80,953.44 F | 53-02-00 | 86,775.55 F |
| 42-09-00 | 69,440.60 F | 46-03-00 | 75,266.60 F | 49-09-00 | 81,092.06 F | 53-03-00 | 86,914.17 F |
| 42-10-00 | 69,579.31 F | 46-04-00 | 75,405.32 F | 49-10-00 | 81,230.68 F | 53-04-00 | 87,052.79 F |
| 42-11-00 | 69,718.03 F | 46-05-00 | 75,544.03 F | 49-11-00 | 81,369.31 F | 53-05-00 | 87,191.41 F |
| 43-00-00 | 69,856.74 F | 46-06-00 | 75,682.75 F | 50-00-00 | 81,507.93 F | 53-06-00 | 87,330.03 F |
| 43-01-00 | 69,995.46 F | 46-07-00 | 75,821.46 F | 50-01-00 | 81,646.55 F | 53-07-00 | 87,468.66 F |
| 43-02-00 | 70,134.17 F | 46-08-00 | 75,960.18 F | 50-02-00 | 81,785.17 F | 53-08-00 | 87,607.28 F |
| 43-03-00 | 70,272.88 F | 46-09-00 | 76,098.89 F | 50-03-00 | 81,923.79 F | 53-09-00 | 87,745.90 F |
| 43-04-00 | 70,411.60 F | 46-10-00 | 76,237.60 F | 50-04-00 | 82,062.41 F | 53-10-00 | 87,884.52 F |
| 43-05-00 | 70,550.31 F | 46-11-00 | 76,376.32 F | 50-05-00 | 82,201.04 F | 53-11-00 | 88,023.14 F |
| 43-06-00 | 70,689.03 F | 47-00-00 | 76,515.03 F | 50-06-00 | 82,339.66 F | 54-00-00 | 88,161.76 F |
| 43-07-00 | 70,827.74 F | 47-01-00 | 76,653.75 F | 50-07-00 | 82,478.28 F | 54-01-00 | 88,300.39 F |
| 43-08-00 | 70,966.46 F | 47-02-00 | 76,792.46 F | 50-08-00 | 82,616.90 F | 54-02-00 | 88,439.01 F |
| 43-09-00 | 71,105.17 F | 47-03-00 | 76,931.18 F | 50-09-00 | 82,755.52 F | 54-03-00 | 88,577.63 F |
| 43-10-00 | 71,243.89 F | 47-04-00 | 77,069.89 F | 50-10-00 | 82,894.14 F | 54-04-00 | 88,716.25 F |
| 43-11-00 | 71,382.60 F | 47-05-00 | 77,208.60 F | 50-11-00 | 83,032.77 F | 54-05-00 | 88,854.87 F |
| 44-00-00 | 71,521.31 F | 47-06-00 | 77,347.32 F | 51-00-00 | 83,171.39 F | 54-06-00 | 88,993.49 F |
| 44-01-00 | 71,660.03 F | 47-07-00 | 77,486.03 F | 51-01-00 | 83,310.01 F | 54-07-00 | 89,132.12 F |
| 44-02-00 | 71,798.74 F | 47-08-00 | 77,624.75 F | 51-02-00 | 83,448.63 F | 54-08-00 | 89,270.74 F |
| 44-03-00 | 71,937.46 F | 47-09-00 | 77,763.46 F | 51-03-00 | 83,587.25 F | 54-09-00 | 89,409.36 F |
| 44-04-00 | 72,076.17 F | 47-10-00 | 77,902.18 F | 51-04-00 | 83,725.87 F | 54-10-00 | 89,547.98 F |
| 44-05-00 | 72,214.89 F | 47-11-00 | 78,040.89 F | 51-05-00 | 83,864.49 F | 54-11-00 | 89,686.60 F |
| 44-06-00 | 72,353.60 F | 48-00-00 | 78,179.61 F | 51-06-00 | 84,003.12 F | 55-00-00 | 89,825.22 F |
| 44-07-00 | 72,492.32 F | 48-01-00 | 78,318.32 F | 51-07-00 | 84,141.74 F | 55-01-00 | 89,963.85 F |
| 44-08-00 | 72,631.03 F | 48-02-00 | 78,457.03 F | 51-08-00 | 84,280.36 F | 55-02-00 | 90,102.47 F |
| 44-09-00 | 72,769.74 F | 48-03-00 | 78,595.75 F | 51-09-00 | 84,418.98 F | 55-03-00 | 90,241.09 F |
| 44-10-00 | 72,908.46 F | 48-04-00 | 78,734.46 F | 51-10-00 | 84,557.60 F | 55-04-00 | 90,379.71 F |
| 44-11-00 | 73,047.17 F | 48-05-00 | 78,873.18 F | 51-11-00 | 84,696.22 F | 55-05-00 | 90,518.33 F |
| 45-00-00 | 73,185.89 F | 48-06-00 | 79,011.89 F | 52-00-00 | 84,834.85 F | 55-06-00 | 90,656.95 F |
| 45-01-00 | 73,324.60 F | 48-07-00 | 79,150.61 F | 52-01-00 | 84,973.47 F | 55-07-00 | 90,795.57 F |
| 45-02-00 | 73,463.32 F | 48-08-00 | 79,289.32 F | 52-02-00 | 85,112.09 F | 55-08-00 | 90,934.20 F |
| 45-03-00 | 73,602.03 F | 48-09-00 | 79,428.04 F | 52-03-00 | 85,250.71 F | 55-09-00 | 91,072.82 F |
| 45-04-00 | 73,740.74 F | 48-10-00 | 79,566.75 F | 52-04-00 | 85,389.33 F | 55-10-00 | 91,211.44 F |
| 45-05-00 | 73,879.46 F | 48-11-00 | 79,705.46 F | 52-05-00 | 85,527.95 F | 55-11-00 | 91,350.06 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **100-058** Tank Type **F** Roof Weight **115,200** API **28.50** Gravity Correction **2.33**

Strapped By: HMT 9/14/2022 Posted Height 66-07-14 Top Off Height 59-11-02 Low Gauge 6-0-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 56-00-00 | 91,488.68 F | 59-06-00 | 97,311.95 F | 63-00-00 | 103,135.80 F | | |
| 56-01-00 | 91,627.30 F | 59-07-00 | 97,450.61 F | 63-01-00 | 103,274.47 F | | |
| 56-02-00 | 91,765.93 F | 59-08-00 | 97,589.28 F | 63-02-00 | 103,413.13 F | | |
| 56-03-00 | 91,904.55 F | 59-09-00 | 97,727.94 F | 63-03-00 | 103,551.79 F | | |
| 56-04-00 | 92,043.17 F | 59-10-00 | 97,866.60 F | 63-04-00 | 103,690.46 F | | |
| 56-05-00 | 92,181.79 F | 59-11-00 | 98,005.27 F | 63-05-00 | 103,829.12 F | | |
| 56-06-00 | 92,320.41 F | 60-00-00 | 98,143.93 F | 63-06-00 | 103,967.78 F | | |
| 56-07-00 | 92,459.03 F | 60-01-00 | 98,282.59 F | 63-07-00 | 104,106.45 F | | |
| 56-08-00 | 92,597.66 F | 60-02-00 | 98,421.26 F | 63-08-00 | 104,245.11 F | | |
| 56-09-00 | 92,736.28 F | 60-03-00 | 98,559.92 F | 63-09-00 | 104,383.77 F | | |
| 56-10-00 | 92,874.90 F | 60-04-00 | 98,698.58 F | 63-10-00 | 104,522.44 F | | |
| 56-11-00 | 93,013.52 F | 60-05-00 | 98,837.24 F | 63-11-00 | 104,661.10 F | | |
| 57-00-00 | 93,152.14 F | 60-06-00 | 98,975.91 F | 64-00-00 | 104,799.76 F | | |
| 57-01-00 | 93,290.76 F | 60-07-00 | 99,114.57 F | 64-01-00 | 104,938.43 F | | |
| 57-02-00 | 93,429.39 F | 60-08-00 | 99,253.23 F | 64-02-00 | 105,077.09 F | | |
| 57-03-00 | 93,568.04 F | 60-09-00 | 99,391.90 F | 64-03-00 | 105,215.75 F | | |
| 57-04-00 | 93,706.71 F | 60-10-00 | 99,530.56 F | 64-04-00 | 105,354.42 F | | |
| 57-05-00 | 93,845.37 F | 60-11-00 | 99,669.22 F | 64-05-00 | 105,493.08 F | | |
| 57-06-00 | 93,984.03 F | 61-00-00 | 99,807.89 F | 64-06-00 | 105,631.74 F | | |
| 57-07-00 | 94,122.70 F | 61-01-00 | 99,946.55 F | 64-07-00 | 105,770.40 F | | |
| 57-08-00 | 94,261.36 F | 61-02-00 | 100,085.21 F | 64-08-00 | 105,909.07 F | | |
| 57-09-00 | 94,400.02 F | 61-03-00 | 100,223.88 F | 64-09-00 | 106,047.73 F | | |
| 57-10-00 | 94,538.69 F | 61-04-00 | 100,362.54 F | 64-10-00 | 106,186.39 F | | |
| 57-11-00 | 94,677.35 F | 61-05-00 | 100,501.20 F | 64-11-00 | 106,325.06 F | | |
| 58-00-00 | 94,816.01 F | 61-06-00 | 100,639.87 F | 65-00-00 | 106,463.72 F | | |
| 58-01-00 | 94,954.68 F | 61-07-00 | 100,778.53 F | 65-01-00 | 106,602.38 F | | |
| 58-02-00 | 95,093.34 F | 61-08-00 | 100,917.19 F | | | | |
| 58-03-00 | 95,232.00 F | 61-09-00 | 101,055.86 F | | | | |
| 58-04-00 | 95,370.66 F | 61-10-00 | 101,194.52 F | | | | |
| 58-05-00 | 95,509.33 F | 61-11-00 | 101,333.18 F | | | | |
| 58-06-00 | 95,647.99 F | 62-00-00 | 101,471.85 F | | | | |
| 58-07-00 | 95,786.65 F | 62-01-00 | 101,610.51 F | | | | |
| 58-08-00 | 95,925.32 F | 62-02-00 | 101,749.17 F | | | | |
| 58-09-00 | 96,063.98 F | 62-03-00 | 101,887.84 F | | | | |
| 58-10-00 | 96,202.64 F | 62-04-00 | 102,026.50 F | | | | |
| 58-11-00 | 96,341.31 F | 62-05-00 | 102,165.16 F | | | | |
| 59-00-00 | 96,479.97 F | 62-06-00 | 102,303.82 F | | | | |
| 59-01-00 | 96,618.63 F | 62-07-00 | 102,442.49 F | | | | |
| 59-02-00 | 96,757.30 F | 62-08-00 | 102,581.15 F | | | | |
| 59-03-00 | 96,895.96 F | 62-09-00 | 102,719.81 F | | | | |
| 59-04-00 | 97,034.62 F | 62-10-00 | 102,858.48 F | | | | |
| 59-05-00 | 97,173.29 F | 62-11-00 | 102,997.14 F | | | | |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**