

Tank ID **P060-002** Tank Type **F** Roof Weight **70,000** API **45.00** Gravity Correction **1.42**
 Strapped By: **HMTT** 7/26/2019 Floating Height **6-06-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
0-00-00	4.80	3-06-00	2,543.89	7-00-00	5,746.92 F	10-06-00	9,198.65 F
0-01-00	7.53	3-07-00	2,626.12	7-01-00	5,829.11 F	10-07-00	9,280.84 F
0-02-00	11.34	3-08-00	2,708.34	7-02-00	5,911.29 F	10-08-00	9,363.02 F
0-03-00	16.16	3-09-00	2,790.56	7-03-00	5,993.48 F	10-09-00	9,445.20 F
0-04-00	24.73	3-10-00	2,872.77	7-04-00	6,075.66 F	10-10-00	9,527.39 F
0-05-00	35.14	3-11-00	2,954.98	7-05-00	6,157.84 F	10-11-00	9,609.57 F
0-06-00	48.30	4-00-00	3,037.21	7-06-00	6,240.03 F	11-00-00	9,691.76 F
0-07-00	67.05	4-01-00	3,119.44	7-07-00	6,322.21 F	11-01-00	9,773.94 F
0-08-00	90.14	4-02-00	3,201.67	7-08-00	6,404.40 F	11-02-00	9,856.12 F
0-09-00	115.56	4-03-00	3,283.90	7-09-00	6,486.58 F	11-03-00	9,938.31 F
0-10-00	144.53	4-04-00	3,366.13	7-10-00	6,568.76 F	11-04-00	10,020.51 F
0-11-00	178.40	4-05-00	3,448.36	7-11-00	6,650.95 F	11-05-00	10,102.78 F
1-00-00	216.22	4-06-00	3,530.59	8-00-00	6,733.13 F	11-06-00	10,185.04 F
1-01-00	256.35	4-07-00	3,612.82	8-01-00	6,815.32 F	11-07-00	10,267.31 F
1-02-00	301.62	4-08-00	3,695.05	8-02-00	6,897.50 F	11-08-00	10,349.58 F
1-03-00	356.22	4-09-00	3,777.28	8-03-00	6,979.68 F	11-09-00	10,431.84 F
1-04-00	417.78	4-10-00	3,859.51	8-04-00	7,061.87 F	11-10-00	10,514.11 F
1-05-00	489.68	4-11-00	3,941.74	8-05-00	7,144.05 F	11-11-00	10,596.38 F
1-06-00	571.20	5-00-00	4,023.98	8-06-00	7,226.24 F	12-00-00	10,678.64 F
1-07-00	653.38	5-01-00	4,106.21	8-07-00	7,308.42 F	12-01-00	10,760.91 F
1-08-00	735.56	5-02-00	4,188.44	8-08-00	7,390.60 F	12-02-00	10,843.18 F
1-09-00	817.74	5-03-00	4,270.67	8-09-00	7,472.79 F	12-03-00	10,925.44 F
1-10-00	899.87	5-04-00	4,352.90	8-10-00	7,554.97 F	12-04-00	11,007.71 F
1-11-00	981.99	5-05-00	4,435.12	8-11-00	7,637.16 F	12-05-00	11,089.98 F
2-00-00	1,064.12	5-06-00	4,517.30	9-00-00	7,719.34 F	12-06-00	11,172.24 F
2-01-00	1,146.28	5-07-00	4,599.48	9-01-00	7,801.52 F	12-07-00	11,254.51 F
2-02-00	1,228.46	5-08-00	4,681.67	9-02-00	7,883.71 F	12-08-00	11,336.77 F
2-03-00	1,310.64	5-09-00	4,763.85	9-03-00	7,965.89 F	12-09-00	11,419.04 F
2-04-00	1,392.83	5-10-00	4,846.04	9-04-00	8,048.08 F	12-10-00	11,501.31 F
2-05-00	1,475.02	5-11-00	4,928.22	9-05-00	8,130.26 F	12-11-00	11,583.57 F
2-06-00	1,557.25	6-00-00	5,010.40	9-06-00	8,212.44 F	13-00-00	11,665.84 F
2-07-00	1,639.47	6-01-00	5,092.59	9-07-00	8,294.63 F	13-01-00	11,748.11 F
2-08-00	1,721.68	6-02-00	5,174.77	9-08-00	8,376.81 F	13-02-00	11,830.37 F
2-09-00	1,803.89	6-03-00	5,256.96	9-09-00	8,459.00 F	13-03-00	11,912.64 F
2-10-00	1,886.11	6-04-00	5,339.14	9-10-00	8,541.18 F	13-04-00	11,994.91 F
2-11-00	1,968.33	6-05-00	5,421.32	9-11-00	8,623.36 F	13-05-00	12,077.17 F
3-00-00	2,050.55	6-06-00	5,503.51 F	10-00-00	8,705.55 F	13-06-00	12,159.44 F
3-01-00	2,132.77	6-07-00	5,525.87 F	10-01-00	8,787.73 F	13-07-00	12,241.70 F
3-02-00	2,215.00	6-08-00	5,528.30 F	10-02-00	8,869.92 F	13-08-00	12,323.97 F
3-03-00	2,297.22	6-09-00	5,530.72 F	10-03-00	8,952.10 F	13-09-00	12,406.24 F
3-04-00	2,379.45	6-10-00	5,582.56 F	10-04-00	9,034.28 F	13-10-00	12,488.50 F
3-05-00	2,461.67	6-11-00	5,664.74 F	10-05-00	9,116.47 F	13-11-00	12,570.77 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P060-002** Tank Type **F** Roof Weight **70,000** API **45.00** Gravity Correction **1.42**
 Strapped By: **HMTT** 7/26/2019 Floating Height **6-06-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
14-00-00	12,653.04 F	17-06-00	16,108.23 F	21-00-00	19,563.41 F	24-06-00	23,020.02 F
14-01-00	12,735.30 F	17-07-00	16,190.49 F	21-01-00	19,645.68 F	24-07-00	23,102.32 F
14-02-00	12,817.57 F	17-08-00	16,272.76 F	21-02-00	19,727.95 F	24-08-00	23,184.62 F
14-03-00	12,899.84 F	17-09-00	16,355.02 F	21-03-00	19,810.22 F	24-09-00	23,266.92 F
14-04-00	12,982.10 F	17-10-00	16,437.29 F	21-04-00	19,892.53 F	24-10-00	23,349.23 F
14-05-00	13,064.37 F	17-11-00	16,519.56 F	21-05-00	19,974.83 F	24-11-00	23,431.53 F
14-06-00	13,146.64 F	18-00-00	16,601.82 F	21-06-00	20,057.13 F	25-00-00	23,513.83 F
14-07-00	13,228.90 F	18-01-00	16,684.09 F	21-07-00	20,139.43 F	25-01-00	23,596.13 F
14-08-00	13,311.17 F	18-02-00	16,766.36 F	21-08-00	20,221.73 F	25-02-00	23,678.44 F
14-09-00	13,393.43 F	18-03-00	16,848.62 F	21-09-00	20,304.04 F	25-03-00	23,760.74 F
14-10-00	13,475.70 F	18-04-00	16,930.89 F	21-10-00	20,386.34 F	25-04-00	23,843.04 F
14-11-00	13,557.97 F	18-05-00	17,013.16 F	21-11-00	20,468.64 F	25-05-00	23,925.34 F
15-00-00	13,640.23 F	18-06-00	17,095.42 F	22-00-00	20,550.94 F	25-06-00	24,007.65 F
15-01-00	13,722.50 F	18-07-00	17,177.69 F	22-01-00	20,633.25 F	25-07-00	24,089.95 F
15-02-00	13,804.77 F	18-08-00	17,259.96 F	22-02-00	20,715.55 F	25-08-00	24,172.25 F
15-03-00	13,887.03 F	18-09-00	17,342.22 F	22-03-00	20,797.85 F	25-09-00	24,254.55 F
15-04-00	13,969.30 F	18-10-00	17,424.49 F	22-04-00	20,880.15 F	25-10-00	24,336.85 F
15-05-00	14,051.57 F	18-11-00	17,506.75 F	22-05-00	20,962.46 F	25-11-00	24,419.16 F
15-06-00	14,133.83 F	19-00-00	17,589.02 F	22-06-00	21,044.76 F	26-00-00	24,501.46 F
15-07-00	14,216.10 F	19-01-00	17,671.29 F	22-07-00	21,127.06 F	26-01-00	24,583.76 F
15-08-00	14,298.36 F	19-02-00	17,753.55 F	22-08-00	21,209.36 F	26-02-00	24,666.06 F
15-09-00	14,380.63 F	19-03-00	17,835.82 F	22-09-00	21,291.67 F	26-03-00	24,748.37 F
15-10-00	14,462.90 F	19-04-00	17,918.09 F	22-10-00	21,373.97 F	26-04-00	24,830.67 F
15-11-00	14,545.16 F	19-05-00	18,000.35 F	22-11-00	21,456.27 F	26-05-00	24,912.97 F
16-00-00	14,627.43 F	19-06-00	18,082.62 F	23-00-00	21,538.57 F	26-06-00	24,995.27 F
16-01-00	14,709.70 F	19-07-00	18,164.89 F	23-01-00	21,620.88 F	26-07-00	25,077.58 F
16-02-00	14,791.96 F	19-08-00	18,247.15 F	23-02-00	21,703.18 F	26-08-00	25,159.88 F
16-03-00	14,874.23 F	19-09-00	18,329.42 F	23-03-00	21,785.48 F	26-09-00	25,242.18 F
16-04-00	14,956.50 F	19-10-00	18,411.68 F	23-04-00	21,867.78 F	26-10-00	25,324.48 F
16-05-00	15,038.76 F	19-11-00	18,493.95 F	23-05-00	21,950.09 F	26-11-00	25,406.79 F
16-06-00	15,121.03 F	20-00-00	18,576.22 F	23-06-00	22,032.39 F	27-00-00	25,489.09 F
16-07-00	15,203.30 F	20-01-00	18,658.48 F	23-07-00	22,114.69 F	27-01-00	25,571.39 F
16-08-00	15,285.56 F	20-02-00	18,740.75 F	23-08-00	22,196.99 F	27-02-00	25,653.69 F
16-09-00	15,367.83 F	20-03-00	18,823.02 F	23-09-00	22,279.29 F	27-03-00	25,736.00 F
16-10-00	15,450.09 F	20-04-00	18,905.28 F	23-10-00	22,361.60 F	27-04-00	25,818.30 F
16-11-00	15,532.36 F	20-05-00	18,987.55 F	23-11-00	22,443.90 F	27-05-00	25,900.60 F
17-00-00	15,614.63 F	20-06-00	19,069.82 F	24-00-00	22,526.20 F	27-06-00	25,982.90 F
17-01-00	15,696.89 F	20-07-00	19,152.08 F	24-01-00	22,608.50 F	27-07-00	26,065.21 F
17-02-00	15,779.16 F	20-08-00	19,234.35 F	24-02-00	22,690.81 F	27-08-00	26,147.51 F
17-03-00	15,861.43 F	20-09-00	19,316.62 F	24-03-00	22,773.11 F	27-09-00	26,229.81 F
17-04-00	15,943.69 F	20-10-00	19,398.88 F	24-04-00	22,855.41 F	27-10-00	26,312.11 F
17-05-00	16,025.96 F	20-11-00	19,481.15 F	24-05-00	22,937.71 F	27-11-00	26,394.41 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P060-002** Tank Type **F** Roof Weight **70,000** API **45.00** Gravity Correction **1.42**
 Strapped By: **HMTT** 7/26/2019 Floating Height **6-06-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
28-00-00	26,476.72 F	31-06-00	29,933.51 F	35-00-00	33,391.12 F	38-06-00	36,848.73 F
28-01-00	26,559.02 F	31-07-00	30,015.83 F	35-01-00	33,473.44 F	38-07-00	36,931.05 F
28-02-00	26,641.32 F	31-08-00	30,098.16 F	35-02-00	33,555.77 F	38-08-00	37,013.37 F
28-03-00	26,723.62 F	31-09-00	30,180.48 F	35-03-00	33,638.09 F	38-09-00	37,095.70 F
28-04-00	26,805.93 F	31-10-00	30,262.81 F	35-04-00	33,720.41 F	38-10-00	37,178.02 F
28-05-00	26,888.23 F	31-11-00	30,345.13 F	35-05-00	33,802.74 F	38-11-00	37,260.35 F
28-06-00	26,970.53 F	32-00-00	30,427.45 F	35-06-00	33,885.06 F	39-00-00	37,342.67 F
28-07-00	27,052.83 F	32-01-00	30,509.78 F	35-07-00	33,967.39 F	39-01-00	37,424.99 F
28-08-00	27,135.14 F	32-02-00	30,592.10 F	35-08-00	34,049.71 F	39-02-00	37,507.32 F
28-09-00	27,217.44 F	32-03-00	30,674.43 F	35-09-00	34,132.03 F	39-03-00	37,589.64 F
28-10-00	27,299.74 F	32-04-00	30,756.75 F	35-10-00	34,214.36 F	39-04-00	37,671.97 F
28-11-00	27,382.04 F	32-05-00	30,839.07 F	35-11-00	34,296.68 F	39-05-00	37,754.29 F
29-00-00	27,464.35 F	32-06-00	30,921.40 F	36-00-00	34,379.01 F	39-06-00	37,836.61 F
29-01-00	27,546.65 F	32-07-00	31,003.72 F	36-01-00	34,461.33 F	39-07-00	37,918.94 F
29-02-00	27,628.95 F	32-08-00	31,086.05 F	36-02-00	34,543.65 F	39-08-00	38,001.26 F
29-03-00	27,711.25 F	32-09-00	31,168.37 F	36-03-00	34,625.98 F	39-09-00	38,083.59 F
29-04-00	27,793.56 F	32-10-00	31,250.69 F	36-04-00	34,708.30 F	39-10-00	38,165.91 F
29-05-00	27,875.86 F	32-11-00	31,333.02 F	36-05-00	34,790.63 F	39-11-00	38,248.23 F
29-06-00	27,958.16 F	33-00-00	31,415.34 F	36-06-00	34,872.95 F	40-00-00	38,330.56 F
29-07-00	28,040.46 F	33-01-00	31,497.67 F	36-07-00	34,955.27 F	40-01-00	38,412.88 F
29-08-00	28,122.77 F	33-02-00	31,579.99 F	36-08-00	35,037.60 F	40-02-00	38,495.21 F
29-09-00	28,205.07 F	33-03-00	31,662.31 F	36-09-00	35,119.92 F	40-03-00	38,577.53 F
29-10-00	28,287.37 F	33-04-00	31,744.64 F	36-10-00	35,202.25 F	40-04-00	38,659.85 F
29-11-00	28,369.67 F	33-05-00	31,826.96 F	36-11-00	35,284.57 F	40-05-00	38,742.18 F
30-00-00	28,451.97 F	33-06-00	31,909.29 F	37-00-00	35,366.89 F	40-06-00	38,824.50 F
30-01-00	28,534.28 F	33-07-00	31,991.61 F	37-01-00	35,449.22 F	40-07-00	38,906.83 F
30-02-00	28,616.58 F	33-08-00	32,073.93 F	37-02-00	35,531.54 F	40-08-00	38,989.15 F
30-03-00	28,698.88 F	33-09-00	32,156.26 F	37-03-00	35,613.87 F	40-09-00	39,071.47 F
30-04-00	28,781.18 F	33-10-00	32,238.58 F	37-04-00	35,696.19 F	40-10-00	39,153.80 F
30-05-00	28,863.49 F	33-11-00	32,320.91 F	37-05-00	35,778.51 F	40-11-00	39,236.12 F
30-06-00	28,945.79 F	34-00-00	32,403.23 F	37-06-00	35,860.84 F	41-00-00	39,318.45 F
30-07-00	29,028.09 F	34-01-00	32,485.55 F	37-07-00	35,943.16 F	41-01-00	39,400.79 F
30-08-00	29,110.39 F	34-02-00	32,567.88 F	37-08-00	36,025.49 F	41-02-00	39,483.20 F
30-09-00	29,192.70 F	34-03-00	32,650.20 F	37-09-00	36,107.81 F	41-03-00	39,565.61 F
30-10-00	29,275.00 F	34-04-00	32,732.53 F	37-10-00	36,190.13 F	41-04-00	39,648.03 F
30-11-00	29,357.30 F	34-05-00	32,814.85 F	37-11-00	36,272.46 F	41-05-00	39,730.44 F
31-00-00	29,439.60 F	34-06-00	32,897.17 F	38-00-00	36,354.78 F	41-06-00	39,812.85 F
31-01-00	29,521.91 F	34-07-00	32,979.50 F	38-01-00	36,437.11 F	41-07-00	39,895.26 F
31-02-00	29,604.21 F	34-08-00	33,061.82 F	38-02-00	36,519.43 F	41-08-00	39,977.67 F
31-03-00	29,686.54 F	34-09-00	33,144.15 F	38-03-00	36,601.75 F	41-09-00	40,060.08 F
31-04-00	29,768.86 F	34-10-00	33,226.47 F	38-04-00	36,684.08 F	41-10-00	40,142.49 F
31-05-00	29,851.19 F	34-11-00	33,308.79 F	38-05-00	36,766.40 F	41-11-00	40,224.90 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P060-002** Tank Type **F** Roof Weight **70,000** API **45.00** Gravity Correction **1.42**
 Strapped By: **HMTT** 7/26/2019 Floating Height **6-06-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
42-00-00	40,307.31 F	45-06-00	43,768.59 F	49-00-00	47,229.86 F	52-06-00	50,692.82 F
42-01-00	40,389.73 F	45-07-00	43,851.00 F	49-01-00	47,312.27 F	52-07-00	50,775.30 F
42-02-00	40,472.14 F	45-08-00	43,933.41 F	49-02-00	47,394.68 F	52-08-00	50,857.79 F
42-03-00	40,554.55 F	45-09-00	44,015.82 F	49-03-00	47,477.09 F	52-09-00	50,940.27 F
42-04-00	40,636.96 F	45-10-00	44,098.23 F	49-04-00	47,559.50 F	52-10-00	51,022.75 F
42-05-00	40,719.37 F	45-11-00	44,180.64 F	49-05-00	47,641.91 F	52-11-00	51,105.24 F
42-06-00	40,801.78 F	46-00-00	44,263.05 F	49-06-00	47,724.32 F	53-00-00	51,187.72 F
42-07-00	40,884.19 F	46-01-00	44,345.46 F	49-07-00	47,806.73 F	53-01-00	51,270.21 F
42-08-00	40,966.60 F	46-02-00	44,427.87 F	49-08-00	47,889.15 F	53-02-00	51,352.69 F
42-09-00	41,049.02 F	46-03-00	44,510.29 F	49-09-00	47,971.56 F	53-03-00	51,435.17 F
42-10-00	41,131.43 F	46-04-00	44,592.70 F	49-10-00	48,053.97 F	53-04-00	51,517.66 F
42-11-00	41,213.84 F	46-05-00	44,675.11 F	49-11-00	48,136.38 F	53-05-00	51,600.14 F
43-00-00	41,296.25 F	46-06-00	44,757.52 F	50-00-00	48,218.79 F	53-06-00	51,682.63 F
43-01-00	41,378.66 F	46-07-00	44,839.93 F	50-01-00	48,301.20 F	53-07-00	51,765.11 F
43-02-00	41,461.07 F	46-08-00	44,922.34 F	50-02-00	48,383.61 F	53-08-00	51,847.59 F
43-03-00	41,543.48 F	46-09-00	45,004.75 F	50-03-00	48,466.02 F	53-09-00	51,930.08 F
43-04-00	41,625.89 F	46-10-00	45,087.16 F	50-04-00	48,548.43 F	53-10-00	52,012.56 F
43-05-00	41,708.31 F	46-11-00	45,169.58 F	50-05-00	48,630.85 F	53-11-00	52,095.05 F
43-06-00	41,790.72 F	47-00-00	45,251.99 F	50-06-00	48,713.26 F	54-00-00	52,177.53 F
43-07-00	41,873.13 F	47-01-00	45,334.40 F	50-07-00	48,795.69 F	54-01-00	52,260.01 F
43-08-00	41,955.54 F	47-02-00	45,416.81 F	50-08-00	48,878.17 F	54-02-00	52,342.50 F
43-09-00	42,037.95 F	47-03-00	45,499.22 F	50-09-00	48,960.65 F	54-03-00	52,424.98 F
43-10-00	42,120.36 F	47-04-00	45,581.63 F	50-10-00	49,043.14 F	54-04-00	52,507.47 F
43-11-00	42,202.77 F	47-05-00	45,664.04 F	50-11-00	49,125.62 F	54-05-00	52,589.95 F
44-00-00	42,285.18 F	47-06-00	45,746.45 F	51-00-00	49,208.11 F	54-06-00	52,672.43 F
44-01-00	42,367.59 F	47-07-00	45,828.87 F	51-01-00	49,290.59 F	54-07-00	52,754.92 F
44-02-00	42,450.01 F	47-08-00	45,911.28 F	51-02-00	49,373.07 F	54-08-00	52,837.40 F
44-03-00	42,532.42 F	47-09-00	45,993.69 F	51-03-00	49,455.56 F	54-09-00	52,919.89 F
44-04-00	42,614.83 F	47-10-00	46,076.10 F	51-04-00	49,538.04 F	54-10-00	53,002.37 F
44-05-00	42,697.24 F	47-11-00	46,158.51 F	51-05-00	49,620.53 F	54-11-00	53,084.85 F
44-06-00	42,779.65 F	48-00-00	46,240.92 F	51-06-00	49,703.01 F	55-00-00	53,167.34 F
44-07-00	42,862.06 F	48-01-00	46,323.33 F	51-07-00	49,785.49 F	55-01-00	53,249.82 F
44-08-00	42,944.47 F	48-02-00	46,405.74 F	51-08-00	49,867.98 F	55-02-00	53,332.31 F
44-09-00	43,026.88 F	48-03-00	46,488.15 F	51-09-00	49,950.46 F	55-03-00	53,414.79 F
44-10-00	43,109.30 F	48-04-00	46,570.57 F	51-10-00	50,032.95 F	55-04-00	53,497.27 F
44-11-00	43,191.71 F	48-05-00	46,652.98 F	51-11-00	50,115.43 F	55-05-00	53,579.76 F
45-00-00	43,274.12 F	48-06-00	46,735.39 F	52-00-00	50,197.91 F	55-06-00	53,662.24 F
45-01-00	43,356.53 F	48-07-00	46,817.80 F	52-01-00	50,280.40 F	55-07-00	53,744.73 F
45-02-00	43,438.94 F	48-08-00	46,900.21 F	52-02-00	50,362.88 F	55-08-00	53,827.21 F
45-03-00	43,521.35 F	48-09-00	46,982.62 F	52-03-00	50,445.37 F	55-09-00	53,909.69 F
45-04-00	43,603.76 F	48-10-00	47,065.03 F	52-04-00	50,527.85 F	55-10-00	53,992.18 F
45-05-00	43,686.17 F	48-11-00	47,147.44 F	52-05-00	50,610.33 F	55-11-00	54,074.66 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P060-002** Tank Type **F** Roof Weight **70,000** API **45.00** Gravity Correction **1.42**
 Strapped By: HMTT 7/26/2019 Floating Height **6-06-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
56-00-00	54,157.15 F	59-06-00	57,621.76 F	63-00-00	61,087.06 F		
56-01-00	54,239.63 F	59-07-00	57,704.27 F	63-01-00	61,169.57 F		
56-02-00	54,322.11 F	59-08-00	57,786.77 F	63-02-00	61,252.08 F		
56-03-00	54,404.60 F	59-09-00	57,869.28 F	63-03-00	61,334.58 F		
56-04-00	54,487.08 F	59-10-00	57,951.79 F	63-04-00	61,417.09 F		
56-05-00	54,569.57 F	59-11-00	58,034.29 F	63-05-00	61,499.60 F		
56-06-00	54,652.05 F	60-00-00	58,116.80 F	63-06-00	61,582.10 F		
56-07-00	54,734.53 F	60-01-00	58,199.31 F	63-07-00	61,664.61 F		
56-08-00	54,817.02 F	60-02-00	58,281.82 F	63-08-00	61,747.12 F		
56-09-00	54,899.50 F	60-03-00	58,364.32 F	63-09-00	61,829.63 F		
56-10-00	54,981.99 F	60-04-00	58,446.83 F	63-10-00	61,912.13 F		
56-11-00	55,064.47 F	60-05-00	58,529.34 F	63-11-00	61,994.64 F		
57-00-00	55,146.95 F	60-06-00	58,611.85 F	64-00-00	62,077.15 F		
57-01-00	55,229.44 F	60-07-00	58,694.35 F	64-01-00	62,159.65 F		
57-02-00	55,311.92 F	60-08-00	58,776.86 F	64-02-00	62,242.16 F		
57-03-00	55,394.41 F	60-09-00	58,859.37 F	64-03-00	62,324.67 F		
57-04-00	55,476.89 F	60-10-00	58,941.87 F	64-04-00	62,407.18 F		
57-05-00	55,559.37 F	60-11-00	59,024.38 F	64-05-00	62,489.68 F		
57-06-00	55,641.86 F	61-00-00	59,106.89 F	64-06-00	62,572.19 F		
57-07-00	55,724.34 F	61-01-00	59,189.40 F	64-07-00	62,654.70 F		
57-08-00	55,806.83 F	61-02-00	59,271.90 F	64-08-00	62,737.21 F		
57-09-00	55,889.31 F	61-03-00	59,354.41 F	64-09-00	62,819.71 F		
57-10-00	55,971.79 F	61-04-00	59,436.92 F	64-10-00	62,902.22 F		
57-11-00	56,054.28 F	61-05-00	59,519.42 F	64-11-00	62,984.73 F		
58-00-00	56,136.76 F	61-06-00	59,601.93 F	65-00-00	63,067.23 F		
58-01-00	56,219.25 F	61-07-00	59,684.44 F	65-01-00	63,149.74 F		
58-02-00	56,301.73 F	61-08-00	59,766.95 F	65-02-00	63,232.25 F		
58-03-00	56,384.21 F	61-09-00	59,849.45 F	65-03-00	63,314.76 F		
58-04-00	56,466.70 F	61-10-00	59,931.96 F	65-04-00	63,397.26 F		
58-05-00	56,549.18 F	61-11-00	60,014.47 F	65-05-00	63,479.77 F		
58-06-00	56,631.67 F	62-00-00	60,096.97 F	65-06-00	63,562.28 F		
58-07-00	56,714.18 F	62-01-00	60,179.48 F	65-07-00	63,644.78 F		
58-08-00	56,796.69 F	62-02-00	60,261.99 F	65-08-00	63,727.29 F		
58-09-00	56,879.19 F	62-03-00	60,344.50 F	65-09-00	63,809.80 F		
58-10-00	56,961.70 F	62-04-00	60,427.00 F	65-10-00	63,892.31 F		
58-11-00	57,044.21 F	62-05-00	60,509.51 F	65-11-00	63,974.81 F		
59-00-00	57,126.72 F	62-06-00	60,592.02 F	66-00-00	64,057.32 F		
59-01-00	57,209.22 F	62-07-00	60,674.53 F	66-01-00	64,139.83 F		
59-02-00	57,291.73 F	62-08-00	60,757.03 F	66-02-00	64,222.33 F		
59-03-00	57,374.24 F	62-09-00	60,839.54 F	66-03-00	64,304.84 F		
59-04-00	57,456.74 F	62-10-00	60,922.05 F	66-04-00	64,387.35 F		
59-05-00	57,539.25 F	62-11-00	61,004.55 F				

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE