

Tank ID **P120-007** Tank Type **F** Roof Weight **138,300** API **45.00** Gravity Correction **2.80**
 Strapped By: **HMTT** 5/20/2019 Floating Height **6-07-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
0-00-00	159.51	3-06-00	5,636.12	7-00-00	12,193.61 F	10-06-00	19,242.12 F
0-01-00	166.70	3-07-00	5,804.03	7-01-00	12,361.44 F	10-07-00	19,409.94 F
0-02-00	179.02	3-08-00	5,971.95	7-02-00	12,529.26 F	10-08-00	19,577.77 F
0-03-00	196.05	3-09-00	6,139.85	7-03-00	12,697.08 F	10-09-00	19,745.59 F
0-04-00	223.03	3-10-00	6,307.74	7-04-00	12,864.90 F	10-10-00	19,913.41 F
0-05-00	262.78	3-11-00	6,475.64	7-05-00	13,032.72 F	10-11-00	20,081.23 F
0-06-00	312.11	4-00-00	6,643.54	7-06-00	13,200.54 F	11-00-00	20,249.05 F
0-07-00	367.23	4-01-00	6,811.44	7-07-00	13,368.37 F	11-01-00	20,416.87 F
0-08-00	434.03	4-02-00	6,979.34	7-08-00	13,536.19 F	11-02-00	20,584.69 F
0-09-00	511.31	4-03-00	7,147.24	7-09-00	13,704.01 F	11-03-00	20,752.52 F
0-10-00	600.14	4-04-00	7,315.14	7-10-00	13,871.83 F	11-04-00	20,920.34 F
0-11-00	695.08	4-05-00	7,483.04	7-11-00	14,039.65 F	11-05-00	21,088.28 F
1-00-00	795.67	4-06-00	7,650.94	8-00-00	14,207.47 F	11-06-00	21,256.23 F
1-01-00	904.40	4-07-00	7,818.84	8-01-00	14,375.30 F	11-07-00	21,424.17 F
1-02-00	1,023.01	4-08-00	7,986.74	8-02-00	14,543.12 F	11-08-00	21,592.11 F
1-03-00	1,151.20	4-09-00	8,154.64	8-03-00	14,710.94 F	11-09-00	21,760.06 F
1-04-00	1,290.91	4-10-00	8,322.54	8-04-00	14,878.76 F	11-10-00	21,928.00 F
1-05-00	1,443.89	4-11-00	8,490.44	8-05-00	15,046.58 F	11-11-00	22,095.95 F
1-06-00	1,607.67	5-00-00	8,658.34	8-06-00	15,214.40 F	12-00-00	22,263.89 F
1-07-00	1,775.49	5-01-00	8,826.24	8-07-00	15,382.23 F	12-01-00	22,431.83 F
1-08-00	1,943.32	5-02-00	8,994.14	8-08-00	15,550.05 F	12-02-00	22,599.78 F
1-09-00	2,111.14	5-03-00	9,162.04	8-09-00	15,717.87 F	12-03-00	22,767.72 F
1-10-00	2,278.96	5-04-00	9,329.94	8-10-00	15,885.69 F	12-04-00	22,935.67 F
1-11-00	2,446.78	5-05-00	9,497.84	8-11-00	16,053.51 F	12-05-00	23,103.61 F
2-00-00	2,614.58	5-06-00	9,665.74	9-00-00	16,221.33 F	12-06-00	23,271.55 F
2-01-00	2,782.38	5-07-00	9,833.64	9-01-00	16,389.15 F	12-07-00	23,439.50 F
2-02-00	2,950.18	5-08-00	10,001.54	9-02-00	16,556.98 F	12-08-00	23,607.44 F
2-03-00	3,118.00	5-09-00	10,169.44	9-03-00	16,724.80 F	12-09-00	23,775.39 F
2-04-00	3,285.82	5-10-00	10,337.34	9-04-00	16,892.62 F	12-10-00	23,943.33 F
2-05-00	3,453.65	5-11-00	10,505.24	9-05-00	17,060.44 F	12-11-00	24,111.27 F
2-06-00	3,621.47	6-00-00	10,673.07	9-06-00	17,228.26 F	13-00-00	24,279.22 F
2-07-00	3,789.29	6-01-00	10,840.89	9-07-00	17,396.08 F	13-01-00	24,447.16 F
2-08-00	3,957.11	6-02-00	11,008.71	9-08-00	17,563.91 F	13-02-00	24,615.11 F
2-09-00	4,124.95	6-03-00	11,176.53	9-09-00	17,731.73 F	13-03-00	24,783.05 F
2-10-00	4,292.78	6-04-00	11,344.35	9-10-00	17,899.55 F	13-04-00	24,950.99 F
2-11-00	4,460.62	6-05-00	11,512.17	9-11-00	18,067.37 F	13-05-00	25,118.94 F
3-00-00	4,628.53	6-06-00	11,680.00	10-00-00	18,235.19 F	13-06-00	25,286.88 F
3-01-00	4,796.44	6-07-00	11,847.82 F	10-01-00	18,403.01 F	13-07-00	25,454.83 F
3-02-00	4,964.38	6-08-00	11,974.68 F	10-02-00	18,570.84 F	13-08-00	25,622.77 F
3-03-00	5,132.33	6-09-00	11,978.68 F	10-03-00	18,738.66 F	13-09-00	25,790.71 F
3-04-00	5,300.27	6-10-00	11,982.68 F	10-04-00	18,906.48 F	13-10-00	25,958.66 F
3-05-00	5,468.21	6-11-00	12,025.79 F	10-05-00	19,074.30 F	13-11-00	26,126.60 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P120-007** Tank Type **F** Roof Weight **138,300** API **45.00** Gravity Correction **2.80**
 Strapped By: **HMTT** 5/20/2019 Floating Height **6-07-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
14-00-00	26,294.55 F	17-06-00	33,348.19 F	21-00-00	40,401.84 F	24-06-00	47,459.86 F
14-01-00	26,462.49 F	17-07-00	33,516.14 F	21-01-00	40,569.79 F	24-07-00	47,627.91 F
14-02-00	26,630.43 F	17-08-00	33,684.08 F	21-02-00	40,737.73 F	24-08-00	47,795.97 F
14-03-00	26,798.38 F	17-09-00	33,852.03 F	21-03-00	40,905.67 F	24-09-00	47,964.03 F
14-04-00	26,966.32 F	17-10-00	34,019.97 F	21-04-00	41,073.73 F	24-10-00	48,132.08 F
14-05-00	27,134.27 F	17-11-00	34,187.91 F	21-05-00	41,241.79 F	24-11-00	48,300.14 F
14-06-00	27,302.21 F	18-00-00	34,355.86 F	21-06-00	41,409.84 F	25-00-00	48,468.19 F
14-07-00	27,470.15 F	18-01-00	34,523.80 F	21-07-00	41,577.90 F	25-01-00	48,636.25 F
14-08-00	27,638.10 F	18-02-00	34,691.75 F	21-08-00	41,745.95 F	25-02-00	48,804.31 F
14-09-00	27,806.04 F	18-03-00	34,859.69 F	21-09-00	41,914.01 F	25-03-00	48,972.36 F
14-10-00	27,973.99 F	18-04-00	35,027.63 F	21-10-00	42,082.07 F	25-04-00	49,140.42 F
14-11-00	28,141.93 F	18-05-00	35,195.58 F	21-11-00	42,250.12 F	25-05-00	49,308.47 F
15-00-00	28,309.87 F	18-06-00	35,363.52 F	22-00-00	42,418.18 F	25-06-00	49,476.53 F
15-01-00	28,477.82 F	18-07-00	35,531.47 F	22-01-00	42,586.23 F	25-07-00	49,644.59 F
15-02-00	28,645.76 F	18-08-00	35,699.41 F	22-02-00	42,754.29 F	25-08-00	49,812.64 F
15-03-00	28,813.71 F	18-09-00	35,867.35 F	22-03-00	42,922.35 F	25-09-00	49,980.70 F
15-04-00	28,981.65 F	18-10-00	36,035.30 F	22-04-00	43,090.40 F	25-10-00	50,148.75 F
15-05-00	29,149.59 F	18-11-00	36,203.24 F	22-05-00	43,258.46 F	25-11-00	50,316.81 F
15-06-00	29,317.54 F	19-00-00	36,371.19 F	22-06-00	43,426.51 F	26-00-00	50,484.87 F
15-07-00	29,485.48 F	19-01-00	36,539.13 F	22-07-00	43,594.57 F	26-01-00	50,652.92 F
15-08-00	29,653.43 F	19-02-00	36,707.07 F	22-08-00	43,762.63 F	26-02-00	50,820.98 F
15-09-00	29,821.37 F	19-03-00	36,875.02 F	22-09-00	43,930.68 F	26-03-00	50,989.03 F
15-10-00	29,989.31 F	19-04-00	37,042.96 F	22-10-00	44,098.74 F	26-04-00	51,157.09 F
15-11-00	30,157.26 F	19-05-00	37,210.91 F	22-11-00	44,266.79 F	26-05-00	51,325.15 F
16-00-00	30,325.20 F	19-06-00	37,378.85 F	23-00-00	44,434.85 F	26-06-00	51,493.20 F
16-01-00	30,493.15 F	19-07-00	37,546.79 F	23-01-00	44,602.91 F	26-07-00	51,661.26 F
16-02-00	30,661.09 F	19-08-00	37,714.74 F	23-02-00	44,770.96 F	26-08-00	51,829.31 F
16-03-00	30,829.03 F	19-09-00	37,882.68 F	23-03-00	44,939.02 F	26-09-00	51,997.37 F
16-04-00	30,996.98 F	19-10-00	38,050.63 F	23-04-00	45,107.07 F	26-10-00	52,165.43 F
16-05-00	31,164.92 F	19-11-00	38,218.57 F	23-05-00	45,275.13 F	26-11-00	52,333.48 F
16-06-00	31,332.87 F	20-00-00	38,386.51 F	23-06-00	45,443.19 F	27-00-00	52,501.54 F
16-07-00	31,500.81 F	20-01-00	38,554.46 F	23-07-00	45,611.24 F	27-01-00	52,669.59 F
16-08-00	31,668.75 F	20-02-00	38,722.40 F	23-08-00	45,779.30 F	27-02-00	52,837.65 F
16-09-00	31,836.70 F	20-03-00	38,890.35 F	23-09-00	45,947.35 F	27-03-00	53,005.71 F
16-10-00	32,004.64 F	20-04-00	39,058.29 F	23-10-00	46,115.41 F	27-04-00	53,173.76 F
16-11-00	32,172.59 F	20-05-00	39,226.23 F	23-11-00	46,283.47 F	27-05-00	53,341.82 F
17-00-00	32,340.53 F	20-06-00	39,394.18 F	24-00-00	46,451.52 F	27-06-00	53,509.87 F
17-01-00	32,508.47 F	20-07-00	39,562.12 F	24-01-00	46,619.58 F	27-07-00	53,677.93 F
17-02-00	32,676.42 F	20-08-00	39,730.07 F	24-02-00	46,787.63 F	27-08-00	53,845.99 F
17-03-00	32,844.36 F	20-09-00	39,898.01 F	24-03-00	46,955.69 F	27-09-00	54,014.04 F
17-04-00	33,012.31 F	20-10-00	40,065.95 F	24-04-00	47,123.75 F	27-10-00	54,182.10 F
17-05-00	33,180.25 F	20-11-00	40,233.90 F	24-05-00	47,291.80 F	27-11-00	54,350.15 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P120-007** Tank Type **F** Roof Weight **138,300** API **45.00** Gravity Correction **2.80**
 Strapped By: **HMTT** 5/20/2019 Floating Height **6-07-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
28-00-00	54,518.21 F	31-06-00	61,576.89 F	35-00-00	68,638.74 F	38-06-00	75,700.59 F
28-01-00	54,686.27 F	31-07-00	61,745.03 F	35-01-00	68,806.88 F	38-07-00	75,868.73 F
28-02-00	54,854.32 F	31-08-00	61,913.17 F	35-02-00	68,975.02 F	38-08-00	76,036.87 F
28-03-00	55,022.38 F	31-09-00	62,081.31 F	35-03-00	69,143.16 F	38-09-00	76,205.01 F
28-04-00	55,190.43 F	31-10-00	62,249.45 F	35-04-00	69,311.30 F	38-10-00	76,373.14 F
28-05-00	55,358.49 F	31-11-00	62,417.59 F	35-05-00	69,479.44 F	38-11-00	76,541.28 F
28-06-00	55,526.55 F	32-00-00	62,585.73 F	35-06-00	69,647.58 F	39-00-00	76,709.42 F
28-07-00	55,694.60 F	32-01-00	62,753.87 F	35-07-00	69,815.72 F	39-01-00	76,877.56 F
28-08-00	55,862.66 F	32-02-00	62,922.01 F	35-08-00	69,983.85 F	39-02-00	77,045.70 F
28-09-00	56,030.71 F	32-03-00	63,090.15 F	35-09-00	70,151.99 F	39-03-00	77,213.84 F
28-10-00	56,198.77 F	32-04-00	63,258.29 F	35-10-00	70,320.13 F	39-04-00	77,381.98 F
28-11-00	56,366.83 F	32-05-00	63,426.43 F	35-11-00	70,488.27 F	39-05-00	77,550.12 F
29-00-00	56,534.88 F	32-06-00	63,594.57 F	36-00-00	70,656.41 F	39-06-00	77,718.26 F
29-01-00	56,702.94 F	32-07-00	63,762.70 F	36-01-00	70,824.55 F	39-07-00	77,886.40 F
29-02-00	56,870.99 F	32-08-00	63,930.84 F	36-02-00	70,992.69 F	39-08-00	78,054.54 F
29-03-00	57,039.05 F	32-09-00	64,098.98 F	36-03-00	71,160.83 F	39-09-00	78,222.68 F
29-04-00	57,207.11 F	32-10-00	64,267.12 F	36-04-00	71,328.97 F	39-10-00	78,390.81 F
29-05-00	57,375.16 F	32-11-00	64,435.26 F	36-05-00	71,497.11 F	39-11-00	78,558.95 F
29-06-00	57,543.22 F	33-00-00	64,603.40 F	36-06-00	71,665.25 F	40-00-00	78,727.09 F
29-07-00	57,711.27 F	33-01-00	64,771.54 F	36-07-00	71,833.39 F	40-01-00	78,895.23 F
29-08-00	57,879.33 F	33-02-00	64,939.68 F	36-08-00	72,001.53 F	40-02-00	79,063.37 F
29-09-00	58,047.39 F	33-03-00	65,107.82 F	36-09-00	72,169.66 F	40-03-00	79,231.51 F
29-10-00	58,215.44 F	33-04-00	65,275.96 F	36-10-00	72,337.80 F	40-04-00	79,399.65 F
29-11-00	58,383.50 F	33-05-00	65,444.10 F	36-11-00	72,505.94 F	40-05-00	79,567.79 F
30-00-00	58,551.55 F	33-06-00	65,612.24 F	37-00-00	72,674.08 F	40-06-00	79,735.93 F
30-01-00	58,719.61 F	33-07-00	65,780.37 F	37-01-00	72,842.22 F	40-07-00	79,904.07 F
30-02-00	58,887.67 F	33-08-00	65,948.51 F	37-02-00	73,010.36 F	40-08-00	80,072.21 F
30-03-00	59,055.72 F	33-09-00	66,116.65 F	37-03-00	73,178.50 F	40-09-00	80,240.35 F
30-04-00	59,223.78 F	33-10-00	66,284.79 F	37-04-00	73,346.64 F	40-10-00	80,408.49 F
30-05-00	59,391.83 F	33-11-00	66,452.93 F	37-05-00	73,514.78 F	40-11-00	80,576.62 F
30-06-00	59,559.89 F	34-00-00	66,621.07 F	37-06-00	73,682.92 F	41-00-00	80,744.76 F
30-07-00	59,727.95 F	34-01-00	66,789.21 F	37-07-00	73,851.06 F	41-01-00	80,912.90 F
30-08-00	59,896.00 F	34-02-00	66,957.35 F	37-08-00	74,019.20 F	41-02-00	81,081.00 F
30-09-00	60,064.06 F	34-03-00	67,125.49 F	37-09-00	74,187.33 F	41-03-00	81,249.09 F
30-10-00	60,232.11 F	34-04-00	67,293.63 F	37-10-00	74,355.47 F	41-04-00	81,417.18 F
30-11-00	60,400.17 F	34-05-00	67,461.77 F	37-11-00	74,523.61 F	41-05-00	81,585.27 F
31-00-00	60,568.23 F	34-06-00	67,629.91 F	38-00-00	74,691.75 F	41-06-00	81,753.37 F
31-01-00	60,736.28 F	34-07-00	67,798.05 F	38-01-00	74,859.89 F	41-07-00	81,921.46 F
31-02-00	60,904.34 F	34-08-00	67,966.18 F	38-02-00	75,028.03 F	41-08-00	82,089.55 F
31-03-00	61,072.48 F	34-09-00	68,134.32 F	38-03-00	75,196.17 F	41-09-00	82,257.65 F
31-04-00	61,240.62 F	34-10-00	68,302.46 F	38-04-00	75,364.31 F	41-10-00	82,425.74 F
31-05-00	61,408.76 F	34-11-00	68,470.60 F	38-05-00	75,532.45 F	41-11-00	82,593.83 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P120-007** Tank Type **F** Roof Weight **138,300** API **45.00** Gravity Correction **2.80**
 Strapped By: **HMTT** 5/20/2019 Floating Height **6-07-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
42-00-00	82,761.92 F	45-06-00	89,821.82 F	49-00-00	96,881.72 F	52-06-00	103,942.80 F
42-01-00	82,930.02 F	45-07-00	89,989.91 F	49-01-00	97,049.81 F	52-07-00	104,110.96 F
42-02-00	83,098.11 F	45-08-00	90,158.01 F	49-02-00	97,217.90 F	52-08-00	104,279.11 F
42-03-00	83,266.20 F	45-09-00	90,326.10 F	49-03-00	97,386.00 F	52-09-00	104,447.27 F
42-04-00	83,434.29 F	45-10-00	90,494.19 F	49-04-00	97,554.09 F	52-10-00	104,615.43 F
42-05-00	83,602.39 F	45-11-00	90,662.29 F	49-05-00	97,722.18 F	52-11-00	104,783.59 F
42-06-00	83,770.48 F	46-00-00	90,830.38 F	49-06-00	97,890.28 F	53-00-00	104,951.75 F
42-07-00	83,938.57 F	46-01-00	90,998.47 F	49-07-00	98,058.37 F	53-01-00	105,119.91 F
42-08-00	84,106.67 F	46-02-00	91,166.56 F	49-08-00	98,226.46 F	53-02-00	105,288.06 F
42-09-00	84,274.76 F	46-03-00	91,334.66 F	49-09-00	98,394.55 F	53-03-00	105,456.22 F
42-10-00	84,442.85 F	46-04-00	91,502.75 F	49-10-00	98,562.65 F	53-04-00	105,624.38 F
42-11-00	84,610.94 F	46-05-00	91,670.84 F	49-11-00	98,730.74 F	53-05-00	105,792.54 F
43-00-00	84,779.04 F	46-06-00	91,838.93 F	50-00-00	98,898.83 F	53-06-00	105,960.70 F
43-01-00	84,947.13 F	46-07-00	92,007.03 F	50-01-00	99,066.93 F	53-07-00	106,128.86 F
43-02-00	85,115.22 F	46-08-00	92,175.12 F	50-02-00	99,235.02 F	53-08-00	106,297.01 F
43-03-00	85,283.32 F	46-09-00	92,343.21 F	50-03-00	99,403.11 F	53-09-00	106,465.17 F
43-04-00	85,451.41 F	46-10-00	92,511.31 F	50-04-00	99,571.20 F	53-10-00	106,633.33 F
43-05-00	85,619.50 F	46-11-00	92,679.40 F	50-05-00	99,739.30 F	53-11-00	106,801.49 F
43-06-00	85,787.59 F	47-00-00	92,847.49 F	50-06-00	99,907.39 F	54-00-00	106,969.65 F
43-07-00	85,955.69 F	47-01-00	93,015.58 F	50-07-00	100,075.48 F	54-01-00	107,137.81 F
43-08-00	86,123.78 F	47-02-00	93,183.68 F	50-08-00	100,243.57 F	54-02-00	107,305.97 F
43-09-00	86,291.87 F	47-03-00	93,351.77 F	50-09-00	100,411.67 F	54-03-00	107,474.12 F
43-10-00	86,459.97 F	47-04-00	93,519.86 F	50-10-00	100,579.76 F	54-04-00	107,642.28 F
43-11-00	86,628.06 F	47-05-00	93,687.96 F	50-11-00	100,747.85 F	54-05-00	107,810.44 F
44-00-00	86,796.15 F	47-06-00	93,856.05 F	51-00-00	100,915.95 F	54-06-00	107,978.60 F
44-01-00	86,964.24 F	47-07-00	94,024.14 F	51-01-00	101,084.10 F	54-07-00	108,146.76 F
44-02-00	87,132.34 F	47-08-00	94,192.23 F	51-02-00	101,252.26 F	54-08-00	108,314.92 F
44-03-00	87,300.43 F	47-09-00	94,360.33 F	51-03-00	101,420.42 F	54-09-00	108,483.07 F
44-04-00	87,468.52 F	47-10-00	94,528.42 F	51-04-00	101,588.58 F	54-10-00	108,651.23 F
44-05-00	87,636.61 F	47-11-00	94,696.51 F	51-05-00	101,756.74 F	54-11-00	108,819.39 F
44-06-00	87,804.71 F	48-00-00	94,864.61 F	51-06-00	101,924.90 F	55-00-00	108,987.55 F
44-07-00	87,972.80 F	48-01-00	95,032.70 F	51-07-00	102,093.05 F	55-01-00	109,155.71 F
44-08-00	88,140.89 F	48-02-00	95,200.79 F	51-08-00	102,261.21 F	55-02-00	109,323.87 F
44-09-00	88,308.99 F	48-03-00	95,368.88 F	51-09-00	102,429.37 F	55-03-00	109,492.02 F
44-10-00	88,477.08 F	48-04-00	95,536.98 F	51-10-00	102,597.53 F	55-04-00	109,660.18 F
44-11-00	88,645.17 F	48-05-00	95,705.07 F	51-11-00	102,765.69 F	55-05-00	109,828.34 F
45-00-00	88,813.26 F	48-06-00	95,873.16 F	52-00-00	102,933.85 F	55-06-00	109,996.50 F
45-01-00	88,981.36 F	48-07-00	96,041.25 F	52-01-00	103,102.01 F	55-07-00	110,164.66 F
45-02-00	89,149.45 F	48-08-00	96,209.35 F	52-02-00	103,270.16 F	55-08-00	110,332.82 F
45-03-00	89,317.54 F	48-09-00	96,377.44 F	52-03-00	103,438.32 F	55-09-00	110,500.97 F
45-04-00	89,485.64 F	48-10-00	96,545.53 F	52-04-00	103,606.48 F	55-10-00	110,669.13 F
45-05-00	89,653.73 F	48-11-00	96,713.63 F	52-05-00	103,774.64 F	55-11-00	110,837.29 F

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE

Tank ID **P120-007** Tank Type **F** Roof Weight **138,300** API **45.00** Gravity Correction **2.80**
 Strapped By: HMTT 5/20/2019 Floating Height **6-07-00**

<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>	<u>FT-IN-8th</u>	<u>Barrels</u>
56-00-00	111,005.45 F	59-06-00	118,068.84 F	63-00-00	125,134.32 F		
56-01-00	111,173.61 F	59-07-00	118,237.07 F	63-01-00	125,302.54 F		
56-02-00	111,341.77 F	59-08-00	118,405.29 F	63-02-00	125,470.77 F		
56-03-00	111,509.93 F	59-09-00	118,573.52 F	63-03-00	125,638.99 F		
56-04-00	111,678.08 F	59-10-00	118,741.74 F	63-04-00	125,807.22 F		
56-05-00	111,846.24 F	59-11-00	118,909.97 F	63-05-00	125,975.45 F		
56-06-00	112,014.40 F	60-00-00	119,078.20 F	63-06-00	126,143.67 F		
56-07-00	112,182.56 F	60-01-00	119,246.42 F	63-07-00	126,311.90 F		
56-08-00	112,350.72 F	60-02-00	119,414.65 F	63-08-00	126,480.12 F		
56-09-00	112,518.88 F	60-03-00	119,582.87 F	63-09-00	126,648.35 F		
56-10-00	112,687.03 F	60-04-00	119,751.10 F	63-10-00	126,816.57 F		
56-11-00	112,855.19 F	60-05-00	119,919.32 F	63-11-00	126,984.80 F		
57-00-00	113,023.35 F	60-06-00	120,087.55 F	64-00-00	127,153.02 F		
57-01-00	113,191.51 F	60-07-00	120,255.77 F	64-01-00	127,321.25 F		
57-02-00	113,359.67 F	60-08-00	120,424.00 F	64-02-00	127,489.48 F		
57-03-00	113,527.83 F	60-09-00	120,592.23 F	64-03-00	127,657.70 F		
57-04-00	113,695.98 F	60-10-00	120,760.45 F	64-04-00	127,825.93 F		
57-05-00	113,864.14 F	60-11-00	120,928.68 F	64-05-00	127,994.15 F		
57-06-00	114,032.30 F	61-00-00	121,096.90 F	64-06-00	128,162.38 F		
57-07-00	114,200.46 F	61-01-00	121,265.13 F	64-07-00	128,330.60 F		
57-08-00	114,368.62 F	61-02-00	121,433.35 F	64-08-00	128,498.83 F		
57-09-00	114,536.78 F	61-03-00	121,601.58 F	64-09-00	128,667.05 F		
57-10-00	114,704.93 F	61-04-00	121,769.81 F	64-10-00	128,835.28 F		
57-11-00	114,873.09 F	61-05-00	121,938.03 F	64-11-00	129,003.51 F		
58-00-00	115,041.25 F	61-06-00	122,106.26 F	65-00-00	129,171.73 F		
58-01-00	115,209.41 F	61-07-00	122,274.48 F	65-01-00	129,339.96 F		
58-02-00	115,377.57 F	61-08-00	122,442.71 F	65-02-00	129,508.18 F		
58-03-00	115,545.73 F	61-09-00	122,610.93 F	65-03-00	129,676.41 F		
58-04-00	115,713.89 F	61-10-00	122,779.16 F	65-04-00	129,844.63 F		
58-05-00	115,882.04 F	61-11-00	122,947.38 F	65-05-00	130,012.86 F		
58-06-00	116,050.20 F	62-00-00	123,115.61 F	65-06-00	130,181.09 F		
58-07-00	116,218.36 F	62-01-00	123,283.84 F	65-07-00	130,349.31 F		
58-08-00	116,386.59 F	62-02-00	123,452.06 F	65-08-00	130,517.54 F		
58-09-00	116,554.81 F	62-03-00	123,620.29 F	65-09-00	130,685.76 F		
58-10-00	116,723.04 F	62-04-00	123,788.51 F	65-10-00	130,853.99 F		
58-11-00	116,891.26 F	62-05-00	123,956.74 F	65-11-00	131,022.21 F		
59-00-00	117,059.49 F	62-06-00	124,124.96 F	66-00-00	131,190.44 F		
59-01-00	117,227.71 F	62-07-00	124,293.19 F	66-01-00	131,358.66 F		
59-02-00	117,395.94 F	62-08-00	124,461.41 F	66-02-00	131,526.89 F		
59-03-00	117,564.17 F	62-09-00	124,629.64 F	66-03-00	131,695.12 F		
59-04-00	117,732.39 F	62-10-00	124,797.87 F	66-04-00	131,863.34 F		
59-05-00	117,900.62 F	62-11-00	124,966.09 F	66-05-00	132,031.57 F		

All fractional values are to be calculated between the one inch values at the point of strapping

BOLD DENOTES ROOF CRITICAL ZONE