Tank ID **P120-026** Tank Type **F** Roof Weight **145,083** API **45.00** Gravity Correction **2.94**

Strapped By: HMTT 1/29/2025 Posted Height 80-08-02 Top Off Height 69-00-00 Low Gauge 7-7-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 0-00-00 | 26.85 | 3-06-00 | 5,107.86 | 7-00-00 | 10,733.63 F | 10-06-00 | 16,874.46 F |
| 0-01-00 | 41.65 | 3-07-00 | 5,254.16 | 7-01-00 | 10,879.84 F | 10-07-00 | 17,020.67 F |
| 0-02-00 | 61.04 | 3-08-00 | 5,400.45 | 7-02-00 | 11,026.05 F | 10-08-00 | 17,166.89 F |
| 0-03-00 | 87.57 | 3-09-00 | 5,546.74 | 7-03-00 | 11,172.26 F | 10-09-00 | 17,313.12 F |
| 0-04-00 | 123.27 | 3-10-00 | 5,693.05 | 7-04-00 | 11,318.47 F | 10-10-00 | 17,459.45 F |
| 0-05-00 | 167.90 | 3-11-00 | 5,839.37 | 7-05-00 | 11,464.68 F | 10-11-00 | 17,605.77 F |
| 0-06-00 | 222.59 | 4-00-00 | 5,985.68 | 7-06-00 | 11,610.89 F | 11-00-00 | 17,752.10 F |
| 0-07-00 | 287.21 | 4-01-00 | 6,132.00 | 7-07-00 | 11,757.10 F | 11-01-00 | 17,898.42 F |
| 0-08-00 | 362.46 | 4-02-00 | 6,278.32 | 7-08-00 | 11,903.31 F | 11-02-00 | 18,044.74 F |
| 0-09-00 | 444.74 | 4-03-00 | 6,424.64 | 7-09-00 | 12,049.52 F | 11-03-00 | 18,191.07 F |
| 0-10-00 | 535.73 | 4-04-00 | 6,570.95 | 7-10-00 | 12,195.73 F | 11-04-00 | 18,337.39 F |
| 0-11-00 | 638.37 | 4-05-00 | 6,717.27 | 7-11-00 | 12,341.94 F | 11-05-00 | 18,483.72 F |
| 1-00-00 | 748.93 | 4-06-00 | 6,863.59 | 8-00-00 | 12,488.15 F | 11-06-00 | 18,630.04 F |
| 1-01-00 | 875.04 | 4-07-00 | 7,009.91 | 8-01-00 | 12,634.36 F | 11-07-00 | 18,776.36 F |
| 1-02-00 | 1,014.43 | 4-08-00 | 7,156.22 | 8-02-00 | 12,780.57 F | 11-08-00 | 18,922.69 F |
| 1-03-00 | 1,160.64 | 4-09-00 | 7,302.54 | 8-03-00 | 12,926.78 F | 11-09-00 | 19,069.01 F |
| 1-04-00 | 1,306.85 | 4-10-00 | 7,448.86 | 8-04-00 | 13,072.99 F | 11-10-00 | 19,215.34 F |
| 1-05-00 | 1,453.06 | 4-11-00 | 7,595.18 | 8-05-00 | 13,219.20 F | 11-11-00 | 19,361.66 F |
| 1-06-00 | 1,599.27 | 5-00-00 | 7,741.50 | 8-06-00 | 13,365.41 F | 12-00-00 | 19,507.98 F |
| 1-07-00 | 1,745.46 | 5-01-00 | 7,887.81 | 8-07-00 | 13,511.63 F | 12-01-00 | 19,654.31 F |
| 1-08-00 | 1,891.64 | 5-02-00 | 8,034.13 | 8-08-00 | 13,657.84 F | 12-02-00 | 19,800.63 F |
| 1-09-00 | 2,037.82 | 5-03-00 | 8,180.45 | 8-09-00 | 13,804.05 F | 12-03-00 | 19,946.96 F |
| 1-10-00 | 2,183.99 | 5-04-00 | 8,326.77 | 8-10-00 | 13,950.26 F | 12-04-00 | 20,093.28 F |
| 1-11-00 | 2,330.19 | 5-05-00 | 8,473.08 | 8-11-00 | 14,096.47 F | 12-05-00 | 20,239.60 F |
| 2-00-00 | 2,476.40 | 5-06-00 | 8,619.35 | 9-00-00 | 14,242.68 F | 12-06-00 | 20,385.93 F |
| 2-01-00 | 2,622.61 | 5-07-00 | 8,765.56 | 9-01-00 | 14,388.89 F | 12-07-00 | 20,532.25 F |
| 2-02-00 | 2,768.82 | 5-08-00 | 8,911.77 | 9-02-00 | 14,535.10 F | 12-08-00 | 20,678.58 F |
| 2-03-00 | 2,915.03 | 5-09-00 | 9,057.98 | 9-03-00 | 14,681.31 F | 12-09-00 | 20,824.90 F |
| 2-04-00 | 3,061.24 | 5-10-00 | 9,204.19 | 9-04-00 | 14,827.52 F | 12-10-00 | 20,971.22 F |
| 2-05-00 | 3,207.45 | 5-11-00 | 9,350.40 | 9-05-00 | 14,973.73 F | 12-11-00 | 21,117.55 F |
| 2-06-00 | 3,353.65 | 6-00-00 | 9,496.61 | 9-06-00 | 15,119.94 F | 13-00-00 | 21,263.87 F |
| 2-07-00 | 3,499.84 | 6-01-00 | 9,642.82 | 9-07-00 | 15,266.15 F | 13-01-00 | 21,410.20 F |
| 2-08-00 | 3,646.08 | 6-02-00 | 9,789.03 | 9-08-00 | 15,412.36 F | 13-02-00 | 21,556.52 F |
| 2-09-00 | 3,792.30 | 6-03-00 | 9,935.24 | 9-09-00 | 15,558.57 F | 13-03-00 | 21,702.84 F |
| 2-10-00 | 3,938.44 | 6-04-00 | 10,081.45 | 9-10-00 | 15,704.78 F | 13-04-00 | 21,849.17 F |
| 2-11-00 | 4,084.59 | **6-05-00** | 10,227.66 F | 9-11-00 | 15,850.99 F | 13-05-00 | 21,995.49 F |
| 3-00-00 | 4,230.75 | **6-06-00** | 10,266.93 F | 10-00-00 | 15,997.20 F | 13-06-00 | 22,141.82 F |
| 3-01-00 | 4,376.90 | **6-07-00** | 10,270.55 F | 10-01-00 | 16,143.41 F | 13-07-00 | 22,288.14 F |
| 3-02-00 | 4,523.05 | **6-08-00** | 10,274.17 F | 10-02-00 | 16,289.62 F | 13-08-00 | 22,434.46 F |
| 3-03-00 | 4,669.20 | **6-09-00** | 10,295.00 F | 10-03-00 | 16,435.83 F | 13-09-00 | 22,580.79 F |
| 3-04-00 | 4,815.35 | 6-10-00 | 10,441.21 F | 10-04-00 | 16,582.04 F | 13-10-00 | 22,727.11 F |
| 3-05-00 | 4,961.57 | 6-11-00 | 10,587.42 F | 10-05-00 | 16,728.25 F | 13-11-00 | 22,873.44 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **P120-026** Tank Type **F** Roof Weight **145,083** API **45.00** Gravity Correction **2.94**

Strapped By: HMTT 1/29/2025 Posted Height 80-08-02 Top Off Height 69-00-00 Low Gauge 7-7-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 14-00-00 | 23,019.76 F | 17-06-00 | 29,165.37 F | 21-00-00 | 35,311.43 F | 24-06-00 | 41,461.17 F |
| 14-01-00 | 23,166.08 F | 17-07-00 | 29,311.69 F | 21-01-00 | 35,457.85 F | 24-07-00 | 41,607.59 F |
| 14-02-00 | 23,312.41 F | 17-08-00 | 29,458.02 F | 21-02-00 | 35,604.28 F | 24-08-00 | 41,754.02 F |
| 14-03-00 | 23,458.73 F | 17-09-00 | 29,604.34 F | 21-03-00 | 35,750.70 F | 24-09-00 | 41,900.44 F |
| 14-04-00 | 23,605.06 F | 17-10-00 | 29,750.66 F | 21-04-00 | 35,897.12 F | 24-10-00 | 42,046.86 F |
| 14-05-00 | 23,751.38 F | 17-11-00 | 29,896.99 F | 21-05-00 | 36,043.54 F | 24-11-00 | 42,193.28 F |
| 14-06-00 | 23,897.70 F | 18-00-00 | 30,043.31 F | 21-06-00 | 36,189.97 F | 25-00-00 | 42,339.71 F |
| 14-07-00 | 24,044.03 F | 18-01-00 | 30,189.64 F | 21-07-00 | 36,336.39 F | 25-01-00 | 42,486.13 F |
| 14-08-00 | 24,190.35 F | 18-02-00 | 30,335.96 F | 21-08-00 | 36,482.81 F | 25-02-00 | 42,632.55 F |
| 14-09-00 | 24,336.68 F | 18-03-00 | 30,482.28 F | 21-09-00 | 36,629.23 F | 25-03-00 | 42,778.97 F |
| 14-10-00 | 24,483.00 F | 18-04-00 | 30,628.61 F | 21-10-00 | 36,775.66 F | 25-04-00 | 42,925.40 F |
| 14-11-00 | 24,629.32 F | 18-05-00 | 30,774.93 F | 21-11-00 | 36,922.08 F | 25-05-00 | 43,071.82 F |
| 15-00-00 | 24,775.65 F | 18-06-00 | 30,921.26 F | 22-00-00 | 37,068.50 F | 25-06-00 | 43,218.24 F |
| 15-01-00 | 24,921.97 F | 18-07-00 | 31,067.58 F | 22-01-00 | 37,214.92 F | 25-07-00 | 43,364.66 F |
| 15-02-00 | 25,068.30 F | 18-08-00 | 31,213.90 F | 22-02-00 | 37,361.34 F | 25-08-00 | 43,511.09 F |
| 15-03-00 | 25,214.62 F | 18-09-00 | 31,360.23 F | 22-03-00 | 37,507.77 F | 25-09-00 | 43,657.51 F |
| 15-04-00 | 25,360.94 F | 18-10-00 | 31,506.55 F | 22-04-00 | 37,654.19 F | 25-10-00 | 43,803.93 F |
| 15-05-00 | 25,507.27 F | 18-11-00 | 31,652.88 F | 22-05-00 | 37,800.61 F | 25-11-00 | 43,950.35 F |
| 15-06-00 | 25,653.59 F | 19-00-00 | 31,799.20 F | 22-06-00 | 37,947.03 F | 26-00-00 | 44,096.78 F |
| 15-07-00 | 25,799.92 F | 19-01-00 | 31,945.52 F | 22-07-00 | 38,093.46 F | 26-01-00 | 44,243.20 F |
| 15-08-00 | 25,946.24 F | 19-02-00 | 32,091.85 F | 22-08-00 | 38,239.88 F | 26-02-00 | 44,389.62 F |
| 15-09-00 | 26,092.56 F | 19-03-00 | 32,238.17 F | 22-09-00 | 38,386.30 F | 26-03-00 | 44,536.04 F |
| 15-10-00 | 26,238.89 F | 19-04-00 | 32,384.50 F | 22-10-00 | 38,532.72 F | 26-04-00 | 44,682.46 F |
| 15-11-00 | 26,385.21 F | 19-05-00 | 32,530.82 F | 22-11-00 | 38,679.15 F | 26-05-00 | 44,828.89 F |
| 16-00-00 | 26,531.54 F | 19-06-00 | 32,677.14 F | 23-00-00 | 38,825.57 F | 26-06-00 | 44,975.31 F |
| 16-01-00 | 26,677.86 F | 19-07-00 | 32,823.47 F | 23-01-00 | 38,971.99 F | 26-07-00 | 45,121.73 F |
| 16-02-00 | 26,824.18 F | 19-08-00 | 32,969.79 F | 23-02-00 | 39,118.41 F | 26-08-00 | 45,268.15 F |
| 16-03-00 | 26,970.51 F | 19-09-00 | 33,116.12 F | 23-03-00 | 39,264.84 F | 26-09-00 | 45,414.58 F |
| 16-04-00 | 27,116.83 F | 19-10-00 | 33,262.44 F | 23-04-00 | 39,411.26 F | 26-10-00 | 45,561.00 F |
| 16-05-00 | 27,263.16 F | 19-11-00 | 33,408.76 F | 23-05-00 | 39,557.68 F | 26-11-00 | 45,707.42 F |
| 16-06-00 | 27,409.48 F | 20-00-00 | 33,555.09 F | 23-06-00 | 39,704.10 F | 27-00-00 | 45,853.84 F |
| 16-07-00 | 27,555.80 F | 20-01-00 | 33,701.41 F | 23-07-00 | 39,850.53 F | 27-01-00 | 46,000.27 F |
| 16-08-00 | 27,702.13 F | 20-02-00 | 33,847.74 F | 23-08-00 | 39,996.95 F | 27-02-00 | 46,146.69 F |
| 16-09-00 | 27,848.45 F | 20-03-00 | 33,994.06 F | 23-09-00 | 40,143.37 F | 27-03-00 | 46,293.11 F |
| 16-10-00 | 27,994.78 F | 20-04-00 | 34,140.38 F | 23-10-00 | 40,289.79 F | 27-04-00 | 46,439.53 F |
| 16-11-00 | 28,141.10 F | 20-05-00 | 34,286.71 F | 23-11-00 | 40,436.22 F | 27-05-00 | 46,585.96 F |
| 17-00-00 | 28,287.42 F | 20-06-00 | 34,433.03 F | 24-00-00 | 40,582.64 F | 27-06-00 | 46,732.38 F |
| 17-01-00 | 28,433.75 F | 20-07-00 | 34,579.36 F | 24-01-00 | 40,729.06 F | 27-07-00 | 46,878.80 F |
| 17-02-00 | 28,580.07 F | 20-08-00 | 34,725.74 F | 24-02-00 | 40,875.48 F | 27-08-00 | 47,025.22 F |
| 17-03-00 | 28,726.40 F | 20-09-00 | 34,872.16 F | 24-03-00 | 41,021.90 F | 27-09-00 | 47,171.65 F |
| 17-04-00 | 28,872.72 F | 20-10-00 | 35,018.59 F | 24-04-00 | 41,168.33 F | 27-10-00 | 47,318.07 F |
| 17-05-00 | 29,019.04 F | 20-11-00 | 35,165.01 F | 24-05-00 | 41,314.75 F | 27-11-00 | 47,464.49 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **P120-026** Tank Type **F** Roof Weight **145,083** API **45.00** Gravity Correction **2.94**

Strapped By: HMTT 1/29/2025 Posted Height 80-08-02 Top Off Height 69-00-00 Low Gauge 7-7-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 28-00-00 | 47,610.91 F | 31-06-00 | 53,761.40 F | 35-00-00 | 59,913.76 F | 38-06-00 | 66,066.13 F |
| 28-01-00 | 47,757.34 F | 31-07-00 | 53,907.89 F | 35-01-00 | 60,060.25 F | 38-07-00 | 66,212.61 F |
| 28-02-00 | 47,903.76 F | 31-08-00 | 54,054.37 F | 35-02-00 | 60,206.73 F | 38-08-00 | 66,359.10 F |
| 28-03-00 | 48,050.18 F | 31-09-00 | 54,200.86 F | 35-03-00 | 60,353.22 F | 38-09-00 | 66,505.58 F |
| 28-04-00 | 48,196.60 F | 31-10-00 | 54,347.34 F | 35-04-00 | 60,499.70 F | 38-10-00 | 66,652.06 F |
| 28-05-00 | 48,343.02 F | 31-11-00 | 54,493.83 F | 35-05-00 | 60,646.19 F | 38-11-00 | 66,798.55 F |
| 28-06-00 | 48,489.45 F | 32-00-00 | 54,640.31 F | 35-06-00 | 60,792.67 F | 39-00-00 | 66,945.03 F |
| 28-07-00 | 48,635.87 F | 32-01-00 | 54,786.80 F | 35-07-00 | 60,939.16 F | 39-01-00 | 67,091.52 F |
| 28-08-00 | 48,782.29 F | 32-02-00 | 54,933.28 F | 35-08-00 | 61,085.64 F | 39-02-00 | 67,238.00 F |
| 28-09-00 | 48,928.71 F | 32-03-00 | 55,079.77 F | 35-09-00 | 61,232.13 F | 39-03-00 | 67,384.49 F |
| 28-10-00 | 49,075.14 F | 32-04-00 | 55,226.25 F | 35-10-00 | 61,378.61 F | 39-04-00 | 67,530.97 F |
| 28-11-00 | 49,221.56 F | 32-05-00 | 55,372.74 F | 35-11-00 | 61,525.10 F | 39-05-00 | 67,677.46 F |
| 29-00-00 | 49,367.98 F | 32-06-00 | 55,519.22 F | 36-00-00 | 61,671.58 F | 39-06-00 | 67,823.94 F |
| 29-01-00 | 49,514.40 F | 32-07-00 | 55,665.70 F | 36-01-00 | 61,818.07 F | 39-07-00 | 67,970.43 F |
| 29-02-00 | 49,660.83 F | 32-08-00 | 55,812.19 F | 36-02-00 | 61,964.55 F | 39-08-00 | 68,116.91 F |
| 29-03-00 | 49,807.25 F | 32-09-00 | 55,958.67 F | 36-03-00 | 62,111.04 F | 39-09-00 | 68,263.40 F |
| 29-04-00 | 49,953.67 F | 32-10-00 | 56,105.16 F | 36-04-00 | 62,257.52 F | 39-10-00 | 68,409.88 F |
| 29-05-00 | 50,100.09 F | 32-11-00 | 56,251.64 F | 36-05-00 | 62,404.01 F | 39-11-00 | 68,556.37 F |
| 29-06-00 | 50,246.52 F | 33-00-00 | 56,398.13 F | 36-06-00 | 62,550.49 F | 40-00-00 | 68,702.85 F |
| 29-07-00 | 50,392.94 F | 33-01-00 | 56,544.61 F | 36-07-00 | 62,696.98 F | 40-01-00 | 68,849.34 F |
| 29-08-00 | 50,539.36 F | 33-02-00 | 56,691.10 F | 36-08-00 | 62,843.46 F | 40-02-00 | 68,995.82 F |
| 29-09-00 | 50,685.78 F | 33-03-00 | 56,837.58 F | 36-09-00 | 62,989.94 F | 40-03-00 | 69,142.31 F |
| 29-10-00 | 50,832.21 F | 33-04-00 | 56,984.07 F | 36-10-00 | 63,136.43 F | 40-04-00 | 69,288.79 F |
| 29-11-00 | 50,978.63 F | 33-05-00 | 57,130.55 F | 36-11-00 | 63,282.91 F | 40-05-00 | 69,435.28 F |
| 30-00-00 | 51,125.05 F | 33-06-00 | 57,277.04 F | 37-00-00 | 63,429.40 F | 40-06-00 | 69,581.83 F |
| 30-01-00 | 51,271.47 F | 33-07-00 | 57,423.52 F | 37-01-00 | 63,575.88 F | 40-07-00 | 69,728.41 F |
| 30-02-00 | 51,417.90 F | 33-08-00 | 57,570.01 F | 37-02-00 | 63,722.37 F | 40-08-00 | 69,874.99 F |
| 30-03-00 | 51,564.32 F | 33-09-00 | 57,716.49 F | 37-03-00 | 63,868.85 F | 40-09-00 | 70,021.57 F |
| 30-04-00 | 51,710.74 F | 33-10-00 | 57,862.98 F | 37-04-00 | 64,015.34 F | 40-10-00 | 70,168.15 F |
| 30-05-00 | 51,857.16 F | 33-11-00 | 58,009.46 F | 37-05-00 | 64,161.82 F | 40-11-00 | 70,314.73 F |
| 30-06-00 | 52,003.58 F | 34-00-00 | 58,155.95 F | 37-06-00 | 64,308.31 F | 41-00-00 | 70,461.31 F |
| 30-07-00 | 52,150.07 F | 34-01-00 | 58,302.43 F | 37-07-00 | 64,454.79 F | 41-01-00 | 70,607.89 F |
| 30-08-00 | 52,296.55 F | 34-02-00 | 58,448.92 F | 37-08-00 | 64,601.28 F | 41-02-00 | 70,754.47 F |
| 30-09-00 | 52,443.04 F | 34-03-00 | 58,595.40 F | 37-09-00 | 64,747.76 F | 41-03-00 | 70,901.05 F |
| 30-10-00 | 52,589.52 F | 34-04-00 | 58,741.89 F | 37-10-00 | 64,894.25 F | 41-04-00 | 71,047.63 F |
| 30-11-00 | 52,736.01 F | 34-05-00 | 58,888.37 F | 37-11-00 | 65,040.73 F | 41-05-00 | 71,194.21 F |
| 31-00-00 | 52,882.49 F | 34-06-00 | 59,034.86 F | 38-00-00 | 65,187.22 F | 41-06-00 | 71,340.79 F |
| 31-01-00 | 53,028.98 F | 34-07-00 | 59,181.34 F | 38-01-00 | 65,333.70 F | 41-07-00 | 71,487.37 F |
| 31-02-00 | 53,175.46 F | 34-08-00 | 59,327.82 F | 38-02-00 | 65,480.19 F | 41-08-00 | 71,633.95 F |
| 31-03-00 | 53,321.95 F | 34-09-00 | 59,474.31 F | 38-03-00 | 65,626.67 F | 41-09-00 | 71,780.53 F |
| 31-04-00 | 53,468.43 F | 34-10-00 | 59,620.79 F | 38-04-00 | 65,773.16 F | 41-10-00 | 71,927.11 F |
| 31-05-00 | 53,614.92 F | 34-11-00 | 59,767.28 F | 38-05-00 | 65,919.64 F | 41-11-00 | 72,073.69 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **P120-026** Tank Type **F** Roof Weight **145,083** API **45.00** Gravity Correction **2.94**

Strapped By: HMTT 1/29/2025 Posted Height 80-08-02 Top Off Height 69-00-00 Low Gauge 7-7-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 42-00-00 | 72,220.27 F | 45-06-00 | 78,376.63 F | 49-00-00 | 84,532.99 F | 52-06-00 | 90,690.38 F |
| 42-01-00 | 72,366.85 F | 45-07-00 | 78,523.21 F | 49-01-00 | 84,679.57 F | 52-07-00 | 90,837.00 F |
| 42-02-00 | 72,513.43 F | 45-08-00 | 78,669.79 F | 49-02-00 | 84,826.15 F | 52-08-00 | 90,983.62 F |
| 42-03-00 | 72,660.01 F | 45-09-00 | 78,816.37 F | 49-03-00 | 84,972.73 F | 52-09-00 | 91,130.24 F |
| 42-04-00 | 72,806.59 F | 45-10-00 | 78,962.95 F | 49-04-00 | 85,119.31 F | 52-10-00 | 91,276.86 F |
| 42-05-00 | 72,953.17 F | 45-11-00 | 79,109.53 F | 49-05-00 | 85,265.89 F | 52-11-00 | 91,423.48 F |
| 42-06-00 | 73,099.75 F | 46-00-00 | 79,256.11 F | 49-06-00 | 85,412.47 F | 53-00-00 | 91,570.10 F |
| 42-07-00 | 73,246.33 F | 46-01-00 | 79,402.69 F | 49-07-00 | 85,559.05 F | 53-01-00 | 91,716.72 F |
| 42-08-00 | 73,392.91 F | 46-02-00 | 79,549.27 F | 49-08-00 | 85,705.63 F | 53-02-00 | 91,863.34 F |
| 42-09-00 | 73,539.49 F | 46-03-00 | 79,695.85 F | 49-09-00 | 85,852.21 F | 53-03-00 | 92,009.96 F |
| 42-10-00 | 73,686.07 F | 46-04-00 | 79,842.43 F | 49-10-00 | 85,998.79 F | 53-04-00 | 92,156.58 F |
| 42-11-00 | 73,832.65 F | 46-05-00 | 79,989.01 F | 49-11-00 | 86,145.37 F | 53-05-00 | 92,303.20 F |
| 43-00-00 | 73,979.23 F | 46-06-00 | 80,135.59 F | 50-00-00 | 86,291.95 F | 53-06-00 | 92,449.82 F |
| 43-01-00 | 74,125.81 F | 46-07-00 | 80,282.17 F | 50-01-00 | 86,438.53 F | 53-07-00 | 92,596.44 F |
| 43-02-00 | 74,272.39 F | 46-08-00 | 80,428.75 F | 50-02-00 | 86,585.11 F | 53-08-00 | 92,743.06 F |
| 43-03-00 | 74,418.97 F | 46-09-00 | 80,575.33 F | 50-03-00 | 86,731.69 F | 53-09-00 | 92,889.68 F |
| 43-04-00 | 74,565.55 F | 46-10-00 | 80,721.91 F | 50-04-00 | 86,878.27 F | 53-10-00 | 93,036.30 F |
| 43-05-00 | 74,712.13 F | 46-11-00 | 80,868.49 F | 50-05-00 | 87,024.88 F | 53-11-00 | 93,182.92 F |
| 43-06-00 | 74,858.71 F | 47-00-00 | 81,015.07 F | 50-06-00 | 87,171.50 F | 54-00-00 | 93,329.54 F |
| 43-07-00 | 75,005.29 F | 47-01-00 | 81,161.65 F | 50-07-00 | 87,318.12 F | 54-01-00 | 93,476.16 F |
| 43-08-00 | 75,151.87 F | 47-02-00 | 81,308.23 F | 50-08-00 | 87,464.74 F | 54-02-00 | 93,622.78 F |
| 43-09-00 | 75,298.45 F | 47-03-00 | 81,454.81 F | 50-09-00 | 87,611.36 F | 54-03-00 | 93,769.40 F |
| 43-10-00 | 75,445.03 F | 47-04-00 | 81,601.39 F | 50-10-00 | 87,757.98 F | 54-04-00 | 93,916.02 F |
| 43-11-00 | 75,591.61 F | 47-05-00 | 81,747.97 F | 50-11-00 | 87,904.60 F | 54-05-00 | 94,062.64 F |
| 44-00-00 | 75,738.19 F | 47-06-00 | 81,894.55 F | 51-00-00 | 88,051.22 F | 54-06-00 | 94,209.26 F |
| 44-01-00 | 75,884.77 F | 47-07-00 | 82,041.13 F | 51-01-00 | 88,197.84 F | 54-07-00 | 94,355.88 F |
| 44-02-00 | 76,031.35 F | 47-08-00 | 82,187.71 F | 51-02-00 | 88,344.46 F | 54-08-00 | 94,502.50 F |
| 44-03-00 | 76,177.93 F | 47-09-00 | 82,334.29 F | 51-03-00 | 88,491.08 F | 54-09-00 | 94,649.12 F |
| 44-04-00 | 76,324.51 F | 47-10-00 | 82,480.87 F | 51-04-00 | 88,637.70 F | 54-10-00 | 94,795.74 F |
| 44-05-00 | 76,471.09 F | 47-11-00 | 82,627.45 F | 51-05-00 | 88,784.32 F | 54-11-00 | 94,942.36 F |
| 44-06-00 | 76,617.67 F | 48-00-00 | 82,774.03 F | 51-06-00 | 88,930.94 F | 55-00-00 | 95,088.98 F |
| 44-07-00 | 76,764.25 F | 48-01-00 | 82,920.61 F | 51-07-00 | 89,077.56 F | 55-01-00 | 95,235.60 F |
| 44-08-00 | 76,910.83 F | 48-02-00 | 83,067.19 F | 51-08-00 | 89,224.18 F | 55-02-00 | 95,382.22 F |
| 44-09-00 | 77,057.41 F | 48-03-00 | 83,213.77 F | 51-09-00 | 89,370.80 F | 55-03-00 | 95,528.84 F |
| 44-10-00 | 77,203.99 F | 48-04-00 | 83,360.35 F | 51-10-00 | 89,517.42 F | 55-04-00 | 95,675.46 F |
| 44-11-00 | 77,350.57 F | 48-05-00 | 83,506.93 F | 51-11-00 | 89,664.04 F | 55-05-00 | 95,822.08 F |
| 45-00-00 | 77,497.15 F | 48-06-00 | 83,653.51 F | 52-00-00 | 89,810.66 F | 55-06-00 | 95,968.70 F |
| 45-01-00 | 77,643.73 F | 48-07-00 | 83,800.09 F | 52-01-00 | 89,957.28 F | 55-07-00 | 96,115.32 F |
| 45-02-00 | 77,790.31 F | 48-08-00 | 83,946.67 F | 52-02-00 | 90,103.90 F | 55-08-00 | 96,261.94 F |
| 45-03-00 | 77,936.89 F | 48-09-00 | 84,093.25 F | 52-03-00 | 90,250.52 F | 55-09-00 | 96,408.56 F |
| 45-04-00 | 78,083.47 F | 48-10-00 | 84,239.83 F | 52-04-00 | 90,397.14 F | 55-10-00 | 96,555.18 F |
| 45-05-00 | 78,230.05 F | 48-11-00 | 84,386.41 F | 52-05-00 | 90,543.76 F | 55-11-00 | 96,701.80 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **P120-026** Tank Type **F** Roof Weight **145,083** API **45.00** Gravity Correction **2.94**

Strapped By: HMTT 1/29/2025 Posted Height 80-08-02 Top Off Height 69-00-00 Low Gauge 7-7-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 56-00-00 | 96,848.42 F | 59-06-00 | 103,005.86 F | 63-00-00 | 109,162.22 F | 66-06-00 | 115,318.87 F |
| 56-01-00 | 96,995.04 F | 59-07-00 | 103,152.44 F | 63-01-00 | 109,308.80 F | 66-07-00 | 115,465.51 F |
| 56-02-00 | 97,141.66 F | 59-08-00 | 103,299.02 F | 63-02-00 | 109,455.38 F | 66-08-00 | 115,612.16 F |
| 56-03-00 | 97,288.28 F | 59-09-00 | 103,445.60 F | 63-03-00 | 109,601.96 F | 66-09-00 | 115,758.81 F |
| 56-04-00 | 97,434.90 F | 59-10-00 | 103,592.18 F | 63-04-00 | 109,748.54 F | 66-10-00 | 115,905.46 F |
| 56-05-00 | 97,581.52 F | 59-11-00 | 103,738.76 F | 63-05-00 | 109,895.12 F | 66-11-00 | 116,052.11 F |
| 56-06-00 | 97,728.14 F | 60-00-00 | 103,885.34 F | 63-06-00 | 110,041.70 F | 67-00-00 | 116,198.76 F |
| 56-07-00 | 97,874.76 F | 60-01-00 | 104,031.92 F | 63-07-00 | 110,188.28 F | 67-01-00 | 116,345.41 F |
| 56-08-00 | 98,021.38 F | 60-02-00 | 104,178.50 F | 63-08-00 | 110,334.86 F | 67-02-00 | 116,492.06 F |
| 56-09-00 | 98,168.00 F | 60-03-00 | 104,325.08 F | 63-09-00 | 110,481.44 F | 67-03-00 | 116,638.71 F |
| 56-10-00 | 98,314.62 F | 60-04-00 | 104,471.66 F | 63-10-00 | 110,628.02 F | 67-04-00 | 116,785.35 F |
| 56-11-00 | 98,461.24 F | 60-05-00 | 104,618.24 F | 63-11-00 | 110,774.60 F | 67-05-00 | 116,932.00 F |
| 57-00-00 | 98,607.86 F | 60-06-00 | 104,764.82 F | 64-00-00 | 110,921.18 F | 67-06-00 | 117,078.65 F |
| 57-01-00 | 98,754.48 F | 60-07-00 | 104,911.40 F | 64-01-00 | 111,067.76 F | 67-07-00 | 117,225.30 F |
| 57-02-00 | 98,901.10 F | 60-08-00 | 105,057.98 F | 64-02-00 | 111,214.34 F | 67-08-00 | 117,371.95 F |
| 57-03-00 | 99,047.72 F | 60-09-00 | 105,204.56 F | 64-03-00 | 111,360.92 F | 67-09-00 | 117,518.60 F |
| 57-04-00 | 99,194.34 F | 60-10-00 | 105,351.14 F | 64-04-00 | 111,507.50 F | 67-10-00 | 117,665.25 F |
| 57-05-00 | 99,340.96 F | 60-11-00 | 105,497.72 F | 64-05-00 | 111,654.08 F | 67-11-00 | 117,811.90 F |
| 57-06-00 | 99,487.58 F | 61-00-00 | 105,644.30 F | 64-06-00 | 111,800.66 F | 68-00-00 | 117,958.54 F |
| 57-07-00 | 99,634.20 F | 61-01-00 | 105,790.88 F | 64-07-00 | 111,947.24 F | 68-01-00 | 118,105.19 F |
| 57-08-00 | 99,780.82 F | 61-02-00 | 105,937.46 F | 64-08-00 | 112,093.82 F | 68-02-00 | 118,251.84 F |
| 57-09-00 | 99,927.44 F | 61-03-00 | 106,084.04 F | 64-09-00 | 112,240.40 F | 68-03-00 | 118,398.49 F |
| 57-10-00 | 100,074.06 F | 61-04-00 | 106,230.62 F | 64-10-00 | 112,386.98 F | 68-04-00 | 118,545.14 F |
| 57-11-00 | 100,220.68 F | 61-05-00 | 106,377.20 F | 64-11-00 | 112,533.56 F | 68-05-00 | 118,691.79 F |
| 58-00-00 | 100,367.30 F | 61-06-00 | 106,523.78 F | 65-00-00 | 112,680.14 F | 68-06-00 | 118,838.44 F |
| 58-01-00 | 100,513.92 F | 61-07-00 | 106,670.36 F | 65-01-00 | 112,826.72 F | 68-07-00 | 118,985.09 F |
| 58-02-00 | 100,660.54 F | 61-08-00 | 106,816.94 F | 65-02-00 | 112,973.30 F | 68-08-00 | 119,131.73 F |
| 58-03-00 | 100,807.16 F | 61-09-00 | 106,963.52 F | 65-03-00 | 113,119.88 F | 68-09-00 | 119,278.38 F |
| 58-04-00 | 100,953.74 F | 61-10-00 | 107,110.10 F | 65-04-00 | 113,266.46 F | 68-10-00 | 119,425.03 F |
| 58-05-00 | 101,100.32 F | 61-11-00 | 107,256.68 F | 65-05-00 | 113,413.04 F | 68-11-00 | 119,571.68 F |
| 58-06-00 | 101,246.90 F | 62-00-00 | 107,403.26 F | 65-06-00 | 113,559.62 F | 69-00-00 | 119,718.33 F |
| 58-07-00 | 101,393.48 F | 62-01-00 | 107,549.84 F | 65-07-00 | 113,706.20 F | 69-01-00 | 119,864.98 F |
| 58-08-00 | 101,540.06 F | 62-02-00 | 107,696.42 F | 65-08-00 | 113,852.78 F | 69-02-00 | 120,011.63 F |
| 58-09-00 | 101,686.64 F | 62-03-00 | 107,843.00 F | 65-09-00 | 113,999.36 F | 69-03-00 | 120,158.28 F |
| 58-10-00 | 101,833.22 F | 62-04-00 | 107,989.58 F | 65-10-00 | 114,145.94 F | 69-04-00 | 120,304.93 F |
| 58-11-00 | 101,979.80 F | 62-05-00 | 108,136.16 F | 65-11-00 | 114,292.52 F | 69-05-00 | 120,451.57 F |
| 59-00-00 | 102,126.38 F | 62-06-00 | 108,282.74 F | 66-00-00 | 114,439.10 F | 69-06-00 | 120,598.22 F |
| 59-01-00 | 102,272.96 F | 62-07-00 | 108,429.32 F | 66-01-00 | 114,585.68 F | 69-07-00 | 120,744.87 F |
| 59-02-00 | 102,419.54 F | 62-08-00 | 108,575.90 F | 66-02-00 | 114,732.27 F | 69-08-00 | 120,891.52 F |
| 59-03-00 | 102,566.12 F | 62-09-00 | 108,722.48 F | 66-03-00 | 114,878.92 F | 69-09-00 | 121,038.17 F |
| 59-04-00 | 102,712.70 F | 62-10-00 | 108,869.06 F | 66-04-00 | 115,025.57 F | 69-10-00 | 121,184.82 F |
| 59-05-00 | 102,859.28 F | 62-11-00 | 109,015.64 F | 66-05-00 | 115,172.22 F | 69-11-00 | 121,331.47 F |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**

Tank ID **P120-026** Tank Type **F** Roof Weight **145,083** API **45.00** Gravity Correction **2.94**

Strapped By: HMTT 1/29/2025 Posted Height 80-08-02 Top Off Height 69-00-00 Low Gauge 7-7-0

| FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels | FT-IN-16th | Barrels |
|---|---|---|---|---|---|---|---|
| 70-00-00 | 121,478.12 F | 73-06-00 | 127,637.37 F | | | | |
| 70-01-00 | 121,624.76 F | 73-07-00 | 127,784.01 F | | | | |
| 70-02-00 | 121,771.41 F | 73-08-00 | 127,930.66 F | | | | |
| 70-03-00 | 121,918.06 F | 73-09-00 | 128,077.31 F | | | | |
| 70-04-00 | 122,064.71 F | 73-10-00 | 128,223.96 F | | | | |
| 70-05-00 | 122,211.36 F | 73-11-00 | 128,370.61 F | | | | |
| 70-06-00 | 122,358.01 F | 74-00-00 | 128,517.26 F | | | | |
| 70-07-00 | 122,504.66 F | | | | | | |
| 70-08-00 | 122,651.31 F | | | | | | |
| 70-09-00 | 122,797.95 F | | | | | | |
| 70-10-00 | 122,944.60 F | | | | | | |
| 70-11-00 | 123,091.25 F | | | | | | |
| 71-00-00 | 123,237.90 F | | | | | | |
| 71-01-00 | 123,384.55 F | | | | | | |
| 71-02-00 | 123,531.20 F | | | | | | |
| 71-03-00 | 123,677.85 F | | | | | | |
| 71-04-00 | 123,824.50 F | | | | | | |
| 71-05-00 | 123,971.15 F | | | | | | |
| 71-06-00 | 124,117.79 F | | | | | | |
| 71-07-00 | 124,264.44 F | | | | | | |
| 71-08-00 | 124,411.09 F | | | | | | |
| 71-09-00 | 124,557.74 F | | | | | | |
| 71-10-00 | 124,704.39 F | | | | | | |
| 71-11-00 | 124,851.04 F | | | | | | |
| 72-00-00 | 124,997.69 F | | | | | | |
| 72-01-00 | 125,144.34 F | | | | | | |
| 72-02-00 | 125,290.98 F | | | | | | |
| 72-03-00 | 125,437.63 F | | | | | | |
| 72-04-00 | 125,584.28 F | | | | | | |
| 72-05-00 | 125,730.93 F | | | | | | |
| 72-06-00 | 125,877.58 F | | | | | | |
| 72-07-00 | 126,024.23 F | | | | | | |
| 72-08-00 | 126,170.88 F | | | | | | |
| 72-09-00 | 126,317.53 F | | | | | | |
| 72-10-00 | 126,464.17 F | | | | | | |
| 72-11-00 | 126,610.82 F | | | | | | |
| 73-00-00 | 126,757.47 F | | | | | | |
| 73-01-00 | 126,904.12 F | | | | | | |
| 73-02-00 | 127,050.77 F | | | | | | |
| 73-03-00 | 127,197.42 F | | | | | | |
| 73-04-00 | 127,344.07 F | | | | | | |
| 73-05-00 | 127,490.72 F | | | | | | |

All fractional values are to be calculated between the one inch values at the point of strapping

**BOLD DENOTES ROOF CRITICAL ZONE**